OCTOBER, 1937.

PAM
QV26
1937
B95B

RED DIAMOND BRAND

BURGOYNE BURBIDGES & CO. LTD.

Manufacturing Chemists &
Wholesale Druggists
since
1741

LONDON

TERMS, etc.

All prices in this list are net for monthly account, and are quoted without engagement and subject to market fluctuations.

NEW ACCOUNTS.—Opening orders should be accompanied by the usual introductory trade references or alternatively cash.

CARRIAGE is paid in Great Britain on all general assorted orders of Drugs and Chemicals, Druggists Sundries and Patent Medicines to the value of £5, exclusive of packages. On Pills, Tablets and Counter Requisites the carriage paid minimum is £2.

DELIVERIES.—

Town.—We deliver daily in practically all districts of London and Greater London and in some parts twice daily.

Provinces.—Our Motor Delivery Service covers some 800 towns at weekly, fortnightly or monthly intervals, and customers are advised regularly of deliveries. All orders outside of the Motor Delivery radius are despatched on the same day as, or day following receipt of order, by quickest possible method, passenger train service excepted.

BREAKAGES.—In the event of packages being tendered by carriers in a damaged condition, they should be signed for accordingly and notification should be sent to us the same day. If a " clear " signature has been given the carriers should also be notified.

DANGEROUS GOODS.—Under no circumstances may acids or other dangerous goods be forwarded by Carriers or Post; they will only be accepted by Steamship or Railway Companies on their own conditions.

PACKAGES are charged for, unless otherwise stated, but are credited in full if returned carriage paid, in good condition.

RETURNS.—Empties and returned packages cannot be credited until actually received and their return should be advised in detail on the day of despatch. All returns should be labelled with sender's name and address inside as well as outside the packages and carriage prepaid.

The return of **Goods** is subject to arrangement. Under no circumstances can we accept for credit any preparations made or packed to order, nor old, soiled or damaged goods.

While our Carmen have instructions to collect empties wherever possible **Goods** may only be accepted by them against collection note issued by the house.

22501246005

TRADE
B&B
Co.
MARK
RED BRAND
DIAMOND

ESTABLISHED 1741

Telegraphic Address—"ZOTALENE," FORGATE, LONDON.

∴ Telephone—GRANGEWOOD 1414 (8 lines). ∴

BURGOYNE
BURBIDGES & CO. LTD.
LONDON E.
Manufacturers of Pharmaceuticals since 1741

CONTRACTORS
FOR
MEDICINES AND PHARMACEUTICAL CHEMICALS
TO
THE BRITISH ARMIES IN ALL PARTS OF THE WORLD.

CONTRACTORS TO HIS MAJESTY'S GOVERNMENT,
WAR OFFICE, INDIAN GOVERNMENT COLONIAL GOVERNMENTS,
ADMIRALTY, HOME OFFICE,
and the leading Hospitals, Dispensaries, Universities,
and Scientific Laboratories, both at Home and Abroad.

DANGEROUS DRUGS ACTS AND POISONS RULES.

Dangerous Drugs liable to the regulations of the D.D.A. are marked in this price list †

Poisons included in First Schedule of the Poisons Rules are marked *S1*.

Poisons included in Part I. of the Poisons List are marked *P1*.

Poisons included in Part II of the Poisons List are marked *P2*.

Orders received from Registered Members of the Medical, Dental and Veterinary Professions, Hospitals, Institutions, Wholesale Chemists and Druggists and other Wholesale Dealers, for drugs and preparations marked either as Dangerous Drugs or First Schedule Poisons, must be ordered in writing and bear the address of the purchaser and his or her full signature.

Chemists and Druggists, registered under the Poisons and Pharmacy Act, must send signed orders for supplies of Dangerous Drugs, and First Schedule Poisons, but P.1. poisons, unscheduled, may be ordered in the usual manner.

N.B.—In cases of emergency, any of the above so marked drugs and preparations may be ordered by registered medical practitioners, registered dentists or registered veterinary surgeons by telephone or telegraph, but such orders will be accepted only on the understanding that a signed order is received within 24 hours. Failure to observe this condition is deemed an offence under Section 7 of the Poisons Rules, 1935 (Poisons and Pharmacy Act, 1933).

Any of the above so marked drugs and preparations, if sent by post to registered medical practitioners, registered dentists or registered veterinary surgeons, must be registered.

Although every possible care has been taken in indicating these articles, we cannot hold ourselves responsible for any infraction of the Acts, and/or Rules due to errors or omissions.

GENERAL INDEX.

PAGE
Ampoules 124
Bougies, Medicated 137
Capsules... 132
Counter Requisites. 143
Drugs, Chemicals and Pharmaceutical Preparations 3
Druggists Sundries (*see special list*)
Dressings, N.H.I. („ „ „)
Liquors, Concentrated 84
Lozenges and Pastilles 130
Mixtures, Concentrated 86
Ottos, Concentrated 153
Packed Drugs... 143
Pessaries, Medicated... 136
Pills 112
Burgoyne's Special Medical Preparations... 138
Solvellæ 108
Suppositories 136
Tablets. Compressed... 92
Toilet Preparations 151
Veterinary Preparations 154

INDEX TO ADVERTISEMENTS.

C PAGE

"Chemist & Druggist" Weekly Journal 164

D

Distillers Co., Limited, "D.C.L." Brand of Malt Extract 164

K

Knapp, Drewett & Sons Ltd., Printers and Stationers... ... 163

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Coll. pam
No. QV 26 1937 B95b

OCTOBER, 1937

Telegraphic Address: "ZOTALENE," FORGATE, LONDON. Telephone: GRANGEWOOD 1414 (8 lines).

Burgoyne, Burbidges & Co., Ltd.,

LONDON, E.

This list is compiled with the object of placing buyers in the position of purchasing the various products in packages of definite size or weight at lowest rates, and it is only by packing in quantity that these advantageous terms can be offered. We specially request that the quantities ordered should comply with those specified in the list; the nearest size to that ordered will in all cases be supplied without specific instructions to the contrary.

Where the rate for 1 cwt. is given, this quantity can be packed in smaller bulk at the following additional charges :—

56 lb. packages ...	**2/-** per cwt.	7 lb. packages ...	**8/-** per cwt.
28 ,, ,, ...	**3/-** ,, ,,	2 ,, ,, ...	**12/-** ,, ,,
14 ,, ,, ...	**5/-** ,, ,,	1 ,, ,, ...	**15/-** ,, ,,

The minimum charge for any item or quantity is **6d.**

All Official Preparations are in strict accordance with the British Pharmacopœia, 1932, B.P.C. Preparations, Galenicals, &c., are in accordance with the B.P. Codex, 1934. The articles printed in italics are proprietaries.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Absinthii Fol.	—	**1/-**	**-/11**	—
,, ,, *pulv.*	—	**2/-**	**1/9**	—
P1 **A. C. E. Mixture**	**6/6**	**6/4**	**6/3**	—
Acaciæ—				
No. 1 *elect, sifted alb.*	—	**3/6**	**3/3**	—
,, 2, *picked*	—	**3/-**	**2/9**	—
,, 3, *parv.*	—	**2/6**	**2/3**	—
sorts, No. 1	—	**1/9**	**1/6**	—
,, ,, 2, *dust out*	—	**1/6**	**1/3**	—
,, ,, 3, *ex bale*	—	**1/3**	**1/-**	—
small pale grains	—	**3/-**	**2/9**	—
E.I., *good, pale, clean*	—	**1/9**	**1/6**	—
pulv. Alb., No. 1	—	**3/-**	**2/9**	—
,, ,, ,, 2	—	**2/9**	**2/6**	—
,, ,, ,, 3	—	**2/6**	**2/3**	—
Acetamidosalol ... ... ,, **2/3**	—	—	—	—
Acetamidum ... ... ,, **1/9**	—	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
P1 **Acetanilidum** B.P.C. (*cryst vel pulv.*) ...	—	**3/3**	**3/-**	**2/9**
Acetannin B.P.C. ... ...oz. **1/9**	—	—	—	—
Acetarsol, B.P. ... gm. **1/-**				
S1 †**Acetomorphinæ** Hydrochlor (vide *Diamorphinæ Hydrochlor B.P.*)				
Acetonum *com'l* ...	—	**1/3**	**1/-**	—
,, B.P. ...	—	**1/6**	**1/3**	—
Acetum (*Malt Vinegar, Finest*) ... gall. **3/-**				
S1 ,, Cantharidini, B.P.C. ...	**2/6**	**2/3**	**2/-**	—
S1 ,, Cantharidis, B.P.C. ...	**3/-**	**2/9**	**2/6**	—
P1 ,, Colchici ...	—	**1/6**	**1/3**	—
,, Destillat ... gall. **4/6**	—	—	**-/6**	—
,, Fusc. (vide *Acetum*)				
,, Ipecac, B.P.C. ...	—	**2/3**	**2/-**	**1/10**
,, Rubi Idæi ...	—	—	**1/4**	**1/3**
,, Scillæ, B.P. ...	—	—	**-/8**	**-/7**
,, ,, *conc.* 1-4 ...	—	—	**1/10**	**1/7**
,, Vini Gall ... gall. **5/6**	—	—	—	—
Acid Acetic B.P. ...	—	—	**-/6**	**-/5½**
,, ,, Dil. B.P. ...	—	—	**-/6**	**-/4½**
,, ,, Glaciale B.P. ...	—	—	**-/11**	**-/10**
,, ,, ,, Aromat ...	**4/6**	**4/4**	**4/3**	—
,, Acetylsalicyl B.P. ...	—	**4/-**	**3/9**	**3/6**
S1 ,, Arseniosum (vide *Arseni Trioxidum*)				
,, Benzoicum, B.P. (*ex gum*) ... oz. **2/6**				
,, ,, B.P. (*synthetic*) ...	**3/9**	**3/6**	**3/3**	—
,, Boricum *Cryst. B.P.* ... cwt. **48/-**	—	—	**-/7½**	**-/7**
,, ,, ,, *Com'l* ... ,, **40/-**	—	—	**-/6**	**-/5½**
,, ,, ,, *Paillette* ...	—	—	**-/11**	**-/10**
,, ,, *Pulv. B.P.* ... cwt. **50/6**	—	—	**-/8**	**-/7½**
,, ,, ,, *Subtil* ... ,, **52/6**	—	—	**-/9**	**-/8½**
,, ,, ,, *Com'l* ... ,, **44/6**	—	—	**-/6**	**-/5½**
,, Camphoric ... oz. **2/3**	—	—	—	—
P1 ,, Carbolicum, *Cryst.*, B.P. (vide *Phenol* B.P.)				
P1 ,, ,, (95%) *Light yellow* gall. **9/6**	—	—	—	—
P2 ,, ,, (16%) *Dark brown* ,, **3/-**	—	—	—	—
P2 ,, ,, *Miscible* ... ,, **2/9**	—	—	—	—
,, ,, *pulv.* (*Carbonate of Lime*) (vide *Disinfecting Powder*)				
,, Chromicum (vide *Chromii Trioxidum*)				
,, Cinnamic ... oz. **1/3**	—	—	—	—
,, Citricum, B.P. (*cryst vel pulv.*) ...	—	—	**1/10**	**1/9**
,, Formic, 100% ... oz. **1/-**	—	—	—	—
,, ,, 85% ...	**2/9**	**2/6**	**2/3**	—

† Comes under regulations of D.D. Act.

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Acid Formic, s.G. 1.12 (50%)		—	2/-	1/9	—
	,, ,, ,, 1.06 (25%)		—	1/6	1/3	—
	,, Gallicum (*finest soluble*)	oz. -/7	5/6	5/3	5/-	—
	,, Glycerophosphoric 20% B.P.C.	,, -/9	8/-	7/9	7/6	—
	,, Hippuric	,, 3/-	—	—	—	—
	,, Hydriodicum, Dil. B.P.C.	,, -/6	—	—	—	—
	,, Hydrobromicum, Dil. B.P.		—	1/3	1/2	1/-
	,, ,, *conc.* 1-3		—	2/9	2/6	—
P2	,, Hydrochloricum, *comc'l*		—	—	—	-/4
P2	,, ,, B.P.		—	—	-/9	-/8
P2	,, ,, Dil. B.P.		—	—	-/6	-/5
S1	,, Hydrocyanicum, Dil. B.P. 2%	oz. -/6	—	2/-	1/9	—
S1	,, ,, (*Scheele's*) 4%	,, -/6	—	2/9	2/6	—
	,, Hydrofluoric, Dil. B.P.C. (0.2%)		—	—	1/-	—
	,, ,, Fort.		—	—	1/6	—
	(*G.P. bottles extra, and not returnable except for re-filling*).					
	,, Hypophosphorosum, B.P.C. s.G. 1.136		6/6	6/3	6/-	—
	,, ,, Dil B.P.		2/9	2/6	2/3	—
	,, Lactic, B.P. s.G. 1.210		3/3	3/-	2/9	—
	,, ,, Dil. B.P.C. s.G. 1.04		—	1/6	1/4	—
	,, Molybdic	oz. -/9	—	—	—	—
P2	,, Nitric, B.P. s.G. 1.420		—	—	1/2	-/11
P2	,, ,, Dil. B.P.C.		—	—	-/7	—
P2	,, ,, Redist.		—	1/9	1/6	—
P2	,, ,, *Com'l*		—	—	-/10	-/9
P2	,, ,, *pure* s.G. 1.500		—	—	1/8	1/6
P2	,, Nitro-Hydrochloricum, Dil. B.P.C.		—	—	-/7	-/6
P2	,, Nitrosum, s.G. 1.420		—	—	1/-	—
	,, Oleicum, B.P.		—	—	1/3	1/2
	,, Osmicum	1 gm. *tubes* 18/6	—	—	—	—
	,, ,, *Solution* 1%	oz. 6/-	—	—	—	—
P1	,, Oxalicum		—	—	1/-	-/10
P1	,, ,, *recryst.*		—	2/3	2/-	—
	,, Phosphoric, B.P. s.G. 1.750		—	1/9	1/6	1/5
	,, ,, s.G. 1.500		—	1/5	1/2	1/1
	,, ,, Dil. B.P. s.G. 1.057		—	—	-/8	-/7
	,, Picric, B.P. (vide *Trinitrophenol B.P.*)					
	,, Pyrogallicum	oz. 1/-	12/6	12/3	12/-	—
	,, ,, *cryst.*	,, -/11	10/3	10/-	9/9	—
	,, Pyroligneosum	gall. 4/6	—	—	—	—
	,, Salicylicum, B.P. (*cryst. vel pulv*)		2/10	2/7	2/4	—
	,, ,, *Natural*	oz. 2/-	—	—	—	—
	,, Stearic *com'l*		—	1/3	1/-	-/11
	,, Sulphanilic	oz. -/8	7/-	6/9	—	—
	,, Sulphosalicylic	,, 1/-	—	—	—	—
P2	,, Sulphuricum, B.P. s.G. 1.84		—	—	-/9	-/8
P2	,, ,, Dil. B.P., s.G. 1.069		—	—	-/7	-/6

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
P2 **Acid** Sulphuricum *pur. redist.*	—	—	**1/-**	—
P2 ,, ,, *Com'l*	—	—	**-/7**	**-/6**
P2 ,, ,, ,, s.g.1.200 gall. **3/3**	—	—	—	—
P2 ,, ,, Aromat, B.P.C.	**6/6**	**6/3**	**6/-**	—
,, Sulphurosum, B.P.C.	—	—	**-/8**	**-/7**
,, Tannicum, B.P. (*finest soluble*)	**5/3**	**5/-**	**4/9**	**4/6**
,, Tartaricum, B.P. (*cryst. vel pulv.*)	—	—	**1/10**	**1/9**
,, ,, ,, *cryst. parv.*	—	—	**1/11**	**2/-**
,, Trichloraceticum, B.P. oz. **1/9**	—	—	—	—
,, Valerianicum ,, **1/6**	—	—	—	—
S1 **Aconitina** B.P.C. *cryst.* gr. **-/9**	—	—	—	—
S1 **Aconitinae** Hydrochlor B.P.C. ,, **-/9**	—	—	—	—
S1 **Aconitum** B.P.	—	**1/8**	**1/6**	—
S1 ,, ,, *contus*	—	**1/10**	**1/8**	—
S1 ,, ,, *pulv.*	—	**2/4**	**2/2**	—
Acriflavina B.P. ⅛ oz. **5/3**; 1 oz. **36/-**	—	—	—	—
Adeps Benzoinatus B.P.				
,, ,, 1 lb. free tins lb. **1/11**	—	—	—	—
,, ,, 2 lb ,, ,, ,, **1/10**	—	—	—	—
,, ,, 4 lb ,, ,, ,, **1/9½**	—	—	—	—
,, ,, 7 lb ,, ,, ,, **1/9**	—	—	—	—
,, Lanæ, B.P. (Anhyd.)				
,, ,, 1 lb free tins ,, **1/2**	—	—	—	—
,, ,, 2 lb ,, ,, ,, **1/1**	—	—	—	—
,, ,, 7 lb ,, ,, ,, **1/-**	—	—	—	—
,, Lanæ Hydros. B.P.	—	—	**1/1**	—
,, B.P.	—	—	**1/7**	**1/5**
P1 **Adrenalina** B.P. gr. **-/8** gm. **6/3**	—	—	—	—
P1 ,, Hydrochlor Solution (vide *Liq. Adrenalinæ Hydrochlor B.P.*)				
Ærugo Æris (vide *Cupri Acetas*).				
Æther B.P. .720	**3/3**	**3/-**	**2/9**	**2/6**
,, Anæstheticus B.P. 720	**3/9**	**3/6**	**3/3**	—
,, s.g. .717 (*technical*)	**2/9**	**2/6**	**2/3**	**2/-**
,, ,, .735 (*technical*)	**2/6**	**2/3**	**2/-**	**1/9**
,, Acetic, B.P.C.	**7/6**	**7/3**	**7/-**	—
,, Ænanthic (vide *Ol. Cognac*)				

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Æther Benzoic (vide *Ethyl Benzoas*)				
,, Butyric (*absolute*) ... ... oz. **1/8**	**20/6**	**20/3**	**20/-**	—
,, Ozonic	**7/-**	**6/9**	**6/6**	—
,, Petrolei	**3/-**	**2/9**	**2/6**	—
Æthylis Chloridum B.P.				
30 gm tubes, each **2/-** doz. **21/-**	—	—	—	—
50 ,, ,, ,, **2/9** ,, **30/-**	—	—	—	—
Agar B.P.	**7/-**	**6/9**	**6/6**	—
,, ,, *pulv.*	**9/6**	**9/3**	**9/-**	—
,, ,, (*shredded*)	**8/9**	**8/6**	**8/3**	—
Agropyrum B.P.C.	—	**1/6**	**1/3**	—
Albumen B.P.C. *ex. ovo*	**5/9**	**5/6**	**5/3**	—
,, ,, ,, *pulv.*	**6/9**	**6/6**	**6/3**	—
Alcohol B.P. 95% ... gall. **151/-** net cash	—	—	—	—
,, Dil., B.P. 90% ,, **143/-** ,, ,,	—	—	—	—
,, ,, ,, ,, pint **19/-** ,, ,,	—	—	—	—
,, Dehydratum B.P.	**25/9**	**25/7**	**25/6**	—
P2 ,, Ammoniatum Nost	**3/9**	**3/7**	**3/6**	—
P2 ,, ,, B.P.C.	**10/9**	**10/6**	**10/3**	—
,, Amylicum B.P.C.	**3/6**	**3/4**	**3/3**	—
,, ,, *com'l.*	**2/9**	**2/7**	**2/6**	—
,, ,, (*for milk testing*)	**3/9**	**3/7**	**3/6**	—
,, Iso-propyl B.P.C. pint **2/6**. gall. **16/-**	—	—	—	—
,, Methylic (vide *Methanol*)				
Allantoin ... ½ oz. **3/-**	—	—	—	—
Allium Sativum (*Garlic*)	—	**1/6**	**1/2**	—
Allyl Sulphide B.P.C. ... oz. **11/-**	—	—	—	—
Aloe Barb. *fine pale liver, B.P.*	**3/6**	**3/3**	**3/-**	—
,, ,, *fine*	**3/-**	**2/9**	**2/6**	—
,, ,, *good*	**2/6**	**2/3**	**2/-**	—
,, ,, *pulv.* No. 1	**3/9**	**3/6**	**3/3**	—
,, ,, ,, ,, 2	**3/3**	**3/-**	**2/9**	—
,, ,, ,, ,, 3	**2/9**	**2/6**	**2/3**	—
,, Cape, *finest bright*	—	**1/8**	**1/5**	**1/4**
,, ,, ,, ,, *pulv.*	—	**2/-**	**1/9**	**1/8**
,, Socot. *elect B.P.*	**5/-**	**4/9**	**4/6**	—
,, ,, *fine bright*	**4/3**	**4/-**	**3/9**	—
,, ,, *pulv.* No. 1	**5/3**	**5/-**	**4/9**	—
,, ,, ,, ,, 2	**4/6**	**4/3**	**4/-**	—
Aloinum B.P. ... oz. **1/6**	**18/6**	**18/-**	**17/6**	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Altheæ Rad. (*decort*)	—	2/2	1/11	—
,, ,, ,, *pulv.*	—	2/9	2/6	—
,, Fol.	—	1/8	1/5	—
Alumen *cryst.* cwt. 20/6	—	—	-/4	-/3
,, *pulv.* ,, 22/-	—	—	-/4	-/3
,, Purif. B.P. (*Ammon or Potass*)	—	—	-/11	-/10
,, ,, ,, ,, *pulv.*	—	—	1/-	-/11
,, Chrome, *com'l*	—	—	-/10	-/9
,, ,, *pur. pulv.*	—	2/3	2/-	—
,, Exsiccat, B.P.C.	—	1/6	1/4	—
,, ,, *pulv.*	—	1/7	1/5	—
,, Ferric (vide *Ferri Alum*)				
,, Rupel	—	-/11	-/10	—
,, ,, *pulv.*	—	1/2	1/1	—
Aluminii Acetas oz. -/6	4/3	4/-	3/9	—
,, Aceto-tartras ,, -/7	7/-	6/9	6/6	—
,, Chloridum B.P.C.	3/9	3/6	3/3	—
,, Hydroxid B.P.C.	3/6	3/3	3/-	—
,, Sulphas B.P.C.	—	1/9	1/6	—
,, Tannas oz. 1/6	—	—	—	—
Ambragrisea *fine grey* ⅛ oz. 20/- oz. 150/-	—	—	—	—
,, *good* ⅛ ,, 19/- ,, 140/-	—	—	—	—
Amidol oz. 1/2	13/-	12/9	12/6	—
S1 **Amidopyrina** B.P. ,, 1/6	—	—	—	—
S1 ,, Salicylas B.P.C. ,, 2/6	—	—	—	—
Ammoniacum	3/-	2/10	2/9	—
,, *Guttæ*	3/9	3/7	3/6	—
,, *pulv.*	4/-	3/10	3/9	—
Ammonii Acetas, *cryst.*	3/6	3/3	3/-	—
,, Benzoas B.P.C. natural oz. 2/3	—	—	—	—
,, ,, ,, *ex toluol* ,, -/6	6/6	6/3	6/-	—
,, Bicarb B.P.	—	1/9	1/6	—
,, Bichromas *pur*	—	3/-	2/9	—
,, ,, *Com'l*	—	1/6	1/3	—
,, Bromid. B.P.C.	—	3/5	3/2	—
,, ,, Efferves B.P.C.	—	—	3/6	—
,, Carbonas, B.P.	—	—	1/3	—
,, ,, ,, 7 lb free tins 1/1½ lb.	—	—	—	—
,, ,, ,, 14 ,, ,, 1/1 ,,	—	—	—	—
,, ,, ,, *Pulv.*	—	—	1/1	—
,, ,, ,, *Resub.*	—	—	1/6	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Ammon Carbonas B.P. *Resub. Cubes.*	—	—	1/9	—
,, ,, ,, ,, *Gran.*	—	—	1/9	—
,, ,, ,, ,, *Pulv.*	—	—	1/6	—
,, ,, *Com'l.*	—	—	—	—
,, ,, ,, 7 lb free tins -/11½ lb.	—	—	—	—
,, ,, ,, 14 lb ,, ,, -/11 ,,	—	—	—	—
,, ,, Aromat.	3/-	2/9	2/6	—
,, ,, Solutio. (*1 in 8 Standardised*) *One fl. oz. contains 60 grs.*	—	—	-/9	—
,, Chloridum (*Sal Ammoniac*)	—	—	-/11	-/10
,, ,, *Cryst. D.T.*	—	—	-/8	-/7
,, ,, ,, *parv.*	—	—	-/8	-/7
,, ,, Tabs. (gr. 20) "Voltoids"	—	—	1/-	-/11
,, ,, B.P. *pur. gran. for dispensing*	—	1/1	1/-	-/11
,, Citras B.P.C. ... oz. -/6	6/-	5/9	5/6	—
,, Hippuras B.P.C. ... oz. 2/11	—	—	—	—
,, Hydrosulphid (*solution*)	—	1/4	1/-	—
,, Ichthosulphonate (vide *Ichthammol*)				
,, Iodidum B.P.C. ... oz. 1/-	—	—	—	—
,, Molybdas B P.... ... ,, 1/-	—	—	—	—
,, Nitras, *com'l*	—	—	-/6	-/5
,, ,, *re-cryst.*	2/-	1/9	1/6	—
P1 ,, Oxalas, B.P.	3/-	2/9	2/6	—
,, Persulphas B.P.C.	3/9	3/6	3/3	—
,, Phosphas B.P. *puriss.*	—	3/-	2/9	—
,, ,, *Com'l.*	—	1/6	1/3	—
,, ,, Acid...	—	3/6	3/3	—
,, Salicylas B.P.C. ... oz. -/7	6/3	6/1	6/-	—
,, Sulphas, *Com'l.* ... cwt. 15/-	—	—	-/4	-/3½
,, ,, B.P. *re-cryst.*	—	1/3	1/-	—
,, Sulpho-cyanidum re-cryst.	3/6	3/3	3/-	—
,, Tartras B.P.C....	—	—	5/3	—
,, Valerianas ... ... oz. 1/8	—	—	—	—
AMPULLÆ (vide page 124).				
Amygdala Amara	2/6	2/4	2/3	—
,, Dulcis, No. 1, *finest Jordan*...	3/9	3/7	3/6	—
,, ,, No. 2, *fine*	3/3	3/2	3/1	—
,, ,, *Valencia*	3/3	3/2	3/1	—
,, ,, *Alba. pulv.*	4/9	4/7	4/6	—
,, Fusca, *pulv.* (*Brown almond meal*)....	2/-	1/10	1/9	—
Amyl Acetas	2/-	1/10	1/9	1/8
,, ,, *pur.* B.P.C.	2/2	2/-	1/11	1/10
,, Butyras ... oz. -/9	9/3	9/1	9/-	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Amyl Nitras ... ... oz. **-/10**	—	—	—	—
P1 ,, Nitris, B.P. ... ... ,, **-/8**	**8/3**	**8/1**	**8/-**	—
P1 ,, ,, Capsules *min.* 3 ... doz. **1/3**	—	—	—	—
,, Valerianas ... ... oz. **1/6**	—	—	—	—
Amyleni Hydras B.P.C. ... ... ,, **2/8**	—	—	—	—
S1 **Amylocaine** Hydrochlor B.P. ... gm. **1/-**	—	—	—	—
Amylum *pulv.* (*wheat*)	—	—	**-/7½**	—
,, ,, B.P. *finest* (*maize*) cwt. **24/-**	—	—	**-/6**	**-/5½**
,, ,, (*rice*)	—	—	**-/7**	**-/6½**
,, ,, Farina (*potato*) cwt. **23/6**	—	—	**-/6**	**-/5½**
Anchusæ Rad.	—	—	**1/2**	—
Anethum B.P.	—	—	**-/8**	**-/7**
,, *pulv.*	—	**1/4**	**1/2**	**1/1**
Angelicæ Rad. (*twisted*)	—	**4/3**	**4/-**	—
,, ,, *pulv.*	—	**5/3**	**5/-**	—
Aniline B.P.C.	**2/6**	**2/4**	**2/3**	—
,, *Com'l*	**1/9**	**1/7**	**1/6**	—
,, Hydrochlor	**4/6**	**4/4**	**4/3**	—
Anisi Fruct. Alicant	—	—	**1/3**	—
,, ,, ,, *pulv.*	—	—	**1/7**	—
,, ,, Russ.	—	—	**-/11**	—
,, ,, ,, *pulv.*	—	—	**1/2**	—
,, ,, ,, *coarse* (Vet'y)	—	—	**-/10**	**-/9**
,, ,, Stellat	—	—	**1/4**	—
,, ,, ,, *pulv.*...	—	—	**2/-**	—
Annatto *Liquid*	**3/-**	**2/10**	**2/9**	—
,, *Roll*	**2/9**	**2/7**	**2/6**	—
Anthem Flor. *Exot., opt.*...	—	—	**2/6**	**2/3**
,, ,, ,, No. 2	—	—	**2/-**	**1/9**
,, ,, ,, *pulv.*	—	**3/6**	**3/3**	—
P1 **Antifebrin** (vide *Acetanilidum*).				
S1 **Antimonii** Chloridum, Liq. (vide *Liq. Antim Chlorid*)				
S1 ,, Chloridum *Cryst.* (*ter-chlorid*). oz. **-/7**	—	—	—	—
S1 ,, Crocus, *pulv.*	—	**1/9**	**1/6**	—
S1 ,, Oxidum B.P.C.	**4/9**	**4/6**	**4/3**	—
S1 ,, et Potassii Tartras B.P.	**5/-**	**4/9**	**4/6**	—
S1 ,, et Sodii Tartras B.P.	**7/-**	**6/9**	**6/6**	—
S1 ,, Sulphidum (*ter-sulphid*) (*Kerme's Mineral*)	**3/9**	**3/6**	**3/-**	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
S1 **Antimonium** Nigrum, *com'l*	—	—	-/10	—
S1 ,, ,, ,, *pulv*	—	—	1/-	-/10
S1 ,, ,, *pulv. purif.*	3/3	3/-	2/9	—
,, Regulus. (*metal*)	—	2/-	1/9	—
S1 ,, Sulphurat. B.P.C.	3/6	3/3	3/-	—
Antipyrin (vide *Phenazonum, B.P.*)				
Apii Sem. (*Celery*)	—	2/-	1/9	—
Apiol Liq. B.P.C. ... oz. **2/10**	—	—	—	—
S1 **Apomorphin** Hydrochlorid B.P. gr.**-/9** gm.**5/-**	—	—	—	—
Aqua Anethi Dest. B.P. ... gall. **5/9**	—	—	-/9	—
,, ,, Conc. B.P.	13/6	13/3	13/-	—
,, Anisi Dest. ... gall. **4/6**	—	—	-/8	—
,, ,, Conc. 1-40	13/6	13/4	13/3	—
,, Aurantii Flor. Trip ... gall. **8/-**	—	—	1/2	—
,, ,, ,, Conc 1-40	15/-	14/10	14/9	—
,, Camphoræ B.P. ... gall. **4/-**	—	—	-/7	—
,, ,, Conc. 1-40	4/3	4/-	3/9	—
,, Carui Dest. ... gall. **4/6**	—	—	-/8	—
,, ,, Conc 1-40	14/-	13/10	13/9	—
,, Caryophylli Dest. ... gall. **4/6**	—	—	-/8	—
,, ,, Conc. 1-40	15/6	15/4	15/3	—
,, Chloroform Conc. 1-40 B.P.C.	5/9	5/7	5/6	—
,, Cinnamomi Dest. B.P. ... gall. **5/9**	—	—	-/9	—
,, ,, Conc. B.P.	14/-	13/10	13/9	—
,, Destillata B.P. ... 1 or 2 galls. **1/1**	—	—	—	—
,, ,, ,, ... 5 gall. **-/11**	—	—	—	—
,, ,, ,, ...10 gall. **-/9**	—	—	—	—
Free delivery by our motor service or per rail within 60 miles of London. With general orders, over 60 miles 2d. per gall. extra.				
,, Foeniculi Dest. ... gall. **4/6**	—	—	-/8	—
,, ,, Conc. 1-40	15/-	14/10	14/9	—
S1,, Laurocerasi	—	1/1	1/-	—
,, Lavandulæ (vide page 154)				
,, Mellis B.P.C.	16/6	16/3	16/-	—
,, ,, Industrial	5/6	5/4	5/3	—
,, Menth. Pip. Dest. B.P. ... gall. **7/6**	—	—	1/1	—
,, ,, ,, Conc. B.P.	12/6	12/3	12/-	—
,, ,, Virid Dest ... gall. **7/6**	—	—	1/1	—
,, ,, ,, Conc. 1-40	16/-	15/9	15/6	—
,, Pimentæ Dest. ... gall. **4/6**	—	—	-/8	—
,, ,, Conc. 1-40	14/-	13/9	13/6	—
,, Rosæ Trip ... gall. **8/-**	—	—	1/-	—
,, ,, Conc. 1-40	15/-	14/9	14/6	—
,, Rosmarini Dest.	—	—	-/10	—
,, ,, Conc. 1-40	14/6	14/3	14/-	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Aqua Sambuci Trip	—	—	**1/6**	—
„ „ 1-40	**15/6**	**15/3**	**15/-**	—
„ Sterilisata B.P. (vide *Ampoules*, page 124)				
Araroba (*Goa Powder*) B.P.C. ... oz. **-/8**	**7/6**	**7/3**	**7/-**	—
Archil	—	**1/5**	**1/4**	**1/3**
Areca Semina	—	—	**1/-**	**-/11**
„ „ *pulv.*	—	—	**1/4**	**1/2**
Arecolin Hydrobrom ... ... gm. **2/11**	—	—	—	—
Argenti Acetas ... ... oz. **5/9**	—	—	—	—
„ Bromidum ... ... „ **5/6**	—	—	—	—
„ Chloridum ... ... „ **5/-**	—	—	—	—
„ Iodidum ... ... „ **5/3**	—	—	—	—
„ Nitras, B.P., *cryst.* oz. **3/6** *8 ozs.* **3/3**	—	—	—	—
„ „ *fused, 4 or 6 sticks to oz. oz.* **3/9**	—	—	—	—
„ „ „ *8 sticks to oz.* „ **3/9**	—	—	—	—
„ „ Induratus, B.P. „ **3/6**	—	—	—	—
„ „ Mitigatus, B.P.C. „ **3/8**	—	—	—	—
„ Nitris ... ... „ **6/-**	—	—	—	—
„ Oxidum, B.P.C. ... „ **5/3**	—	—	—	—
„ Proteinas, B.P. oz. **1/4** *4 ozs.* **1/2**	—	—	—	—
„ „ Mite. B.P.C. *oz.* **2/9**	—	—	—	—
„ Vitellin (30% Silver) ... „ **3/3**	—	—	—	—
Argentum Colloid ... ... „ **6/-**	—	—	—	—
Arnicæ Flor.	—	**2/9**	**2/6**	—
„ Rhizom.	—	**2/9**	**2/6**	—
„ „ *pulv.*	**3/6**	**3/3**	**3/-**	—
S1 P2 **Arsenicum** Album. (vide *Arseni Trioxid*)				
S1 „ Sulphidum Flavum, *lump* (*Orpiment*)	**3/-**	**2/10**	**2/9**	—
S1 „ „ „ *pulv.*	—	**1/9**	**1/8**	—
S1 P2 „ „ Rubrum, *lump* (*Realgar*) ...	—	**2/4**	**2/3**	—
S1 „ „ „ *pulv.*	—	**1/6**	**1/5**	—
S1 P1 **Arseni** Bromid ... ... oz. **1/-**	—	—	—	—
S1 P1 „ Chloridum ... ... „ **1/2**	—	—	—	—
S1 P1 „ Triiodidum, B.P. ... „ **1/6**	—	—	—	—
S1 P2 „ Trioxidum, B.P., *lump*	**1/6**	**1/4**	**1/3**	—
S1 P2 „ „ „ *pulv.* cwt. **43/6**	—	—	**-/9**	**-/7½**
Asafœtida *B.P.*	**2/6**	**2/3**	**2/-**	—
„ *Guttæ B.P.*	**4/9**	**4/6**	**4/3**	—
„ *Colat*	**4/6**	**4/3**	**4/-**	—
„ *pulv.*	**4/6**	**4/3**	**4/-**	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Asbestos *fine long fibre* ...	**8/9**	**8/6**	**8/4**	—
„ *short fibre* ...	**5/3**	**5/1**	**5/-**	—
„ *pulv.* ...	**1/3**	**1/1**	**1/-**	—
Asphaltum ...	—	—	**-/9**	—
„ *pulv.* ...	—	**1/3**	**1/2**	—
Asthma Powder (vide *Pulv. Lobeliæ Co.*)				
S1 **Atropina** B.P. ... ⅛ oz. **3/6**	—	—	—	—
S1 **Atropinæ** Hydrochlorid, ... ⅛ „ **3/6**	—	—	—	—
S1 „ Salicylas, ... ⅛ „ **3/6**	—	—	—	—
S1 „ Sulphas, B.P., ⅛ oz. **2/6**; oz. **16/6**	—	—	—	—
Aurantii Cortex Recens B.P. ...	—	—	—	—
„ „ Siccat B.P. *thin cut* ...	—	—	—	—
„ „ „ „ *ribbon* ...	—	—	—	—
Auri Bromidum 15 *gr. tubes* doz. **60/-** *nett cash* (Auri et Potass. Bromid)	—	—	—	—
„ Chloridum 15 *gr. tubes* doz. **60/-**	—	—	—	—
Azorubrum B.P.C. ... oz. **-/9**	—	—	—	—
Baking Powder ...	—	—	**1/-**	—
Balsamum Canadensis (vide "*Terebinthina Canadensis*")				
„ Copaibæ, B.P. (vide *Copaibæ*).				
„ Fioraventi ...	**12/3**	**12/-**	**11/9**	—
„ Gurjunæ (vide *Ol. Gurgun*).				
„ Locatelli ...	—	—	**2/6**	—
„ Peruvianum B.P. ...	**9/-**	**8/9**	**8/6**	—
„ Sulphuris ... *free tins*	—	**2/-**	**1/9**	**1/6**
„ Tolutan., B.P. ...	**3/6**	**3/3**	**3/-**	—
S1 **Barbitonum** B.P. ... oz. **1/8**	**20/-**	**19/6**	**19/-**	—
S1 „ Solubile B.P. ... oz. **1/9**	**21/-**	**20/6**	**20/-**	—
Bardanæ Rad. *incis* ...	—	**1/2**	**1/-**	—
S1 **Barii** Bromidum ... oz. **-/6**	—	—	—	—
S1 P2 „ Carbonas, B.P.C. *pur. præcip.* ...	—	**1/9**	**1/8**	—
S1 P2 „ „ *com'l,* ...	—	**-/10**	**-/9**	—
S1 „ Chloridum B.P.C. *pur. recryst.* ...	**1/9**	**1/6**	**1/3**	—
S1 „ Chromas ... oz. **-/6**	—	—	—	—
S1 „ Hypophosphis ... „ **-/6**	**5/6**	**5/4**	**5/3**	—
S1 „ Iodid ... „ **1/6**	—	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
S1 **Barii** Nitras *pur. recryst.*	1/9	1/6	1/3	—
S1 „ „ *com'l*	—	—	1/-	-/10
S1 „ Oxid, *anhydrous*	4/3	4/-	3/9	—
S1 „ „ *hydrated*	—	1/6	1/5	—
S1 „ „ Peroxid (*Hydrat. pur.*)	—	2/6	2/3	—
S1 „ „ „ *anhyd.*	4/6	4/3	4/-	—
„ Sulphas, *com'l*	—	—	-/8	—
„ **Sulphas, B.P. specially purified for X-ray diagnosis**	—	1/6	1/3	1/-
S1 „ Sulphidum, *pur.*	2/6	2/3	2/-	—
Barium Sulphate Cream (vide page 138).				
Bay Rum Industrial gall. 6/- 5 gall 5/9	—	—	1/-	—
„ Conc. 1-20	14/6	14/3	14/-	—
Bay Salt ... ... cwt. 22/6	—	—	-/4	—
Beberinæ Hydrochlor ⅛ oz. 1/7 oz. 11/9	—	—	—	—
„ SulphasB.P.C. ⅛ „ 1/7 „ 11/9	—	—	—	—
Belæ Fruct. B.P.'14	—	1/3	1/-	—
S1 **Belladonnæ** Folium B.P.	—	1/9	1/6	—
S1 „ Pulverat B.P. (Fol.)	5/9	5/6	5/3	—
S1 „ Radix B.P.	—	1/3	1/-	—
S1 „ „ *contus*	—	1/9	1/6	—
S1 „ „ *pulv.*	2/3	2/-	1/9	—
Benedict's Reagent (*qualitative*)	2/6	2/4	2/3	—
„ „ (*quantitative*) per ½ litre 4/-	—	—	—	—
„ „ „ „ 1 „ 7/6	—	—	—	—
Benzaldehydum *pur* ... ... oz. -/5	3/9	3/7	3/6	—
S1 **Benzaminæ** Hydrochlor B.P.C. dr. 2/6	—	—	—	—
S1 „ Lactas B.P.C. ... „ 2/6	—	—	—	—
S1 **Benzamin** (base) ... ⅛ oz. 2/6 oz. 17/6	—	—	—	—
Benzenum B.P.C.	—	1/3	1/2	—
P1 **Benzocaina** B.P.... ... ... oz. 2/9	—	—	—	—
Benzoinum B.P. *Sumatra fine opt.*	3/6	3/4	3/3	—
„ „ „ *sec.*	3/3	3/1	3/-	—
„ „ „ No. 3 (not B.P.) ...	2/9	2/7	2/6	—
„ „ „ *pulv. opt.*	4/-	3/10	3/9	—
„ „ „ „ *sec.*	3/6	3/4	3/-	—
„ *Siam, Guttæ, finest*...	12/-	11/9	11/6	—
„ „ „ *good*	10/6	10/3	10/-	—
Benzo-Naphthol ... ... oz. -/6	6/-	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Benzyl Benzoas B.P.C. oz. -/6	4/3	—	—	—
„ **Succinas** B.P.C.(vide *Bensuccin*, page 138)				
Berberinæ Hydrochlor dr. 2/-	—	—	—	—
„ Sulphas B.P.C. „ 2/-	—	—	—	—
Berberidis Cortex	—	1/4	1/3	—
„ „ *pulv.*	—	1/9	1/8	—
Betanaphthol B.P. oz.-/6	—	—	—	—
“ **Bipp** ” B.P.C. „1/-	12/-	11/9	11/6	—
Bismarck *Brown* No. 1	6/-	5/9	5/6	—
„ „ No. 2	5/9	5/6	5/3	—
Bismuthi Benzoas oz. 1/8	—	—	—	—
„ Beta-naphthol „ 2/2	—	—	—	—
„ Carbonas, B.P.	9/6	9/3	9/-	—
„ et Ammonii Citras B.P.C. „ 1/9	—	—	—	—
„ et Soda Tart B.P. (*Neutral*),, 1/6	—	—	—	—
„ Citras B.P.C. „ 1/-	13/3	13/-	12/9	—
„ Iodide „ 2/-	—	—	—	—
„ Lactas „ 2/-	—	—	—	—
„ Nitras, *Cryst.*	8/3	8/-	7/9	—
„ Oleas B.P.C. oz. -/10	—	—	—	—
„ Oxidum B.P.C.	15/-	14/9	14/6	—
„ Oxyiodogallas B.P.C. oz. 3/6	—	—	—	—
„ Salicylas, B.P. „ 1/1	11/9	11/6	11/3	—
„ Subchlor (Oxychlor) B.P. „ 1/6	—	—	—	—
„ Subgallas B.P.C.	11/6	11/3	11/-	—
„ Subnitras, B.P.C.	9/-	8/9	8/6	—
„ Tannas B.P.C. oz. 1/3	—	—	—	—
„ Tribromphenas B.P.C. „ 2/-	—	—	—	—
Bismuthum (*metal*)	6/9	6/6	6/3	—
„ Præcip B.P, oz. 5/3	—	—	—	—
Boldo Fol.	—	1/6	1/3	—
Bole Armenian (*Venetian Red*)	—	—	-/8	—
Borax, B.P. cwt. 40/6	—	—	-/6	-/5½
„ „ Pulv., (*pure dispensing*) „ 42/6	—	—	-/6	-/5½
„ *com'l.* „ 30/6	—	—	—	-/4½
Bordeaux B. (vide *Azorubrum*).				
Boroglycerinum, B.P.C.	2/-	1/10	1/9	1/8
Bougies (vide page 137)				

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Brilliant Green	oz. **1/3**	—	—	—	—
Bromoform B.P.C.	„ **1/-**	—	—	—	—
Bromum B.P.C.	„ **-/6**	—	—	—	—
„ in tubes, 2 c.c. each	doz. **3/6**	—	—	—	—
S1 **Brucina**	oz. **2/-**	—	—	—	—
S1 **Brucinæ** Sulphas	„ **2/-**	—	—	—	—
Bryoniæ Rad. (*Alb.*)		—	**1/6**	**1/5**	—
„ „ (*Nig.*)		—	**1/4**	**1/3**	—
Buchu B.P. Fol.		**4/3**	**4/-**	**3/9**	—
„ „ *pulv.*		**5/3**	**5/-**	**4/9**	—
P1 **Butyl Chloral-Hydras,** B.P.C.	oz. **1/-**	**12/6**	**12/3**	**12/-**	—
Cachous (*Floral*)		—	—	**2/-**	**1/9**
Cadmii Bromid	oz. **-/11**	—	—	—	—
„ Chlorid	„ **-/9**	—	—	—	—
„ Iodid	„ **1/6**	—	—	—	—
„ Oxid, *anhyd*	„ **1/3**	—	—	—	—
„ Sulphas	„ **-/8**	—	—	—	—
„ Sulphid	„ **-/9**	—	—	—	—
Caffeina B.P.	„ **1/3**	—	—	—	—
Caffeinæ Benzoas	„ **1/1**	—	—	—	—
„ Citras B.P.C.	„ **-/11**	**11/-**	**10/9**	**10/6**	—
„ „ Efferv., B.P.C.		—	—	**3/9**	—
„ et Sodii Benz. B.P.	oz. **1/1**	—	--	—	—
„ „ „ Salicylas B.P.C.	„ **1/2**	—	—	—	—
„ Hydrobrom B.P.C.	„ **2/-**	—	—	—	—
„ Iodid	„ **3/-**	—	—	—	—
„ Salicylas, B.P.C.	„ **1/7**	—	—	—	—
„ Valerianas B.P.C.	„ **3/6**	—	—	—	—
Calam Aromat. Rad.		—	**1/-**	**-/11**	—
„ „ „ *pulv.*		—	**1/6**	**1/5**	—
Calamina Præparata B.P.C.		—	**1/9**	**1/6**	—
„ „ *Burgoyne*	1lb. cartons	—	—	**2/6**	—
Calciferol, B.P.		—	—	—	—
Calcii Acetas *pure*		**2/6**	**2/3**	**2/-**	—
„ „ *com'l*		—	—	**-/6**	—
„ Acetylsalicyl B.P.C.	oz. **1/3**	**14/6**	**14/3**	**14/-**	—
„ Bisulphis Solutio s.G. 1.070		—	—	**-/4**	—
„ Bromid B.P.C.	oz. **-/9**	—	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Calcii Carbonas B.P. *levis* ... cwt. **32/-** ...	—	—	-/6	-/5
,, ,, ,, *pond* ... ,, **22/6**	—	—	-/4½	-/4
,, Chloridum B.P.	—	1/3	1/-	—
,, ,, Hydratum B.P.	—	—	-/9	—
,, ,, *fusum com'l*	—	—	-/6	-/5
,, et Sodii Lactas B.P.C.	4/-	3/10	3/9	—
,, Formas B.P.C. ... ... oz. **-/6**	4/3	4/-	—	—
,, Gluconas B.P. ... ... ,, **-/6**	5/6	5/3	5/-	—
,, Glycerophosph B.P.C. ... ,, **-/9**	—	—	—	—
,, Hydrox, B.P. (*Slaked Lime*) ...	—	—	-/9	—
,, Hypophosphis B.P.C.	4/6	4/3	4/-	—
,, Iodid B.P.C. ... ... oz. **1/6**	—	—	—	—
,, Lactas B.P.	2/3	2/1	2/-	—
,, Lacto-Phosph *pulv.* ... oz. **-/8**	6/6	6/3	6/-	—
P1 ,, Oxalas	3/-	2/10	2/9	—
,, Phosphas B.P.	—	1/4	1/3	—
,, ,, *com'l*	—	—	-/8	-/7
,, ,, Acid *pure*	3/-	2/9	2/6	—
,, ,, Di-acid	4/3	4/-	3/9	—
,, Sulphas B.P.C. ... ... cwt. **25/6**	—	—	-/5	-/4
,, ,, ,, *extra fine* ,, **33/-**	—	—	-/6	-/5
,, Sulphis *pure*	—	—	1/6	—
,, Sulphidum (vide *Calx Sulphurata*)				
,, Superphosphas ... ... cwt. **15/-**	—	—	—	-/4
Calendulæ Flor	—	4/6	4/3	—
Calumbæ, B.P. Rad., picked	—	2/-	1/9	1/6
,, *good sorts*	—	1/8	1/5	1/2
,, *pulv.*	—	2/-	1/9	—
Calx Chlorinata, B.P. ... cwt. kegs **30/-**	—	—	—	—
7 lb. free tins each **2/9**	—	—	—	—
14 ,, ,, ,, **5/-**	—	—	—	—
,, **Sulphurata,** B.P.C.	2/9	2/6	2/3	—
Cambogia *elect., pipe*	7/-	6/9	6/8	—
,, ,, *pulv.*	8/-	7/9	7/8	—
Camphora B.P. *tablets* 1 *or* 2 *ozs.*	5/3	5/1	5/-	—
,, ,, ½, ⅓ and ¼ oz.	5/4	5/2	5/1	—
,, ,, ¼ oz Japanese	—	—	4/3	4/-
,, ,, *Flores*	—	4/9	4/6	4/3
,, ,, *Pulv. synthetic*	—	3/9	3/6	3/3
,, Monobromidum, B.P.C. oz. **1/3**	13/6	13/3	13/-	—
Canarii Sem.	—	—	-/8	-/7
Canellæ Cort.	—	2/2	2/1	—
,, ,, *pulv.*	—	2/8	2/7	—
S1 **Cannabin Tannas** ... ... oz. **6/-**	—	—	—	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
S1†**Cannabis Indica** B.P. '14	oz. **5/3**	—	—	—	—
S1† " " *pulv.*	" **5/9**	—	—	—	—
S1 **Cantharides** *Russ.* (*sifted*)		**11/6**	**11/3**	**11/-**	—
S1 " " *pulv.*		**12/6**	**12/3**	**12/-**	—
S1 " *Chinese*		**7/-**	**6/9**	**6/6**	—
S1 " " *pulv.*		**8/9**	**7/9**	**7/6**	—
S1 **Cantharidinum** B.P.	gr. **-/6**; gm. **4/3**	—	—	—	—
Caoutchouc		**6/9**	**6/7**	**6/6**	—
Capsici Fruct. B.P. Opt.		—	**1/6**	**1/5**	—
" " " " *pulv.*		—	**2/6**	**2/5**	—
" " " *Zanzibar*		—	**1/9**	**1/8**	—
" " " " *pulv.*		—	**2/9**	**2/8**	—
" " " *Bombay*		—	**1/3**	**1/2**	—
" " " " *pulv.*		—	**1/9**	**1/8**	—
Capsicin (vide *Oleoresin Capsici B.P.C.*).					
Caramel (vide *Sacch. Ust.*)					
Carbo Animalis, *gran.*		—	—	**1/-**	—
" " *pulv.* (*Ivory Black*)		—	—	**-/10**	—
" " *decolorising*		—	—	**1/2**	—
" Ligni	cwt. **30/-**	—	—	**-/6**	**-/5**
" " *pulv.*		—	—	**-/6**	**-/5**
" " " *Levig*		—	—	**-/8**	—
" " " (*Salicis*)		—	—	**1/2**	—
Carbon Bisulphid. B.P.C.		**2/3**	**2/-**	**1/9**	—
" " *com'l*		—	**1/3**	**1/-**	—
" Tetrachlorid, B.P.		**1/9**	**1/7**	**1/6**	—
" " *com'l*		**1/3**	**1/1**	**1/-**	—
" " Capsules (vide pp. 154 and 158).					
Carbromalum, B.P.	oz. **4/-**	—	—	—	—
Cardamomum B.P.		**9/9**	**9/6**	**9/3**	—
" " *decort.*		**10/9**	**10/6**	**10/3**	—
" " " *pulv.*		**11/3**	**11/-**	**10/9**	—
Carmine B.P.C. *pure* (*fine shade*)	oz. **2/9**	**31/-**	**30/6**	**30/-**	—
Carum B.P. (*Sifted*)		—	**-/11**	**-/10**	—
" " *pulv. opt.*		—	**1/2**	**1/1**	—
" " " *vet'y*		—	—	**-/10**	**-/9**
Caryophyllum B.P. *Amboyna*		—	**2/8**	**2/6**	—
" " *Penang Opt.*		—	**3/-**	**2/10**	—
" " *Zanzibar*		—	**1/6**	**1/3**	**1/1**
" " " *pulv.*		—	**1/11**	**1/8**	**1/6**

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Cascara Sagrada B.P.			—	1/9	1/6	—
„ „ *pulv.*			—	2/3	2/2	—
CASCAROMAT			—	—	4/6	—
Cascarillæ B.P.C. *elect.*			7/6	7/3	7/-	—
„ „ *parv.*			5/3	5/-	4/9	—
„ „ *pulv.*			6/3	6/-	5/9	—
Casein (*soluble*) B.P.C.			—	2/-	1/9	—
„ Glycerophosph, B.P.C.			3/3	3/-	2/9	—
Cassiæ Cort., *selected*			—	1/-	-/11	-/10
„ „ *pulv.*			—	1/3	1/2	1/1
„ Fructus			—	1/2	1/1	1/-
„ Pulpa, B.P.			—	3/-	2/10	2/8
Castoreum *selected...*	oz.	8/-	—	—	—	—
„ *fine*	„	7/-	—	—	—	—
„ *parv.*	„	6/-	—	—	—	—
„ *pulv.*	„	10/-	—	—	—	—
Cataplasma Kaolin B.P. (vide p. 147)			—	—	—	—
Catechu, B.P. *pallid* (*Gambier cubes*)			—	1/3	1/2	—
„ „ „ *pulv....*			—	2/-	1/10	—
„ Nigrum, B.P.C. (*Cutch*)			—	1/1	1/-	-/11
„ „ *pulv.*			—	1/7	1/6	—
Caulophyllin B.P.C.	oz.	2/2	—	—	—	—
Cera Alba, B.P. *opt. discs*			—	3/6	3/3	3/-
„ Flava, B.P. *opt.*			—	3/3	3/-	2/9
„ „ 1 & 2 oz. tablets			—	3/4	3/1	2/10
„ „ ½ oz. tablets			—	3/6	3/3	3/-
„ Carnauba, *flav.*			—	3/3	3/1	—
„ „ *grey*			—	2/6	2/3	—
„ Japonica			—	—	1/-	—
Ceresin Alb.			—	—	1/4	—
„ Flav.			—	—	1/3	—
Ceratum Calaminæ B.P.C.			—	2/6	2/5	—
Cerevisiæ Fermentum B.P.C. (*dried*)			3/-	2/9	2/6	—
Cerii Nitras	oz.	-/9	—	—	—	—
P1 „ Oxalas B.P.C.,			3/3	3/-	2/9	—
Cetaceum B.P.C.			—	2/1	1/11	—
„ *pulv.*			—	2/8	2/6	—
Cetraria Islandica (vide *Lichen Islandic*).						

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Chirata *good bright* B.P.C.		—	1/4	1/3	—
,, *Incisa*		—	1/7	1/6	—
,, *pulv.*		—	2/-	1/11	—
P1 **Chloral** Camphoratum	oz. -/9	8/6	8/3	8/-	—
P1 ,, Formamidum B.P.C.	,, 1/9	18/-	17/9	17/6	—
P1 ,, Hydras, B.P.		5/6	5/3	5/-	4/9
Chloramina B.P. (vide page 138).					
Chloralose	oz. 9/-	—	—	—	—
Chlorbutol, B.P.	,, 2/-	—	—	—	—
P1 **Chlorobrom** (vide page 138).					
S1 † **Chlorodyne** (Burgoyne)		5/-	4/9	4/6	—
S1 † ,, B.P.C. (vide Tinct. Chlorof. et Morphinæ B.P.C.)					
P1 **Chloroformum,** B.P. *pur.*		3/8	3/6	3/5	3/4
P1 ,, Aconiti, B.P.C.		9/9	9/6	9/3	—
P1 ,, Belladonnæ B.P.C.		8/-	7/10	7/9	—
P1 ,, Camphoratum B.P.C.		7/-	6/10	6/9	—
Chlorophyll, B.P.C. *Oil soluble*	oz. 1/9	26/-	25/6	25/-	—
,, B.P.C. *Spirit soluble*	,, 1/11	28/-	27/6	27/-	—
,, B.P.C. *Water soluble*	,, 2/-	29/-	28/6	28/-	—
Cholesterin	⅛ ,, 1/-	—	—	—	—
Chondrus Crispus *Elect*		—	—	1/3	1/-
Chromii Chlorid (Sesqui)	oz. -/8	8/-	7/9	7/6	—
,, Oxidum *Virid*	,, -/6	—	—	—	—
,, Phosphas	,, -/6	—	—	—	—
,, Sulphas		3/6	3/4	3/3	—
,, Trioxidum B.P.	oz. -/6	4/-	3/9	3/6	—
,, ,, *com'l*		2/9	2/6	2/3	—
Chrysarobinum B.P.	oz. 1/4	16/6	16/-	15/6	—
Chrysoidin	,, -/10	—	—	—	—
Cimicifugæ Rhizom		—	1/4	1/3	—
,, ,, *pulv.*		—	1/11	1/10	—
Cinchonæ Cort. Rubræ (E.I.) B.P., *bold quill*		3/9	3/7	3/6	—
,, ,, ,, ,, ,, *parv.*		2/9	2/7	2/6	—
,, ,, ,, ,, ,, *pulv.*		2/6	2/4	2/3	—
Cinchonidin Sulphas B.P.C.	oz. 4/3	—	—	—	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act.

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Cinchonin Hydrochloridum B.P.C.	oz. **3/6**	—	—	—	—
„ Sulphas B.P.C. ...	„ **3/-**	—	—	—	—
S1 **Cinchophenum** B.P.	„ **2/-**	—	—	—	—
Cinnamomi Cort., B.P. *quill*		**4/-**	**3/10**	**3/9**	—
„ „ „ *fair*		**3/3**	**3/1**	**3/-**	—
„ „ „ *parv.*		**2/6**	**2/4**	**2/3**	—
„ „ „ *pulv. Opt.*		**2/9**	**2/7**	**2/6**	—
„ „ „ „ *Sec.*		**2/3**	**2/2**	**2/1**	—
Citral	oz. **1/9**	—	—	—	—
Cobalti Acetas	oz. **-/8**	—	—	—	—
„ Carbonas	„ **1/-**	—	—	—	—
„ Chlorid	„ **-/8**	—	—	—	—
„ Nitras	„ **-/8**	—	—	—	—
„ Oxidum, Nig.	„ **1/-**	—	—	—	—
„ Sulphas	„ **-/6**	—	—	—	—
S1†**Cocæ** Fol.		—	**3/8**	**3/6**	—
S1† „ „ *pulv.*		—	**4/8**	**4/6**	—
S1†**Cocaina,** B.P. *pur.*	⅛ oz. **6/9**; oz. **45/6**	—	—	—	—
S1†**Cocainæ** Hydrochlorid, B.P.	⅛ oz. **6/3**; oz. **42/6**	—	—	—	—
S1† „ Nitras ...	⅛ „ **7/-**	—	—	—	—
S1† „ Salicylas ...	⅛ „ **7/6**	—	—	—	—
S1 **Cocculus Indicus**		—	**1/3**	**1/2**	—
S1 „ „ *pulv.*		—	**2/3**	**2/2**	—
Coccus Cacti., B.P., *Silver Grain sifted* ...		—	**3/4**	**3/3**	—
„ „ „ „ „ *fine* ...		—	**3/-**	**2/11**	—
„ „ „ „ „ *pulv.* ...		—	**4/-**	**3/11**	—
„ „ *Black Grain*		—	**3/4**	**3/3**	—
„ „ „ „ *pulv.*		—	**4/-**	**3/11**	—
S1 **Codeina** B.P. ...	⅛ oz. **9/-**; oz. **34/-**	—	—	—	—
S1 **Codeinæ** Hydrochlor	⅛ oz. **8/6** oz. **31/-**	—	—	—	—
S1 „ Phosphas, B.P.	⅛ „ **8/-** „ **28/-**	—	—	—	—
S1 „ Sulphas	⅛ „ **8/6** „ **31/-**	—	—	—	—
P1 **Colchici** Corm, B.P.		—	**1/9**	**1/8**	—
P1 „ „ „ *pulv.*		—	**2/6**	**2/4**	—
P1 „ Sem., B.P.		—	**2/6**	**2/3**	—
P1 „ „ „ *pulv.*		—	**3/6**	**3/3**	—
S1 **Colchicine** B.P.C. ...	gr. **1/-**; gm. **12/-**	—	—	—	—
S1 „ Salicylas B.P.C.	„ **1/-**; „ **12/-**	—	—	—	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Collodium Flexile B.P.	3/-	2/10	2/9	—
,, Acetonum, B.P.C.	4/-	3/10	3/9	—
S1 ,, Anodynum, B.P.C. ... oz. 1/-	12/-	11/9	11/6	—
S1 ,, Belladonnæ, B.P.C. ... ,, -/9	9/-	8/9	8/6	—
P1 ,, Callosum N.F.	3/6	3/4	3/3	—
,, Comp. (*Corn Solvent*).	6/-	5/10	5/9	—
,, Salicylas, B.P.C.	4/-	3/10	3/9	—
P1 ,, ,, Co. B.P.C.	10/-	9/9	9/6	—
,, Stypticum, B.P.C. ... oz. -/9	—	—	—	—
,, ,, Meth. B.P.C. ,, -/7	—	—	—	—
S1 ,, Vesicans B.P.C. ... ,, 1/3	14/9	14/6	—	—
Colloids, (vide page 139)				
Colocynthis B.P. (Turc.)	4/3	4/-	3/9	—
,, ,, ,, *pulv.*	4/9	4/6	4/3	—
,, *Pulpa*	4/3	4/-	3/9	—
,, ,, *pulv.*	4/9	4/6	4/3	—
Colophonium B.P. Amber	—	—	-/9	-/8
,, ,, Flav.	—	—	-/8	-/7
,, ,, Nig.	—	—	-/7	-/6
,, ,, *pulv.*	—	—	-/11	-/10
,, ,, ,, *coarse*	—	—	-/7	-/6½
Composition Essence	—	2/9	2/7	2/5
,, ,, Sec.	—	2/-	1/10	1/9
,, **Powder**	—	2/-	1/10	1/9
Condurango Cort.	—	1/7	1/6	—
,, ,, *pulv.*	—	2/6	2/5	—
Confectio Guaiaci Comp., B.P.C.	—	2/4	2/3	—
,, Piperis B.P.C.	2/6	2/4	2/3	—
,, Rosæ Caninæ, B.P.C.	3/-	2/10	2/9	—
,, ,, Gallicæ, B.P.C.	2/9	2/7	2/6	—
,, Sennæ, B.P. ... *free tins...*	—	—	1/5	1/4
,, Sulphur B.P. ... ,, ,,	—	—	2/3	2/2
S1 **Conii** Fol.	—	2/-	1/11	—
S1 ,, ,, *pulv.*	—	2/9	2/8	—
S1 ,, Fruct.	—	1/7	1/6	—
S1 ,, ,, *pulv.*	—	2/4	2/3	—
S1 **Conina** ... ⅛ oz. 11/6	—	—	—	—
Convallaria Majalis	—	2/-	1/11	—
Copaiba B.P. (*finest filtered*)	4/9	4/6	4/3	—
Copaibæ Resina	6/9	6/7	6/6	—
Copal *Elect*	2/3	2/1	2/-	—
,, *pulv.*	2/9	2/7	2/6	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Coriandrum B.P. *Opt.*	—	—	-/10	-/9
„ „ *pulv.*	—	1/3	1/-	-/11
Corn Solvent vide *Collodium Comp.*)				
S1 **Cotarnin** Hydrochlor … ⅛ oz. 3/-	—	—	—	—
S1 „ Phthalas … ⅛ „ 3/-	—	—	—	—
Coto Cort.	3/-	2/10	2/9	—
„ „ *pulv.*	3/6	3/4	3/3	—
Cotoin Ver. … gm. 2/-	—	—	—	—
Coumarin … oz. 1/6	—	—	—	—
Crême d'Amandes, *scented*	—	4/3	4/-	—
„ **Barii Sulphas** (vide page 138).				
Cremor Bismuthi (*Burgoyne*)	—	4/4	4/3	—
„ Frigidus Opt. … *free tins*…	—	—	2/-	—
„ „ Sec. … „ „ …	—	—	1/8	—
„ Tartar (vide *Potass Tartras Acid*).				
„ „ Soluble (vide *Potass. Boro. Tart.*)				
„ Zinci B.P.C.	—	3/3	3/-	—
Creosoti Carbonas … oz. 1/2	—	—	—	—
P1 **Creosotum,** B.P.	3/9	3/6	3/3	—
P1 **Cresol,** B.P.	—	2/-	1/9	—
Creta B.P. (Preparata) *white pyramids* (*7lb boxes*) cwt. 27/6 …	—	—	—	-/5
„ „ *pulv.*	—	—	-/6	-/4
„ „ „ *tinted flesh colour*	—	—	-/8	-/7
„ c. Camphorá, B.P.C.	—	1/3	1/2	1/1
„ „ (5%)	—	1/1	1/-	-/11
„ Gallica, *slab*	—	—	1/-	-/10
„ „ *pulv. subtil*… cwt. 22/6…	—	—	-/6	-/5
„ Præcip. (vide *Calcii Carb.* B.P. *levis*)				
Croci **Stigmata,** *finest* *Valencia* oz. 4/6 ; 4 oz. 4/- oz.…	—	—	—	—
„ „ *pulv.* „ 5/6 „ 5/- „ …	—	—	—	—
„ in Placentâ	—	—	—	—
Crotonis Sem.	6/-	5/10	5/9	—
Cubebæ Fruct, *sifted*	—	3/4	3/3	—
„ „ *pulv.*	—	4/4	4/3	—
Cudbear	1/9	1/7	1/6	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Cupri Acetas	—	3/6	3/3	—
„ „ *Cryst. pur.*	4/6	4/3	4/-	—
„ Ammonio Chlorid (*green*)	3/-	2/9	2/6	—
„ „ Sulphas (*green*)	2/3	2/-	1/9	—
„ Carbonas, *Præcip.*	4/3	4/-	3/9	—
„ Chloridum, *cryst.*	3/-	2/9	2/6	—
„ „ (ous)	5/6	5/3	5/-	—
„ Nitras, *cryst. pur.*	3/3	3/-	2/9	—
„ Oleas B.P.C.	3/6	3/3	3/-	—
„ Oxidum *Com'l*	2/-	1/9	1/6	—
„ „ *Gran pur.*	6/-	5/9	5/6	—
„ „ *Præcip*	5/-	4/9	4/6	—
„ Sulphas 98% ... cwt. 37/6...	—	—	-/7	-/6½
„ „ *pulv.* (*coarse*) ... „ 40/-	—	—	-/7½	-/7
„ „ „ *E.F.*	—	—	-/8½	—
„ „ B.P. (*recryst.*)	—	—	1/6	—
Cuprum Foil, *pur.* oz. -/6	5/-	4/9	4/6	—
„ Filings „ -/6	4/9	4/6	4/3	—
„ Turnings „ -/6	4/-	3/9	3/6	—
Curcumæ Rhizoma Madras	—	—	-/10	-/9
„ „ „ *pulv. 1lb free cartons...*	—	—	1/1	1/-
Currie Powder ... *free cartons*	2/3	2/1	2/-	—
Cuspariæ Cort. (*Angostura*)	2/3	2/1	2/-	—
„ „ *pulv.*	2/9	2/7	2/6	—
Cusso B.P.C.	3/-	2/10	2/9	—
„ *pulv.*	4/-	3/10	3/9	—
Cydoniæ Sem.	6/-	5/9	5/6	—
Cymini Sem.	1/6	1/3	1/-	—
„ „ *pulv.*	2/-	1/9	1/6	—
„ „ „ (*Coarse*)	—	—	1/2	1/-
Damianæ Fol.	—	2/-	1/9	—
„ „ *pulv.*	—	2/9	2/6	—
Dammar Gum	2/9	2/7	2/6	—
„ „ *pulv.*	3/9	3/7	3/6	—
S1 **Datura Tatula**	2/3	2/1	2/-	—
S1 „ „ *pulv.*	2/9	2/7	2/6	—
S1 **Daturina** gr. 2/-	—	—	—	—
S1 **Daturinæ, Sulphas** gr. 2/-	—	—	—	—
Decoctions Concentrated—				
„ Agropyri, B.P.C. 1 to 7	3/-	2/9	2/6	—

	Per lb. ¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Decoctions Concentrated—				
„ Aloes, Co., B.P.C. 1 to 3	2/6	2/4	2/3	—
„ Anthem et Papav, B.P.C. 1 to 7 ...	3/9	3/7	3/6	—
„ Cinchonæ Rubr. „ „ ...	3/3	3/1	3/-	—
„ Hæmatoxyli „ „ ...	2/3	2/1	2/-	—
„ Pareiræ „ „ ...	3/3	3/1	3/-	—
„ Quercûs „ „ ...	3/-	2/10	2/9	—
„ Sarsæ Jam. Co. „ „ ...	5/6	5/3	5/-	—
„ „ Co. „ „ ...	3/9	3/7	3/6	—
„ Scoparii „ „ ...	—	2/6	2/5	—
„ Senegæ „ „ ...	—	4/-	3/9	—
„ Taraxaci „ „ ...	—	3/-	2/11	—
„ Tritici Repentis (vide *Dec. Agropyri*)				
„ Uvæ Ursi „	2/9	2/7	2/6	—
Derris, *Pulv.* (see page 156).	—	—	—	—
Dextrine Alb.	—	—	-/7	-/6
„ Flav.	—	—	-/7	-/6
Dextrosum, B.P. Anhydrous 1 *lb. free cartons...*	—	—	1/3	—
„ Hydrated ... „ „ „ ...	—	—	-/11	-/10
S1†**Diamorphinæ** Hydrochlor, B.P. ⅛ oz. 6/6 ; oz. 47/6	—	—	—	—
Diapente	—	—	-/10	-/9
Diastase B.P.C. ... ... oz. 2/-	—	—	—	—
Di-chloramine—T ... ... oz. 2/6	—	—	—	—
Di-Ethyl Phthalate	3/3	3/-	2/9	—
S1 **Digitalinum** *Amorphous* gr. -/7; gm. 4/6	—	—	—	—
S1 **Digitalis** Fol. B.P. *Ang.*	—	4/-	3/9	—
S1 „ „ „ *Exot.*	—	2/3	2/-	—
S1 „ Pulverata B.P.	5/6	5/4	5/3	—
Disinfecting Powder (15%) ... cwt. 20/-	—	—	—	—
Dolichos ... ... oz. 3/10	—	—	—	—
S1 **Duboisinæ** Sulphas. ... ... gr. 1/-	—	—	—	—
Dulcamara	—	1/10	1/9	—
Eau de Cologne (vide page 154).				
P1 **Elaterinum** ... ...gr. -/6 ; gm. 3/10	—	—	—	—
P1 **Elaterium** Ang. ... ... ⅛ oz. 5/6	—	—	—	—
Elemi *good white*	2/-	1/10	1/9	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
S1 **Elixir** Æthlymorph et Terpin B.P.C	**4/-**	**3/9**	**3/6**	—
„ Aletridis, B.P.C.	**4/6**	**4/4**	**4/3**	—
„ Aromaticum, B.P.C.	**6/6**	**6/3**	**6/-**	—
„ Aurantii Co., B.P.C. (vide *Elixir Aromaticum*)	—	—	—	—
„ Bismuthi Salicylas	**4/3**	**4/-**	**3/9**	—
„ Cascaræ Sagradæ, B.P.	**3/-**	**2/9**	**2/6**	—
„ Cinchonæ, B.P.C.	**6/3**	**6/1**	**6/-**	—
P1 „ Cocæ B.P.C.	**4/6**	**4/4**	**4/3**	—
P1 „ Damianæ Co., Burgoyne's ("Ixidama," Regd.) (vide page 139).				
S1 †„ Diamorph et Terpini, B.P.C.	**3/9**	**3/7**	**3/6**	—
S1 „ „ „ c ApomorphB.P.C.	**5/6**	**5/4**	**5/3**	—
S1 †„ „ et Pini Co. B.P.C.	**4/3**	**4/-**	**3/9**	—
„ Ephedrin Hydrochlor, B.P.C.	—	**3/6**	**3/3**	—
„ Formatum, B.P.C.	**3/9**	**3/7**	**3/6**	—
P1 „ „ Co. B.P.C.	**4/6**	**4/4**	**4/3**	—
„ Glusidi, B.P.C.	**5/6**	**5/4**	**5/3**	—
„ Glycerophosph (vide *Glycerine Glycerophosph Co.*)				
„ Guaranæ, B.P.C.	**8/9**	**8/6**	**8/3**	—
„ Ipecac, B.P.C.	—	**2/6**	**2/5**	—
„ Menth. Pip. Alpha	**7/-**	**6/10**	**6/9**	—
„ „ „ Glyc'd	**11/-**	**10/9**	**10/6**	—
„ „ „ Nost	**19/6**	**19/3**	**19/-**	—
„ Ovolecithin, B.P.C.	**5/-**	**4/10**	**4/9**	—
„ Papaini, B.P.C.	**7/3**	**7/-**	**6/9**	—
„ Pepsini, B.P.C.	**5/9**	**5/7**	**5/6**	—
„ „ et Bismuthi B.P.C. 1923	**4/6**	**4/4**	**4/3**	—
P1 „ „ „ „ Co. B.P.C. 1923	**4/9**	**4/7**	**4/6**	—
S1 „ Phenobarbitoni B.P.C.	**4/3**	**4/-**	**3/9**	—
„ Quininæ Ammon. et Cinnam B.P.C.	**6/6**	**6/3**	**6/-**	—
„ Rhei, B.P.C. 1923	**4/-**	**3/10**	**3/9**	—
„ Sennæ, B.P.C.	**3/6**	**3/3**	**3/-**	—
„ Simplex B.P.C.	**2/6**	**2/4**	**2/3**	—
„ Viburn Prunifol B.P.C.	**7/9**	**7/6**	**7/3**	—
Embrocation. (See *Liniment Album.*)				
S1 **Emetina** *pur* gm. **5/-**	—	—	—	—
S1 **Emetinæ** et Bismuth-Iodidi, B.P. „ **2/6**	—	—	—	—
S1 „ „ Capsules (vide *p.* 139)				
S1 „ Hydrochlor B.P. gm. **3/9**	—	—	—	—
S1 „ Periodid „ **5/-**	—	—	—	—
Emplastrum—				
Ammoniaci c. Hydrarg. B.P. '98	—	**5/6**	**5/3**	—
S1 Belladonnæ, B.P.	—	**5/6**	**5/3**	—
S1 „ Viride, B.P.C.	—	**6/-**	**5/9**	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Emplastrum—				
S1 Calefaciens B.P.C.	—	3/6	3/3	—
S1 Cantharidini, B.P.	—	7/6	7/3	—
S1 Colophonii B.P.	—	2/3	2/-	—
S1 Ferri B.P.C.	—	3/-	2/9	—
Galbani B.P. '85	—	4/6	4/3	—
Hydrargyri, B.P.C.	—	5/-	4/9	—
S1 Lyttæ B.P.C.	—	6/-	5/9	—
Melilotæ	—	3/3	3/-	—
Paracelsi	—	3/9	3/6	—
Picis B.P.C.	—	2/6	2/3	—
S1 Plumbi, B.P.	—	2/-	1/9	—
S1 Resinæ, B.P. (vide *Emp. Colophonii*)				
S1 Roborans (vide *Emp. Ferri*)				
S1 Saponis, B.P.C.	—	2/3	2/-	—
S1 „ Fuscum B.P.C.	—	3/6	3/3	—
EMULSAGAR (Emulsio Petrolei c̄ Agar Burgoyne) gall. **7/6**	—	—	1/-	—
„ c̄ Phenolphthalein (1½ grs. to 1 oz.) gall. **8/-**	—	—	1/1	—
„ „ „ Extra (6 grs. to 1 oz.)	—	1/4	1/3	1/1
„ Alkaline (c Sodii Bicarb)	—	1/2	1/1	-/11
„ Sweetened	—	1/2	1/1	-/11
Emulsio—				
Acriflavine B.P.C. 1–1000	—	2/9	2/6	2/3
Chloroform, B.P.C.	—	1/2	1/1	1/-
Iodoformi, B.P.C.	7/-	6/10	6/9	—
Magnesiæ, (vide *Mist Magnes Hydrox*)				
Menth. Pip. B.P.C.	—	3/-	2/9	2/6
Olei Arachis B.P.C. (vide *Marylebone Cream*)				
„ Menth. Pip. 1-64	—	3/-	2/9	2/6
„ Morrhuæ, B.P.C.	—	—	1/1	1/-
„ „ (Burgoyne) 33⅓%	—	—	-/11	-/10
„ „ „ 25%	—	—	-/10	-/9
„ „ c. Hypophosph. B.P.C.	—	—	1/6	1/5
Paraffin Liq. Co. B.P.C.	—	—	1/3	1/-
Petrolei (Burgoyne)	—	—	1/-	-/11
„ c. Hypophosph, B.P.C.	—	—	1/2	1/1
„ c. Agar N.F.	—	—	1/-	-/11
„ „ et Phenolphthalein N.F.	—	—	1/1	1/-
„ „ (vide *Emulsagar*).				
„ c̄ Kaolin N.F.	—	—	1/1	1/-
ENZYME CORDIAL (Digestive)	4/6	4/4	4/3	—
Eosin oz. **2/-**	—	—	—	—
P1 **Ephedrina** (*alkaloid*) ⅛ oz. **2/3**	—	—	—	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q
P1 **Ephedrinæ Hydrochlor,** B.P.	⅛ oz. **2/-**	—	—	—	—
P1 „ **Sulphas** B.P.C.	⅛ „ **2/-**	—	—	—	—
Ergosterol	gm. **5/9**	—	—	—	—
S1 **Ergota,** B.P.		**12/6**	**12/3**	**12/-**	—
S1 „ Præparata, B.P.		**18/6**	**18/-**	**17/6**	—
S1 **Ergotinum** (vide *Ext. Ergotæ*).					
S1 **Ergotoxine** Æthanosulphonas, B.P.	gm. **7/9**	—	—	—	—
P1 **Erythrityliis** Tetranitras Dil B.P.	⅛ oz. **4/-**	—	—	—	—
S1 **Eserin Sulphas** (vide *Physostigminæ Sulphas*).					
Ess. Ambergris Fortis	oz. **3/9**	—	—	—	—
„ Anisi (see *Spt. Anisi*).					
„ Menth. Pip. B.P. (vide *Spt. Menth. Pip. B.P.*)					
„ „ Pulegii. *Nost.* 1 in 10		**7/9**	**7/6**	**7/3**	—
„ „ „ B.P.C. (vide *Spt Pulegii*)					
„ Moschi. conc. Ver.	oz. **5/6**	—	—	—	—
„ „ „ Artificial	„ **1/9**	—	—	—	—
„ Rennet		—	—	**-/9**	**-/8**
„ Vanillæ conc. Finest Natural		**16/6**	**16/3**	**16/-**	—
„ „ „ Fine		**13/6**	**13/3**	**13/-**	—
„ „ „ Good		**7/6**	**7/3**	**7/-**	—
„ Vinegar conc. (vide *Vinegar Essence*).					
Ethyl Benzoas	oz. **1/6**	—	—	—	—
„ Bromid	„ **1/-**	—	—	—	—
„ Chaulmoograte (vide *Chaulgrol*, page 138).					
„ Chlorid (vide *Æthylis Chloridum B.P.*)					
„ Iodid	oz. **1/6**	—	—	—	—
„ Nitras	„ **1/3**	—	—	—	—
„ Valerianas	„ **2/6**	—	—	—	—
S1 **Ethylmorph,** Hydrochlor	⅛ oz. **5/-**	—	—	—	—
	oz. **32/6**	—	—	—	—
Eucalypti Fol.		—	**1/6**	**1/3**	—
„ „ *pulv.*		**2/3**	**2/-**	**1/9**	—
„ Gum B.P. '14		**12/-**	**10/9**	**10/6**	—
„ „ *pulv.*		**13/-**	**12/9**	**12/6**	—
Eucalyptol B.P.	oz. **-/7**	**5/9**	**5/6**	**5/3**	—
Eugenol	„ **1/-**	—	—	—	—
Euonymi Rad. Cort. B.P. '14		**4/3**	**4/1**	**4/-**	—
„ „ „ *pulv.*		**4/9**	**4/7**	**4/6**	—
Euonymin (vide *Ext. Euonymi* B.P. '14)					
„ Virid	oz. **3/6**	—	—	—	—

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Eupad		—	—	1/2	1/1
	Euphorbia Pilulifera		—	1/8	1/6	—
	Euphorbium		—	1/8	1/6	—
	,, *pulv.*		—	2/2	2/-	—
	Eusol (vide *Liq. Calcis Chlorinata et Ac. Boric B.P.C.*)					
	Extractum Absinthii	oz. 1/1	—	—	—	—
	,, ,, Liq.		10/6	10/3	10/-	—
S1	,, Aconiti Fol.	oz. 1/-	—	—	—	—
S1	,, ,, Rad. alcoholicum	,, 1/8	—	—	—	—
S1	,, ,, Rad. Liq.		8/3	8/1	8/-	—
	,, Agropyri, Liq. B.P.C.	oz. -/6	4/3	4/2	4/-	—
	,, Aletridis Liq., B.P.C.	,, -/10	9/9	9/6	9/3	—
	,, Aloes B.P.C.		3/9	3/6	3/3	—
	,, ,, *pulv.*		4/3	4/-	3/9	—
	,, ,, Socotrin		7/-	6/9	6/6	—
	,, ,, ,, *pulv.*		7/6	7/3	7/-	—
	,, Althaeæ Liq. (*Marsh Mallow*)		6/3	6/1	6/-	—
	,, Anthemidis, B.P.C.	oz. 1/6	—	—	—	—
	,, ,, ,, *pulv.*	,, 1/9	—	—	—	—
	,, ,, Liq.		11/6	11/3	11/-	—
	,, Arnicæ Flor.	oz. 3/-	—	—	—	—
	,, ,, Rad. alcoholicum	,, 1/11	—	—	—	—
	,, ,, ,, Liq. B.P.C. 1923		10/-	9/10	9/9	—
	,, Aurantii Amaræ Liq. B.P.C.		18/9	18/6	18/3	—
	,, Belæ Liq. B.P.C.		3/9	3/7	3/6	—
S1	,, Belladonnæ Liq. B.P.		7/6	7/3	7/-	—
S1	,, ,, Fol. Liq.		10/-	9/9	9/6	—
S1	,, ,, Siccum. B.P.	oz. -/9	—	—	—	—
S1	,, ,, Viride B.P.C.	oz. -/9	8/6	8/3	8/-	—
S1	,, ,, ,, ,,*pulv.*	oz. 1/-	—	—	—	—
S1	,, ,, alcoholicum	oz. -/11	—	—	—	—
	,, Berberis Aquifolii Liq. (*Holly-leaved Barberry*)		6/9	6/7	6/6	—
	,, Boldo Liq.	oz. -/10	10/3	10/1	10/-	—
	,, Bryoniæ Liq.		6/3	6/1	6/-	—
	,, Buchu	oz. 1/6	—	—	—	—
	,, ,, Liq. B.P.C.	,, 1/-	12/-	11/9	11/6	—
	,, Burdock Liq.		5/6	5/4	5/3	—
	,, Calendulæ	oz. 3/-	—	—	—	—
	,, ,, Liq.	,, 1/1	13/-	12/9	12/6	—
	,, Calumbæ	,, 1/6	—	—	—	—
	,, ,, Liq.		7/9	7/6	7/3	—
S1†	,, Cannabis Afric.	oz. 5/6	—	—	—	—
S1†	,, ,, Indicæ	½ oz. 25/-	—	—	—	—
		1 ,, 24/-	—	—	—	—
S1†	,, ,, ,, Liq.	,, 5/6	—	—	—	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act.

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Extractum	Capsici Liq.	10/9	10/6	10/3	—
	,,	Cascar. Sagrad. Liq. B.P.	—	3/3	3/-	2/9
	,,	,, ,, ,, Glycerinated	—	2/9	2/6	2/3
	,,	,, ,, ,, Miscible, B.P.C.'23	4/3	4/-	3/9	—
	,,	,, ,, ,, ,, Burgoyne's	4/-	3/9	3/6	—
	,,	,, ,, Siccum. B.P. oz. -/9	8/9	8/6	8/3	—
	,,	Cascarillæ Liq.	11/6	11/3	11/-	—
	,,	Catechu Liq.	4/3	4/1	4/-	—
	,,	Caulophylli Liq. B.P.C.	10/9	10/6	10/3	—
	,,	Cerei Liq. B.P.C.	9/6	9/3	9/-	—
	,,	Chimaphilæ Liq. (*Pipsissewa*)	10/9	10/6	10/3	—
	,,	Chiratæ oz. 1/-	—	—	—	—
	,,	,, Liq.	9/6	9/4	9/3	—
	,,	Cichorii Liq. (*Chicory*)	8/9	8/7	8/6	—
	,,	Cimicifugæ Liq. B.P. '98	7/9	7/7	7/6	—
	,,	Cinchonæ B.P. oz. -/10	9/6	9/3	9/-	—
	,,	,, Liq. B.P.	4/9	4/7	4/6	—
	,,	,, Pallid. Liq. oz. 1/-	12/-	11/9	—	—
S1†	,,	Cocæ Liq. B.P.C.	9/-	8/10	8/9	—
S1†	,,	,, ,, Miscible B.P.C. 1923	8/3	8/1	8/-	—
S1	,,	Colchici Liq. B.P. oz. -/9	7/6	7/3	—	—
S1	,,	,, Siccum. B.P. ,, 1/9	—	—	—	—
	,,	Collinsoniæ Canadensis Liq. (*Stone-root*)	8/-	7/10	7/9	—
	,,	Colocynth Co. B.P. oz. -/6	4/6	4/3	4/-	—
	,,	,, ,, ,, *pulv.* ,, 1/-	—	—	—	—
	,,	,, Simplex. ,, 1/-	—	—	—	—
	,,	,, Liq. ,, -/9	8/6	8/4	8/3	—
	,,	Condurango Liq. B.P.C. 1923	—	—	5/6	—
S1	,,	Conii B.P.C. oz. -/7	6/9	6/6	6/3	—
S1	,,	,, Liq. B.P.C. 1923	8/-	7/10	7/9	—
	,,	Convallariæ oz. 3/-	—	—	—	—
	,,	,, Liq. B.P.C.	10/9	10/6	10/3	—
	,,	Coto Liq. B.P.C.	10/9	10/6	10/3	—
	,,	Cubebæ, alcoholic oz. 2/3	—	—	—	—
	,,	,, Liq. B.P.C. ,, 1/3	15/6	15/3	15/-	—
	,,	Cuspariæ Liq.	8/-	7/10	7/9	—
	,,	Cypripedii Liq. (*Ladies Slipper*)	14/9	14/6	14/3	—
	,,	Damianæ B.P.C. oz. 1/6	—	—	—	—
	,,	,, ,, *pulv.* ,, 2/-	—	—	—	—
	,,	,, Liq. B.P.C.	8/6	8/3	8/-	—
S1	,,	Digitalis oz. 1/-	—	—	—	—
S1	,,	,, Liq.	7/3	7/1	7/-	—
	,,	Drosera Rotundifol Liq.	16/9	16/6	16/3	—
	,,	Ephedræ Liq. B.P.C.	7/6	7/3	7/-	—
S1	,,	Ergotæ B.P. '14, *pulv* oz. 4/-	—	—	—	—
S1	,,	,, Liq. B.P.	13/6	13/3	13/-	—
S1	,,	,, ,, B.P.'14,	12/9	12/6	12/3	—
S1	,,	,, Ammon. Liq. B.P.C. '23	13/-	12/9	12/6	—

† Comes under regulations of D.D. Act

				Per lb.			
				¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Extractum	Eucalypti Globuli Liq.		10/6	10/3	10/-	—
	,,	Euonymi B.P. '14	oz. 2/3	—	—	—	—
	,,	,, Liq.		10/6	10/3	10/-	—
	,,	Euphorbiæ Piluliferæ	oz. 1/3	—	—	—	—
	,,	,, ,, Liq. B.P.C.		6/-	5/9	5/6	—
	,,	Fellis Bovini B.P.	oz. 1/-	11/-	10/9	10/6	—
	,,	,, ,, *pulv.*	,, 1/4	16/-	15/9	15/6	—
	,,	Filicis B.P.	,, -/9	8/6	8/3	8/-	—
	,,	Fuci, B.P.C.	,, -/8	8/6	—	—	—
	,,	,, Liq. B.P.C.		6/3	6/-	5/9	—
S1	,,	Gelsemii B.P.C.	oz. 2/-	—	—	—	—
S1	,,	,, Liq.	,, -/11	11/-	10/9	10/6	—
	,,	Gentianæ B.P.		2/9	2/7	2/6	—
	,,	,, *pulv.*		4/6	4/4	4/3	—
	,,	,, Liq.		5/6	5/4	5/3	—
	,,	Glycyrrhizæ, B.P.		4/3	4/-	3/9	—
	,,	,, Liq. B.P.		—	—	2/2	2/-
	,,	,, ,, N.A.(non-alcoholic)		—	1/10	1/9	1/7
	,,	,, in Stick (vide *Succus. Glycyrrhizæ*)					
	,,	Gossypii Rad. Cort. Liq. B.P.C.		8/6	8/3	8/-	—
	,,	Grindeliæ Liq. B.P.C.		5/-	4/9	4/6	—
	,,	Guaiaci Liq.		6/9	6/7	6/6	—
	,,	Guaranæ Liq.		17/-	16/9	16/6	—
	,,	Hæmatoxyli Exot.		—	1/9	1/8	—
	,,	,, ,, *pulv.*		3/-	2/10	2/9	—
	,,	,, Liq. B.P.C.		2/9	2/7	2/6	—
	,,	Hamamelidis B.P.C. (*cort*)	oz. 1/2	—	—	—	—
	,,	,, Liq. B.P.		5/-	4/9	4/6	—
	,,	,, Distilled (vide *Liq. Hamamelidis*).					
	,,	Hellebori Nig.	oz. -/11	—	—	—	—
	,,	Hennæ Liq.		5/6	5/4	5/3	—
	,,	Hepatis Liq. B.P.		11/-	10/9	10/6	—
	,,	,, Siccum (vide *Liver Extract*, page 140).					
	,,	Hydrastis, B.P.C.	oz. 8/3	—	—	—	—
	,,	,, Liq. B.P.C.	,, 3/-	—	—	—	—
P1	,,	Hyoscyami Liq. B.P.	,, -/9	8/6	8/3	8/-	—
S1	,,	,, Siccum. B.P.	,, 1/-	—	—	—	—
P1	,,	,, Viride (*Bien. Ang*)		10/-	9/9	9/6	—
S1	,,	,, ,, *pulv.*	oz. 1/-	—	—	—	—
S1	,,	Ignatiæ Amaræ	,, 2/-	—	—	—	—
	,,	Ipecac. Acet. *pulv.*	,, 5/9	—	—	—	—
	,,	,, Alcoholic	,, 6/9	—	—	—	—
	,,	,, Liq., B.P.		24/6	24/-	23/6	—
	,,	,, ,, Miscible B.P.C.'23	oz. 1/6	26/6	26/-	25/6	—
	,,	Iridis Siccum. B.P.C.	,, 1/2	—	—	—	—
P1	,,	Jaborandi	,, 1/8	—	—	—	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
P1	**Extractum** Jaborandi Liq. B.P.C.	6/-	5/10	5/9	—
	,, Jalapæ oz. 1/3	—	—	—	—
	,, ,, *pulv.* ,, 1/6	—	—	—	—
	,, Liq.	11/-	10/9	10/6	—
	,, Kolæ oz. 1/3	—	—	—	—
	,, ,, Liq. B.P.C.	6/6	6/4	6/3	—
	,, ,, ,, Miscible	4/9	4/7	4/6	—
	,, Krameriæ Siccum, B.P. oz. 1/6	—	—	—	—
	,, ,, Liq. B.P.C. '23	5/-	4/10	4/9	—
	,, Lactucæ B.P.C. oz. 1/1	—	—	—	—
	,, Leptandræ Liq.	16/6	16/3	16/-	—
	,, ,, ,, B.P.C. oz. 1/6	—	—	—	—
S1	,, Lobeliæ Liq.	8/-	7/10	7/9	—
	,, Lupuli B.P.C. oz. 1/2	14/-	13/9	13/6	—
	,, ,, Liq. Miscible	7/3	7/1	7/-	—
	,, Malti, B.P.	—	—	—	-/9
	,, ,, c Ol. Morrhuæ, B.P.	—	—	—	-/10
	(for packings in jars, etc., see *page* 145)				
	,, Malti Liquidum B.P.C.	—	—	1/1	1/-
	,, ,, ,, c Hypophosph B.P.C.	—	—	1/6	1/5
	,, ,, pulv.	—	2/5	2/2	2/-
	,, Marrubii oz. -/8	—	—	—	—
	,, ,, Liq.	5/6	5/4	5/3	—
	,, Medullæ Rub., Liq. B.P.C.	5/3	5/1	5/-	—
	,, Mezerei Aether oz. 3/6	—	—	—	—
	,, Myrrhæ Liq. ,, 1/1	—	—	—	—
S1	,, Nucis Vomicæ Liq. B.P.	5/9	5/7	5/6	—
S1	,, ,, ,, Sicc. B.P. oz. -/9	8/9	8/7	8/6	—
S1†	,, Opii Liq. B.P. '14	5/3	5/-	4/9	—
S1†	,, ,, Siccum. B.P. oz. 4/9	—	—	—	—
S1†	,, Papaveris B.P. '85 ,, -/10	—	—	—	—
P1	,, ,, Liq. B.P.C.	3/9	3/7	3/6	—
	,, Pareiræ oz. 1/9	—	—	—	—
	,, ,, Liq.	6/-	5/10	5/9	—
S1	,, Physostigmatis oz. 4/-	—	—	—	—
	,, Phytolaccæ Decandræ Liq. ,, -/9	9/6	9/3	9/-	—
	,, Pini Canadensis Liq. B.P.C.	7/-	6/10	6/9	—
	,, Piscidiæ Liq. B.P.C.	10/-	9/10	9/9	—
	,, Podophylli oz. 1/6	—	—	—	—
	,, ,, Liq.	10/6	10/-	9/9	—
P1	,, Pruni Serotinæ Liq.	4/3	4/1	4/-	—
	,, Pulsatillæ Liq. B.P.C.	10/-	9/9	9/6	—
	,, Pyrethri Liq.	10/-	9/9	9/6	—
	,, Quassiæ B.P.C. oz. 1/-	11/-	10/9	10/3	—
	,, ,, *pulv.* ,, 1/6	—	—	—	—
	,, ,, Liq.	3/6	3/4	3/3	—
	,, Quillaiæ	6/-	5/9	5/6	—
	,, ,, *pulv.*	7/-	6/9	6/6	—
	,, ,, Liq. B.P.C.	5/3	5/1	5/-	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act.

				Per lb.			
				¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Extractum	Rhamni Frangulæ Liq.		**4/9**	**4/7**	**4/6**	—
	„	Rhei B.P.C.	oz. **1/1**	—	—	—	—
	„	„ „ *pulv.*	„ **1/3**	—	—	—	—
	„	„ Liq. B.P.C.		**12/-**	**11/9**	**11/6**	—
	„	Sabinæ	oz. **1/6**	—	—	—	—
	„	Salicis Nigræ Liq. B.P.C.		**6/6**	**6/4**	**6/3**	—
	„	Sanguinariæ Liq.		**9/-**	**8/10**	**8/9**	—
	„	Sarsæ, Jam.	oz. **1/4**	**16/6**	**16/3**	**16/-**	—
	„	„ „ Co.	„ **-/11**	**10/-**	**9/9**	**9/6**	—
	„	„ „ Liq.		**6/-**	**5/10**	**5/9**	—
	„	Scillæ Liq. B.P.C.		**5/6**	**5/3**	**5/-**	—
	„	„ „ U.S.P. VIII.		**2/6**	**2/4**	**2/3**	—
	„	Scoparii Liq.		**6/-**	**5/9**	**5/6**	—
	„	Scutellariæ Liq.		**10/6**	**10/3**	**10/-**	—
	„	Senegæ	oz. **1/8**	—	—	—	—
	„	„ Liq. B.P.		**8/9**	**8/6**	**8/3**	—
	„	Sennæ Fol.	oz. **-/8**	—	—	—	—
	„	„ „ *pulv.*	„ **1/-**	—	—	—	—
	„	„ Liq. B.P.		**3/3**	**3/-**	**2/9**	—
	„	Serpentariæ Liq.		**15/6**	**15/3**	**15/-**	—
	„	Simarubæ Liq.		**7/-**	**6/10**	**6/9**	—
	„	Spigeliæ Liq.		**12/6**	**12/3**	**12/-**	—
	„	Stillingiæ Liq.		**9/-**	**8/9**	**8/6**	—
	„	„ Co. Liq. (McDade)		**9/-**	**8/9**	**8/6**	—
S1	„	Stramonii Fol. B.P.C.	oz. **1/8**	—	—	—	—
S1	„	„ Liq. B.P.		**9/-**	**8/9**	**8/6**	—
S1	„	„ Sicc B.P.	oz. **2/-**...	—	—	—	—
S1	„	Strophanthi B.P.C.	oz. **1/11**	—	—	—	—
	„	Sumbul	„ **1/9**	—	—	—	—
	„	„ Liq.		**12/-**	**11/9**	**11/6**	—
	„	Taraxaci, B.P.C.		**4/3**	**4/-**	**3/9**	—
	„	„ *pulv.*		**5/-**	**4/9**	**4/6**	—
	„	„ Liq. B.P.C.		**4/3**	**4/-**	**3/9**	—
	„	Thujæ Occidentalis Liq.		**9/9**	**9/6**	**9/3**	—
	„	Thymi Vulgaris Liq. B.P.C.		**5/6**	**5/3**	**5/-**	—
	„	Tritici Repentis Liq. (vide *Ext. Agropyri Liq. B.P.C.*)					
	„	Uvæ Ursi	oz. **-/8**	—	—	—	—
	„	„ „ Liq.		**5/9**	**5/6**	**5/3**	—
	„	Valerianæ B.P.C.	oz. **1/3**	—	—	—	—
	„	„ *pulv.*	„ **1/9**	—	—	—	—
	„	„ Liq. B.P.C.		**7/-**	**6/9**	**6/6**	—
	„	Verbasci Thapsi Liq.		**7/9**	**7/6**	**7/3**	—
	„	Viburni	oz. **1/9**	—	—	—	—
	„	„ Liq. B.P.C.		**8/6**	**8/3**	**8/-**	—
	„	Vincæ Majoris Liq.		**7/-**	**6/9**	**6/6**	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Extractum	Yerba Santa Liq. (*Eriodyction Californicum*)	9/-	8/9	8/6	—
„	Zingiberis Liq.	10/-	9/9	9/6	—
Fehling's Solution	No. 1 or No. 2. 4 oz. fl. 1/-	—	—	—	—
„	„ „ „ 8 „ „ 1/6	—	—	—	—
„	„ „ „ 16 „ „ 2/6	—	—	—	—
Ferri	Albuminas, *Scales* ... oz. 1/8	—	—	—	—
„	Alumen B.P.C.	2/6	2/3	2/-	—
S1 „	Arsenas ... ... oz. -/7	6/9	6/6	6/3	—
„	Bromidum ... ... „ 1/3	—	—	—	—
„	Carb. Sacch., B.P....	—	1/6	1/3	—
„	„ (*Sesquioxid*)	—	—	1/-	-/11
„	Citras ... ... oz. -/7	6/6	6/3	6/-	—
„	et Ammon. Citras, B.P.	—	3/-	2/9	2/6
„	„ „ „ Viride B.P.C. ...	4/6	4/3	4/-	—
P1 „	„ „ Oxalas ... oz. -/6	2/9	2/7	2/6	
„	„ „ Sulphas (*Ferrous*)	—	1/2	1/-	—
„	„ „ Tart oz. -/6	5/6	5/3	5/-	—
„	„ Manganes Cit. B.P.C.... „ -/10	—	—	—	—
„	„ Potass. Tart B.P.C.	5/3	5/-	4/9	—
„	„ Quinin. Cit., B.P. ... oz. 1/3	18/-	17/6	17/-	—
S1 „	„ „ „ c.Strychnine 1%, oz. 2/-	—	—	—	—
S1 „	„ Strychnin. Cit. 1% B.P.C., „ 1/-	—	—	—	—
„	Glycerophosph B.P.C. (*pulv. vel scales*) oz. 1/-	—	—	—	—
„	Hypophosphis B.P.C. ... „ 1/-	11/6	11/3	11/-	—
„	Iodidum ... ... „ 1/3	—	—	—	—
„	Lactas, *pulv.* ... ... „ -/9	—	—	—	—
„	Lacto-phosphas ... ... „ 1/5	—	—	—	—
P1 „	Oxalas (*Ferric*) ... ... „ -/6	5/-	4/9	4/6	—
P1 „	„ (*Ferrous*)	2/6	2/3	2/-	—
„	Oxidum (*Rubigo*)	—	1/3	1/2	—
„	„ *Magnetic*	4/9	4/7	4/6	—
„	Perchlorid, *solid*	—	—	1/-	-/9
„	Peroxidum Hydrat	—	2/3	2/-	—
„	Phosphas B.P.C....	2/9	2/6	2/3	—
„	„ Sacch. B.P.C.	3/3	3/-	2/9	—
„	Protochlorid	2/3	2/-	1/9	—
„	Pyrophosphas Solubilis B.P.C. (*Scales*)	5/9	5/6	5/3	—
„	Salicylas ... ... oz. 1/-	—	—	—	—
„	Succinas ... ... oz. 1/3	—	—	—	—
„	Subchlor Citratum B.P.	—	—	4/3	—
„	Sulphas, B.P.	—	—	-/6	-/5
„	„ B.P. *Gran.*	—	—	/7	-/6
„	„ Exsicc., B.P.	—	—	-/11	-/10
„	„ *Com'l* ... ... cwt. 12/-	—	—	-/6	-/4

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Ferri Sulphidum (*stick*)	—	—	-/8	-/7
,, ,, (*cake*)	—	—	-/7	-/6
,, Valerianas ... ... oz. **1/3**	—	—	—	—
Ferrum B.P. (S.W.G. 42)... ... ...oz. **-/8**	—	—	—	—
,, (S.W.G. 35) ... ... ,, **-/6**	**2/3**	**2/1**	**2/-**	—
,, Redactum, B.P. ... ... ,, **-/6**	**3/9**	**3/6**	**3/3**	—
,, Tartaratum (vide *Ferri et Potass Tart. B.P.C.*)				
Filix Mas B.P.	—	**1/5**	**1/4**	—
,, ,, ,, *pulv.*	—	**2/-**	**1/11**	—
FLAVORIN "A" "L" "P" "R" ... ... *Highly concentrated colouring and flavouring agents for use in dispensing.*	—	—	**2/6**	**2/3**
Fluoresceinum Soluble B.P. ... oz. **2/9**	—	—	—	—
Fœniculum B.P.	—	—	**-/11**	**-/10**
,, *pulv.*	—	**1/3**	**1/2**	**1/1**
,, ,, (*Coarse*) (Vet'y)	—	—	**-/10**	**-/9**
Fœnum-Græcum ... ... cwt. **30/-**	—	—	**-/6**	**-/5**
,, ,, *pulv. E.F.*	—	**1/-**	**-/11**	**-/10½**
,, ,, ,, (*Coarse*) (Vet'y) cwt. **40/-**	—	—	**-/7**	**-/6**
P2 **Formaldehyde** (vide *Liq. Formaldehydi, B.P.*)				
Formamol B.P.C. ... ... oz. **1/3**	—	—	—	—
Fuchsine ... ... ,, **2/1**	—	—	—	—
Fullers Earth ... ... cwt. **21/-**	—	—	**-/5**	**-/4**
,, ,, *pulv.* ... ... ,, **23/6**	—	—	**-/6**	**-/5**
,, ,, *levigated* ... ... ,, **27/6**	—	—	**-/7**	**-/6**
Galangæ Rad	—	**1/3**	**1/2**	—
,, ,, *pulv.*...	—	**2/-**	**1/11**	—
Galbanum	**5/6**	**5/4**	**5/3**	—
,, Colat	**10/-**	—	—	—
,, *pulv.*	**6/-**	**5/10**	**5/9**	—
Gallæ Cœrulæ, *opt.*	—	**1/9**	**1/8**	—
,, ,, *pulv.*	**2/6**	**2/4**	**2/3**	—
Gargaris Formalin Co.	—	—	**2/6**	**2/3**
P2 ,, Phenol Co. N.F....	—	—	**-/9**	**-/8**
P2 ,, Pot. Chlor. & Phenol	—	—	**-/9**	**-/8**
Gelatinum B.P. (*sheet*)	—	—	**3/9**	**3/6**
,, fine pale	—	—	**3/3**	**3/-**
,, Zinci, B.P. (*Unna's Paste*)	—	**1/10**	**1/7**	**1/5**
,, ,, et Ichthammol B.P.C. ...	—	**2/-**	**1/9**	**1/7**

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
P1 **Gelsemii** Rad.	1/6	1/4	1/3	—
P1 ,, ,, *pulv.*	2/3	2/1	2/-	—
S1 **Gelsemina** *pur., cryst.* gr. 2/-	—	—	—	—
S1 ,, Hydrochlor. ,, 2/-	—	—	—	—
Gentian B.P. Rad. Elect.	—	—	1/-	-/11
,, ,, Incis.	—	—	1/3	1/2
,, ,, *pulv.*	—	1/4	1/3	1/2
,, ,, ,, (*Coarse*) (Vet'y)	—	—	-/10	-/9
Geraniol oz. 1/6	—	—	—	—
,, Acetas ,, 1/8	—	—	—	—
Gingerine (vide *Oleoresin Zingiberis*)				
Glucosum *liquidum*, B.P. (vide *also page* 146)	—	—	—	-/6
,, *solid*	—	—	-/8	-/7
,, *Medicinal Powder* (vide *Dextrosum B.P.*)				
Glusidum (vide *Saccharin Solubile B.P.*)				
Glycerinum B.P., 1.260 14 lb. tin (free) 1/7				
,, ,, 28 lb. ,, ,, 1/6½	—	—	1/10	1/9
,, ,, 56 lb. ,, ,, 1/6				
,, Acid, Boric, B.P.	—	2/-	1/10	—
,, ,, Gallici B.P.C.	3/-	2/10	2/9	—
,, ,, Tannic, B.P.	—	2/9	2/6	—
,, Aluminis, B.P.	2/-	1/10	1/9	—
,, Amyli, B.P.	2/6	2/4	2/3	—
S1 ,, Belladonnæ B.P.C (50%)	4/6	4/3	4/-	—
,, Bismuthi Carb, B.P.C.	6/-	5/9	5/6	—
,, Boracis, B.P.	—	—	1/9	1/8
,, Carmini, B.P.C.	6/-	5/10	5/9	—
S1† ,, Diamorphinæ, B.P.C.	—	2/3	2/-	1/10
P1 ,, Glycerophos Comp. B.P.C.	2/6	2/3	2/-	—
P1 ,, Hypophosph Co., B.P.C.	2/9	2/6	2/3	—
,, Ichthammol, B.P.C.	—	2/3	2/-	—
,, Pancreatin B.P.C.	4/3	4/2	4/-	—
,, Papain, B.P.C.	6/6	6/4	6/3	—
,, Pepsini, B.P.C.	—	2/9	2/6	—
,, ,, Fort, B.P.C.	4/-	3/10	3/9	—
P2 ,, Phenolis, B.P.	—	2/3	2/-	—
P1 ,, Plumbi Subacet, B.P.C.	—	2/3	2/-	—
,, Thymol Comp., B.P.C. (Meth)	—	—	-/10	-/9
,, ,, ,, B.P.C. Rect.	—	—	1/-	-/11
(Meth supplied unless otherwise instructed).				
,, Tragacanthæ, B.P.C.	5/-	4/9	4/6	—
Glycyrrhizæ B.P. Decort.	—	1/4	1/3	1/1
,, ,, ,, *incis.*	—	1/6	1/5	1/3
,, ,, ,, *pulv.*	—	2/-	1/11	1/9
,, ,, ,, ,, No. 2	—	1/9	1/8	1/6

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Glycyrrhizæ B.P. Siccat.	—	1/-	-/11	-/10
,, ,, ,, bundles	—	1/3	1/2	1/1
,, ,, ,, *pulv.*	—	1/-	-/11	-/9
,, ,, ,, ,, *coarse*, (Vet'y)	—	—	-/8	-/7
Glycyrrhizin Ammon oz. 1/4	—	—	—	—
Goa Powder (vide *Araroba*)				
Gossypii Cort.	—	2/6	2/3	—
,, ,, *pulv.*	—	3/3	3/-	—
Granati Fruct. Cort.	—	1/3	1/2	—
,, ,, ,, *pulv.*	—	2/4	2/3	—
,, Rad ,,	—	2/-	1/11	—
,, ,, ,, *pulv.*	—	3/-	2/11	—
Graphite powder	—	1/3	1/2	—
Grindelia Robusta	—	1/4	1/3	—
,, ,, *pulv.*	—	1/10	1/9	—
Guaiaci Lign; Rass. cwt. 35/-	—	—	-/7	-/6
,, Resin., No. 1	4/6	4/4	4/3	—
,, ,, ,, 2	4/-	3/10	3/9	—
,, ,, *pulv.*	5/3	5/1	5/-	—
,, ,, ,, No. 2	4/9	4/7	4/6	—
Guaiacol B.P. oz. 1/3	14/6	14/3	14/-	—
,, Benzoas ,, 2/5	—	—	—	—
,, Camphoras ,, 2/9	—	—	—	—
,, Carbonas, B.P.C. ,, 1/3	15/-	14/9	14/6	—
,, Cinnamas ,, 3/6	—	—	—	—
,, Salicylas ,, 8/9	—	—	—	—
Guarana	6/-	5/9	5/6	—
,, *pulv.*	7/-	6/9	6/6	—
Guttæ Auribus Resorcinol, N.F.	—	1/6	1/3	—
S1† ,, Cocain c̄ Oleo, N.F. oz. 1/-	—	—	—	—
Hæmatoxylum, *incis.*, *Jamaica*	—	—	-/7	-/6
Hæmatoxylin 5 gm. bot. 1/9 each	—	—	—	—
Hæmoglobinum, *pulv.* oz. -/7	—	—	—	—
,, *scales* ,, -/11	—	—	—	—
Hair Spirit (vide *Toilet Spirit*, page 78)				
Hamamelin oz. 1/8	—	—	—	—
Hamamelis B.P.	—	1/2	1/1	—
,, *pulv.*	—	2/-	1/11	—
,, Cortex, B.P.C.	—	1/2	1/1	—
,, ,, *pulv.*	—	2/-	1/11	—

† Comes under regulations of D.D. Act

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Heliotropin *cryst.*	oz. **1/-**	—	—	—	—
S1	**Hellebor** Alb. (vide *Veratri Alb Rhizom.*)					
	,, Nig. Rad., ...		—	**1/2**	**1/1**	**1/-**
	,, ,, ,, *pulv.*, ...		—	**1/9**	**1/8**	**1/7**
	Hemidesmus		**3/-**	**2/9**	**2/6**	—
	,, *pulv.*		**3/9**	**3/6**	**3/3**	—
	Hennæ Fol.		—	—	**1/1**	**1/-**
	,, *pulv.*		—	—	**1/4**	**1/3**
	Hexamina B.P. *pulv.*	*free cartons*	**2/6**	**2/3**	**2/-**	—
	,, ,, *pearl cryst.* ...	,, ,, ...	**3/3**	**2/9**	**2/6**	—
	,, Resorcin	oz. **1/10**	—	—	—	—
	,, Sodio-acetate	,, **1/-**	—	—	—	—
	Hexyl Resorcinol ... ⅛ oz. **3/6**	,, **25/6**	—	—	—	—
	Histamin Phosphate Acidus, B.P.	gm. **11/-**	—	—	—	—
S1	**Homatropina** *cryst.*	... gr. **-/4**; gm. **2/11**	—	—	—	—
S1	**Homatropinæ** Hydrobrom, B.P.	gr. **-/4**; gm. **2/4**	—	—	—	—
S1	,, Hydrochlor	,, **-/4**; ,, **2/4**	—	—	—	—
S1	,, Salicylas	,, **-/4**; ,, **2/4**	—	—	—	—
S1	,, Sulphas	,, **-/4**; ,, **2/4**	—	—	—	—
	Hordeum Decorticatum ...	cwt. **22/6**	—	—	**-/6**	**-/4**
	Humulus Lupulus (vide *Lupulus*).					
	Hydrargyri Acetas	oz. **1/8**	—	—	—	—
	,, Bisulphid (*Vermilion*)		**9/6**	**9/3**	**9/-**	—
	,, ,, (*Cinnabar*)		**9/6**	**9/3**	**9/-**	—
	,, Iodid. Flav. B.P.C. ...	,, **1/-**	**11/6**	**11/3**	**11/-**	—
S1	,, ,, Rub., B.P. ...	,, **1/-**	**10/6**	**10/3**	**10/-**	—
	,, ,, Viride B.P.C. ...	,, **1/-**	**10/6**	**10/3**	**10/-**	—
S1	,, Nitras-Per	,, **1/-**	—	—	—	—
S1	,, ,, -Proto, *cryst.* ...	,, **1/3**	—	—	—	—
P1	,, Oxid Flav. B.P.		**10/6**	**10/3**	**10/-**	—
P1	,, ,, Rub., B.P.C.		**11/-**	**10/9**	**10/6**	—
P1	,, ,, ,, *Levigated*		**10/6**	**10/3**	**10/-**	—
S1	,, Oxycyanide B.P. ...	oz. **1/6**	—	—	—	—
S1	,, Perchlor B.P.		**8/9**	**8/6**	**8/3**	—
S1	,, ,, *pulv.*		**8/3**	**8/-**	**7/9**	—
	,, Persulphas, Alb.		**10/-**	**9/9**	**9/6**	—
S1	,, Salicylas	oz. **1/10**	—	—	—	—
	,, Subchlorid B.P.		**9/6**	**9/3**	**9/-**	—
	,, Subsulph (*Turpeth Min'l*)	oz. **1/-**	—	—	—	—
	,, Sulphidum c. Sulphure (*Æthiops Mineral*)		**9/6**	**9/3**	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
P1 **Hydrargyri** Sulphocyanid ... oz. **1/6**	—	—	—	—
S1 ,, Tannas ... ... ,, **1/9**	—	—	—	—
Hydrargyrum B.P.	**7/-**	**6/9**	**6/6**	—
P1 ,, Ammoniatum B.P.	**9/6**	**9/3**	**9/-**	—
P1 ,, ,, ,, *pulv.* ...	**9/9**	**9/6**	**9/3**	—
,, c. Creta B.P.	**4/3**	**4/-**	**3/9**	**3/6**
S1 ,, Oleatum B.P.	**5/-**	**4/9**	**4/6**	—
Hydrastina ... ... gr. **-/7** ; gm. **5/9**	—	—	—	—
Hydrastinæ Hydrochlorid ,, **-/7** ; ,, **5/9**	—	—	—	—
,, Sulphas ,, **-/7** ; ,, **5/9**	—	—	—	—
Hydrastininæ Hydrochlor... ... gr. **-/8**	—	—	—	—
Hydrastinum (vide *Ext. Hydrastis. B.P.C.*)				
Hydrastis ... ... oz. **1/10**	—	—	—	—
,, *pulv.* ... ... ,, **2/-**	—	—	—	—
Hydrogen Peroxid. (vide *Liq. Hydrogen Peroxid., B.P.*)				
Hydroquinone ... ... *free cartons...*	**7/-**	**6/9**	**6/6**	—
S1 **Hyoscinæ** Hydrobrom B.P. gr. **-/7**; gm. **4/-**	—	—	—	—
S1 **Hyoscyamina,** *Cryst....* gr. **-/5**; gm. **2/3**	—	—	—	—
S1 **Hyoscyaminæ,** Hydrobrom ,, **-/5**; gm. **2/3**	—	—	—	—
S1 ,, Sulphas ,, **-/5**; ,, **2/3**	—	—	—	—
P1 **Hyoscyamus** *Bien., Ang.,* B.P.	**8/9**	**8/7**	**8/6**	—
P1 ,, ,, ,, ,, *pulv.*	**10/3**	**10/1**	**10/-**	—
S1 ,, Sem.	**2/3**	**2/1**	**2/-**	—
Ichthyocol Incis, Brazil No. 1	—	—	**4/6**	—
,, ,, ,, No. 2	—	—	**3/6**	—
,, ,, ,, No. 3	—	—	**3/-**	—
Ichthammol B.P. ... ... *free tins...*	—	**3/6**	**3/-**	—
,, ,, in collapsible tubes 1 oz. **-/7** ea....	—	—	—	—
,, ,, ,, ,, 2 ,, **1/-** ,,...	—	—	—	—
,, ,, ,, ,, 4 ,, **1/8** ,,...	—	—	—	—
Incense No. 1 ... ... *free tins*	—	—	**5/-**	—
,, ,, 2 ... ... ,, ,,	—	—	**4/-**	—
,, ,, 3 ... ... ,, ,,	—	—	**3/6**	—
Indicarminum B.P. ... ... oz. **3/6**	—	—	—	—
Indigo ... ... ,, **-/11**	—	—	—	—

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Infusum Agropyri, *conc.*	1-7	3/-	2/10	2/9	2/6
	,, Anthem, *conc.*	1-7	4/-	3/10	3/9	3/6
	,, Aurant, *conc.* B.P.	1-7	3/-	2/10	2/9	2/6
	,, ,, Co., *conc.*	1-7	3/-	2/10	2/9	2/6
	,, Buchu, *conc.* B.P.	1-7	—	4/3	4/-	3/9
	,, Calumbæ, *conc.* B.P.	1-7	3/6	3/3	3/-	2/9
	,, Caryophylli, *conc.* B.P.	1-7	—	2/1	2/-	1/10
	,, Cascarillæ, *conc.*	1-7	4/-	3/10	3/9	3/6
	,, Catechu, *conc.*	1-7	3/9	3/7	3/6	3/3
	,, Chiratæ, *conc.*	1-7	3/6	3/3	3/-	—
	,, Cinchonæ Acid, *conc.*	1-7	3/9	3/6	3/3	3/-
	,, ,, Flav., *conc.*	1-7	3/9	3/7	3/6	3/3
	,, Cuspariæ, *conc.*	1-7	4/-	3/10	3/9	3/6
P1	,, Digitalis, *conc.*	1-7	2/3	2/1	2/-	1/10
	,, Gentianæ Co., *conc.* B.P.	1-7	—	2/2	1/11	1/9
	,, ,, ,, *sec.*	1-7	—	—	1/8	1/6
	,, Jaborandi, *conc.*	1-7	3/-	2/10	2/9	—
	,, Krameriæ, *conc.*	1-7	2/9	2/7	2/6	2/4
	,, Lupuli, *conc.*	1-7	—	—	4/3	4/-
	,, Marrubii, *conc.*	1-7	2/6	2/4	2/3	2/1
	,, Matico, *conc.*	1-7	3/6	3/4	3/3	—
	,, Pruni Serot, *conc.*	1-7	3/3	3/1	3/-	—
	,, Quassiæ, *conc.* B.P.	1-7	—	1/8	1/7	1/6
	,, Rhei, *conc.*	1-7	3/-	2/10	2/9	2/7
	,, Rosæ Acid, *conc.*	1-7	4/3	4/-	3/9	3/6
	,, Scoparii, *conc.*	1-7	—	2/9	2/6	2/3
	,, Senegæ, *conc.* B.P.	1-7	—	4/3	4/-	3/9
	,, Sennæ, *conc.*, B.P.	1-7	—	2/9	2/6	2/4
	,, Serpentariæ, *conc.*	1-7	5/-	4/9	4/6	—
	,, Simarubæ, conc.	1-7	3/9	3/7	3/6	—
	,, Tritici Repentis, *conc.* (vide *Inf. Agropyri conc.*)					
	,, Uvæ Ursi, *conc.*	1-7	—	3/-	2/9	2/6
	,, Valerianæ, *conc.*	1-7	—	2/4	2/2	2/-
S1	**Injectio** Apomorph Hypoderm, B.P. '14	oz. 2/-	—	—	—	—
	,, Bismuthi B.P.	,, -/9	—	—	—	—
	,, ,, Salicylas B.P.	,, -/9	—	—	—	—
S1†	,, Cocainæ Hypoderm, B.P.'14	,, 2/9	—	—	—	—
S1	,, Ergotæ Hypoderm, B.P. '14	,, 2/4	—	—	—	—
	,, Hydrargri, B.P.	,, -/6	—	—	—	—
	,, ,, Subchlor, B.P.	,, -/6	—	—	—	—
S1†	,, Morphinæ Hypoderm, B.P.C.	oz. 3/3	—	—	—	—
	,, Soda Chlor et Acaciæ B.P.	,, -/6	—	—	—	—
S1	,, Strychnin Hypoderm, B.P.C.	,, -/6	—	—	—	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

Comes under regulations of D.D. Act

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Insect Powder (vide *Pyrethri Flor*).				
Insufflatio Menthol., B.P.C. ... oz. **-/9**	—	—	—	—
Inulæ Rad.	—	**1/6**	**1/5**	—
" " *pulv.*	—	**2/3**	**2/2**	—
Inulin ... ... oz. **2/-**	—	—	—	—
Iodoform B.P.(*cryst.vel pulv.*) 1 oz. bots. **1/1** oz.	**12/9**	**12/6**	**12/3**	—
" " " " 2 " " **1/-** " (*supplied in free bottles*).	—	—	—	—
Iodophthaleinum B.P. ... ... oz. **6/-**	—	—	—	—
Iodum B.P. (*Resub.*) 1 oz.**-/10** 2 oz.**-/9** oz.	**9/3**	**9/-**	**8/9**	—
Ionone ... ... oz. **2/2**	—	—	—	—
Ipecacuanha B.P.	**16/-**	**15/9**	**15/6**	—
" Pulverata, B.P.	**17/-**	**16/9**	**16/6**	—
Iridinum (vide *Ext. Iridis B.P.C.*)				
Iridis Rad. *Florentine, fine white*	—	**1/4**	**1/3**	—
" " " *pulv.*	—	—	**1/7**	—
" " " trimmed	**8/-**	**7/9**	**7/6**	—
Irish Moss (vide *Chondrus Crispus*)				
Isinglass (vide *Ichthyocoll*).				
P1 **Jaborandi** Fol. *elect.*	—	**1/6**	**1/4**	—
P1 " " *pulv.*	—	**2/3**	**2/1**	—
Jalapæ B.P., *picked*	—	**2/9**	**2/6**	—
" Pulverata, B.P.	**2/9**	**2/6**	**2/3**	—
" Resina, B.P.C. ... ... oz. **2/2**	—	—	—	—
" " *pulv.* ... ... " **2/5**	—	—	—	—
Jalapina ... ... " **3/9**	—	—	—	—
Jecoform (vide page 139)				
Jeweller's Rouge (vide *Rouge*)				
Juniperi Fruct. *Italian*	—	—	**-/9**	**-/8**
" " *pulv.*	—	**1/10**	**1/9**	—
" Gum (*Sandarac*)	—	**3/6**	**3/4**	—
" " *pulv.*	—	**4/-**	**3/10**	—
Kamala (*Sifted*) ... ... oz. **-/6**	**4/-**	**3/9**	**3/6**	—
Kaolin B.P.	—	—	**-/8**	**-/7**
" *Com'l.*	—	—	**-/6**	**-/4**
" Colloidal (vide *Kaocol*, page 139)				
Kaskalax (Burgoyne) (vide page 140)				

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Keratin Solution (vide *Liq. Keratin B.P.C.*).				
Kieselguhr	—	—	-/7	—
Kino (vide *Eucalypti Gum*)				
,, *Com'l*	3/9	3/7	3/6	—
,, ,, *pulv.*	4/9	4/7	4/6	—
Kola Nux	—	1/3	1/2	—
,, ,, *pulv.*	—	2/-	1/11	—
Krameriæ B.P.	—	1/6	1/5	—
,, *pulv.*	—	2/6	2/5	—
Lactosum B.P.	—	—	1/6	1/5
Lactucarium Exot. ... ... oz. **4/-**	—	—	—	—
Laevulosum B.P. ... ... ,, **1/2**	—	—	—	—
S1 **Lamellæ** Atropinæ, B.P. **2/-** tube of 50	—	—	—	—
S1† ,, Cocainæ, B.P. ... **2/-** ,, ,,	—	—	—	—
S1 ,, Homatropinæ, B.P. **2/9** ,, ,,	—	—	—	—
S1 ,, Physostigminæ B.P. **1/9** ,, ,,	—	—	—	—
Lapis Carios *pulv.*	—	—	-/6	—
,, Divinus ... ... oz. **-/10**	—	—	—	—
,, Hibernicus, *pulv.*	—	—	-/6	-/5
,, Pumicis, *picked* ... cwt. **62/6**	—	—	-/9	-/8
,, ,, *good* ... ,, **32/-**	—	—	-/6	-/5
,, ,, *pulv.*	—	—	-/6	-/4
,, ,, ,, *subtil*	—	—	-/8	-/7
Larix	—	1/6	1/5	—
,, *pulv.*	—	2/3	2/2	—
Lassar's Paste (vide *Pasta Zinci Co.*)				
Lauri Fol.	—	1/2	1/-	—
,, Fruct.	—	1/2	1/1	—
,, ,, *pulv.*	—	1/6	1/5	—
Lavand. Flor. *Exot.*, *Opt.*	—	—	3/-	2/9
,, ,, ,, No. 2	—	—	2/6	2/3
Lecithin (*ex. Ovo*) ... ... oz. **2/9**	—	—	—	—
Leptandrin ... ... ,, **-/9**	—	—	—	—
Lichen Hibernicus (vide *Chondrus Crispus*)				
,, Islandicus, *Elect*	—	—	1/-	-/11

† Comes under regulations of D.D. Act.

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Ligroin	—	1/2	1/1	1/-
	Lime Fruit Cordial (*Burgoyne*) gall. 6/6	—	—	—	—
	,, **Juice Cordial** ,, 4/6	—	—	—	—
	Limonis Cort. B.P.	—	—	—	—
P1	**Linctus** Codeinæ B.P.C.	2/6	2/3	2/-	—
P1	,, Codein Co. N.F.	2/6	2/3	2/-	—
S1†	,, Diamorphin B.P.C.	3/-	2/10	2/9	2/6
S1†	,, ,, Hydrochlor N.F.	—	1/10	1/9	1/7
S1	,, ,, Camphorat, B.P.C.	3/-	2/10	2/9	—
S1	,, ,, c. Ipecac, B.P.C.	3/6	3/4	3/3	—
S1	,, ,, et Scillæ, B.P.C.	3/-	2/10	2/9	—
S1	,, ,, ,, Thymi, B.P.C.	4/9	4/7	4/6	—
P1	,, Morphia Rub N.F.,	3/-	2/9	2/6	—
P1	,, Scilla Co. B.P.C. (*Linct. Scillæ Opiat. N.F*)	2/6	2/3	2/-	1/10
	,, Tussi Rub	2/-	1/10	1/9	1/8
S1	**Liniment** Aconiti, B.P.	—	1/11	1/8	1/6
S1	,, ,, Oleos, B.P.C.	—	3/-	2/9	2/6
	,, Album, B.P.C.	1/5	1/3	1/2	1/-
	,, ,, Nost	1/5	1/3	1/2	1/-
	,, ,, Acet Nost.	1/7	1/5	1/4	1/2
	,, ,, N.F.	—	—	-/10	-/8
	,, Ammoniæ B.P.C.	—	1/6	1/3	1/1
S1	,, Belladonnæ, B.P.	—	2/3	2/-	1/10
	,, Betulæ Co. (vide *Lin. Methyl Salicyl, B.P.C.*)				
	,, Calcii Hydroxid, B P.C.	—	1/4	1/2	—
	,, Camphoræ, B.P.	—	—	2/6	2/3
P2	,, ,, Ammon. B.P.	—	1/8	1/5	1/3
	,, Capsici B.P.C.	8/-	7/10	7/9	—
	,, ,, Meth. B.P.C.	3/8	3/6	3/4	—
	,, ,, Co., B.P.C '23	10/-	9/9	9/6	—
	,, ,, ,, *Meth*	2/6	2/4	2/3	—
P1	,, Chloroformi, B.P.C.	4/-	3/10	3/9	—
	,, Communis N.F. (vide *Lin. Album N.F.*)	—	—	—	—
P1	,, Crotonis, B.P.C. oz. -/10	10/9	—	—	—
	,, Gaultheria Co.	—	—	2/9	2/6
	,, Hydrargyri B.P.C.	4/-	3/10	3/9	—
	,, Methyl. Salicyl, B.P.C.	—	3/9	3/6	—
	,, ,, ,, N.F.	—	1/8	1/6	1/4
P1	,, ,, ,, Co. B.P.C.	4/9	4/6	4/3	—
P1	,, ,, ,, ,, Nost	3/6	3/3	3/-	—
S1	,, Opii, B.P.C. oz. -/7	7/3	7/-	6/9	—
S1	,, ,, *Meth* B.P.C.	3/6	3/3	3/-	—
	,, Pot. Iodid, B.P.C. (Meth.)	3/-	2/9	2/6	—
	,, ,, ,, c. Sapone, B.P.C.	2/3	2/-	1/9	—
	,, Saponis, B.P.	—	—	1/-	-/11

† Comes under regulations of D.D. Act.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Liniment Sinapis, B.P.C.	8/-	7/9	7/6	—
,, ,, *Meth.* B.P.C.	3/6	3/4	3/3	—
,, Stimulans Conc. 1-3	—	1/6	1/5	1/4
,, Terebinthinæ, B.P.	—	—	1/4	1/3
,, ,, Acet, B.P.	—	2/3	2/-	1/10
,, Universalis (*Burgoyne*)	—	1/4	1/3	1/2
Linum B.P. ...cwt. 32/-	—	—	—	-/4½
,, Contusum, B.P. ... ,, 30/-	—	—	—	-/4
Liq. Acid Chromic, B.P. '14	3/-	—	—	—
,, Acriflavinæ, B.P.C.	—	2/6	2/3	—
P1,, Adrenalinæ Hydrochlor, B.P. oz. 1/6 (*1 ounce bottles free*)	—	—	—	—
,, Althææ Conc., 1-7 *pro Syrup*	3/3	3/1	3/-	—
,, Aluminii Acetas B.P.C.	—	1/8	1/7	—
P2,, Ammon Dil. B.P.	—	—	-/6	—
P2,, ,, Fort. B.P. .888	—	—	-/8	-/7
,, ,, Acetatis Dil. B.P.	—	-/11	-/10	-/8
,, ,, ,, Fort B.P.	—	—	1/-	-/11
P2,, ,, Aromat., *conc.* 1-2	—	—	1/5	1/3
,, ,, ,, N.F.	—	—	1/-	-/11
,, ,, Citratis Dil. B.P.C.	—	1/6	1/5	1/4
,, ,, ,, Fort B.P.C.	—	2/8	2/7	2/5
,, ,, Hydrosulphid (vide *Ammon. Hydrosulph Solution*).				
S1,, Antimonii Chlorid	—	1/7	1/4	—
S1,, ,, ,, *com'l* (*Butter of Antimony*)	—	1/3	1/-	-/11
S1,, Arsenicalis, B.P. (*Fowler's Solution*)	—	1/-	-/10	-/8
S1,, Arsenici Bromatus	2/4	2/2	2/3	—
S1,, Arseni. Acidus B.P.C., (*Liq. Arsen Hydrochlor*)	—	1/2	1/1	—
S1,, ,, et Hyd. Iodidi, B.P., "*Donovan's Solution*"	—	1/10	1/7	—
S1,, Atropinæ Sulph., B.P.C. oz. -/9	—	—	—	—
,, Aurantii *pro Syrup* (vide *Tinct. Aurantii*)				
,, ,, Dulc.	3/6	3/4	3/3	—
S1,, Auri et Arsen Brominatus B.P.C. oz. 1/3	—	—	—	—
,, Azorubri B.P.C.	—	—	1/-	—
,, Bismuthi, conc. B.P.C.	—	2/9	2/6	—
,, ,, et Ammon. Cit., B.P.C.	—	—	1/6	1/4
,, ,, ,, ,, *conc.* 1-3	3/-	2/10	2/9	—
,, ,, Co. c. Pepsin (*Burgoyne*)	—	4/3	4/-	—
,, ,, Rub c̄ Pepsin	—	5/9	5/6	—
S1,, Bromidi Co. B.P.C.	6/3	6/1	6/-	—
P1,, Bromoform Co.	4/-	3/10	3/9	—
S1,, Bromo-Chloral Co., (vide *Liq. Bromidi Co.*)				
,, Calciferolis, B.P.	—	—	—	—
,, Calcii Bisulph (vide *Calcii Bisulphis Solutio*)				
,, ,, Hydroxidi B.P. gall. 1/6	—	—	—	—
,, ,, Hypophosph 1-7 *pro Syrup*	4/-	3/10	3/9	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Liq. Calcii Lactatis B.P.C.	—	—	1/1	1/-
„ „ Lactophosph 1-3 *pro Syrup*	—	2/6	2/3	—
„ Calcis Chlorinata, B.P.C.	—	—	-/9	-/8
„ „ „ c. Acid Boric B.P.C.	—	—	-/9	-/8
„ „ Sacch B.P. '14	—	—	-/10	-/9
„ „ Sulphuratæ, B.P.C.	—	—	1/-	-/11
S1„ Cantharidini B.P.C.	6/9	6/6	6/3	—
„ Carmini, B.P.C.	4/-	3/10	3/9	—
„ Caulophylli et Pulsatillæ, B.P.C.	7/3	7/-	6/9	—
„ Chloral Hydratis 1 in 1	5/6	5/4	5/3	—
„ Chlori B.P.C.	—	—	1/1	—
„ Cocci, B.P.C.	7/-	6/9	6/6	—
„ Coccus Cacti Opt.	6/-	5/9	5/6	—
„ „ „ *ex Carmine*	2/3	2/1	2/-	1/10
„ Collodion Comp. (vide *Collodion Co.*)				
„ Copaibæ, B.P.C.	3/9	3/7	3/6	—
„ „ c. Buchu et Cubeb, B.P.C.	5/6	5/4	5/3	—
„ „ „ „ c. Santal, B.P.C.	11/6	11/3	11/-	—
P2„ Cresolis Saponatus, B.P.	—	—	1/3	1/2
P2„ „ „ (Lysol) 1 gall. free tins 9/- ea.	—	—	—	—
„ Croci, 1-7 *pro Syrup*	12/6	—	—	—
S1„ Eastonii, (vide *Liq. Ferri Phosph. c. Quin. et Strych*).				
S1„ Epispasticus, B.P.,	11/6	11/3	11/-	—
„ Ethyl Nitritis, B.P. '14 oz. 1/-	11/-	—	—	—
„ Euonymi et Iridin, B.P.C.	4/9	4/7	4/6	—
„ „ „ Pepsin B.P.C.	4/-	3/10	3/9	—
„ Ferri Acetatis	—	1/8	1/7	—
„ „ „ *Fort*	2/9	2/7	2/6	—
„ „ Albuminas, B.P.C. '23	5/9	5/6	5/3	—
„ „ Bromid, 1-7, *pro Syrup*	4/-	3/10	3/9	—
„ „ Dialysat, B.P.C.	—	1/9	1/6	—
„ „ Hypophos Fort B.P.C.	—	—	1/10	—
„ „ Iodidi, 1-7, *pro Syrup*, oz.-/8	7/6	7/3	7/-	—
„ „ Lactophosph 1-7 *pro Syrup*	5/9	5/7	5/6	—
„ „ Peptonat, B.P.C.	6/-	5/9	5/6	—
„ „ Perchloridi B.P.	—	—	-/7	-/6
„ „ „ Fort, B.P.C.	—	—	-/8	-/7
„ „ Pernit	—	1/-	-/11	—
„ „ Persulph, B.P.C.	—	1/3	1/2	—
„ „ Phosph., 1-7 *pro Syrup*	2/-	1/10	1/9	—
„ „ „ Co., 1-3 *pro Syrup*	2/-	1/10	1/9	—
„ „ „ (Magnetic)	7/-	6/9	6/6	—
S1„ „ „ c. Quinin et Strychnin.	5/9	5/6	5/3	—
No. 1 Solution				
2oz. fluid -/6 4oz. fluid -/9 16oz. fluid 2/6	—	—	—	—
No. 2 Solution				
2oz. fluid 1/10 4oz. fluid 3/- 16oz. fluid 10/-	—	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Liq. Flav., N.F.	—	2/-	1/9	—
P2,, Formaldehydi, B.P.	—	—	-/10	-/9
P1,, ,, Sapon, B.P.C.	3/9	3/7	3/6	—
P1,, Glycerylis Trinitratis, B.P. ...oz. -/9	9/-	8/9	8/6	—
,, Hamamelidis, B.P.C.	—	—	1/9	1/7
,, Hemidemi, 1-7 *pro Syrup*	8/3	8/-	7/9	—
S1,, Hydrarg. Nitratis Acid, B.P.C.	6/-	5/10	5/9	—
P2,, ,, Perchlor., B.P.	—	—	-/9	-/8
,, Hydrogen Peroxid, B.P. (10 Vols.) gall 3/6	—	—	-/6	-/5
,, ,, ,, (20 Vols). gall 5/-	—	—	-/9	-/8
,, ,, ,, (100 Vols).	—	—	2/9	—
P1,, Hypophosph Co., 1-3 *pro Syrup*	4/-	3/9	3/6	—
P1,, ,, ,, 1-7 *pro Syrup*	4/6	4/3	4/-	—
,, Iodi Aquos B.P. (Lugol's)	3/-	2/9	2/6	—
,, ,, Fortis, B.P.	5/6	5/3	5/-	4/10
,, ,, Mitis, B.P.	—	4/9	4/6	4/4
,, ,, Simplex, B.P.	7/-	6/9	6/6	—
,, ,, Decoloratus, B.P.C. (Meth).	—	—	1/10	1/8
,, Keratini, B.P.C. oz. 1/9	—	—	—	—
,, Limonis, 1-7 *pro Syrup*	8/-	7/10	7/9	—
,, Magnes. Bicarb., B.P. gall. 5/3	—	—	-/9	-/7½
,, Marrubii, 1-7 *pro Syrup*	4/-	3/10	3/9	—
,, Mori, 1-3 *pro Syrup* (vide *Succus Mori*)				
S1†,, Morphinæ Acet, B.P.C. oz. -/9	7/9	7/6	7/3	—
S1†,, ,, Bimeconatis, B.P. '85 ,, 1/-	12/-	11/9	11/6	—
S1†,, ,, Hydrochlor., B.P. ,, -/9	7/9	7/6	7/3	—
S1†,, ,, Tartratis, B.P.C. ,, 1/-	10/6	10/3	10/-	—
,, Nitritum	—	1/7	1/6	—
S1†,, Opii Sedativus (*Burgoyne*)	5/6	5/3	5/-	—
S1†,, ,, ,, B.P.C.	6/9	6/6	6/3	—
,, Pancreatini, B.P.C.	3/-	2/9	2/6	—
,, Pancreatis, B.P. '14	5/-	4/9	4/6	—
,, Papainæ et Iridin, B.P.C.	4/-	3/9	3/6	—
,, Papav. Alb., 1-3 *pro Syrup B.P.'85*	3/6	3/4	3/3	—
,, ,, ,, 1-7 *pro Syrup B.P.C.*	4/6	4/4	4/3	—
,, Pepticus, B.P.C.	—	2/-	1/10	—
Picis Carb., B.P.	—	1/6	1/3	1/2
P1,, Plumbi Subacet. Fort., B.P.	—	—	-/10	-/8
,, Podophylli (*Burgoyne*)	5/9	5/7	5/6	—
,, Potassii Hydrox, B.P.	—	—	-/8	-/7
,, ,, Permang., B.P.C.	—	—	-/8	-/7
,, Pruni Serotina, 1-7 *pro Syrup*	—	2/9	2/6	2/3
,, Quininæ Ammon, B.P.	—	—	3/9	3/6
,, Rhamni, 1-7 *pro Syrup*	5/-	4/9	4/6	—
,, Rhei, *conc.* 1-7 *pro Syrup*	4/3	4/-	3/9	3/6
,, Rhœados, 1-7 *pro Syrup*	6/3	6/-	5/9	—
,, ,, 1-7 N.A. *pro Syrup*	4/-	3/9	3/6	—
,, Rosæ, *conc.* 1-7 *pro Syrup*	11/9	11/6	11/3	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Liq Rosae Dulcis, B.P.C.	2/3	2/-	1/9	—
	„ Sacch. Ust. B.P.C.	—	—	-/8	-/7
	„ **Santal Comp.** (*Burgoyne*)	6/9	6/6	6/3	—
	„ „ „ c. Cubeb et Buchu	7/6	7/3	7/-	—
	„ Saponis Æthereus Meth., B.P.C.	2/9	2/6	2/3	—
P1	„ „ Antisepticus Meth., B.P.C.	3/3	3/-	2/6	—
	„ Scillæ, 1-7 *pro Syrup*	—	1/4	1/2	1/1
	„ Sennæ, *conc.* 1-3 *pro Syrup*	3/6	3/3	3/-	2/9
	„ „ „ 1-7 *pro Syrup*	4/3	4/-	3/9	3/6
	„ „ Dulc.	—	2/6	2/5	—
	„ Sodæ	—	—	-/11	-/10
	„ „ Chlorinat. Chir, B.P.	—	—	-/11	-/10
	„ „ „ B.P.C.	—	—	-/11	-/10
S1	„ Sodii Arsenatis, B.P.C.	—	1/3	1/2	—
	„ „ Ethylatis, B.P.C. oz. **2/3**	—	—	—	—
S1	„ Strychninæ Hydrochlor, B.P.	—	2/6	2/3	2/2
S1†	„ **Terpo Diamorphine**	4/3	4/-	3/9	—
	„ Thymol Co., B.P.C.	2/6	2/3	2/-	1/10
P1	„ Thyroidei oz. **2/6**	—	—	—	—
	„ Tolu 1-7 *pro Syrup*	3/3	3/-	2/9	—
P1	„ Trinitrini (vide *Liq. Glycerylis Trinit, B.P.*)				
	„ **Viburn. Prunif. Co.**	8/3	8/-	7/9	—
	„ Violæ *conc.*, *pro Syrup* 1-15	3/-	2/9	2/7	—
	„ Zinci Chlor. B.P.C.	2/6	2/3	2/-	—
	„ „ „ *com'l*	—	1/-	-/11	-/10
	Lithargyrum (vide *Plumbi Oxid.*)				
	Lithii Acetyl salicylas (*Lithasal*) (vide page 140)				
	„ Benzoas oz. **1/-**	—	—	—	—
	„ Bromid „ **1/3**	—	—	—	—
	„ Carbonas, B.P.C. „ **1/-**	12/3	12/-	11/9	—
	„ Chloride „ **1/-**	—	—	—	—
	„ Citras, B.P.C. „ **-/10**	9/6	9/3	9/-	—
	„ „ Efferv., B.P.C.	—	—	3/9	—
	„ Formas oz. **1/4**	—	—	—	—
	„ Glycerophosph „ **3/-**	—	—	—	—
	„ Guaiacas (*Scales*) „ **3/-**	—	—	—	—
	„ Hippuras „ **3/6**	—	—	—	—
	„ Iodid „ **1/9**	—	—	—	—
	„ Salicylas „ **-/11**	10/6	10/3	10/-	—
	„ Sulphas *Cryst.* „ **1/-**	—	—	—	—
	Litmus „ **-/9**	—	—	—	—
	„ Solution „ **-/8**	—	—	—	—
	Liver Extract (*Burgoyne*) (vide page 140)				
S1	**Lobelia** B.P.	—	2/6	2/3	2/-
S1	„ compressed, S1	—	—	3/-	—
S1	„ *pulv.*, S1	—	3/-	2/9	2/6

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Lotem (*Burgoyne's Metol*)... ... oz. **1/-**	**11/6**	**11/3**	**11/-**	—
Lotio Calamin B.P.C.	—	—	**1/2**	**1/-**
,, ,, Co. N.F.	—	**1/3**	**1/2**	**1/-**
,, ,, Oleos N.F.	—	**1/3**	**1/2**	**1/-**
,, Crinalis B.P.C. Meth.	**2/9**	**2/6**	**2/3**	—
,, Evap. Meth. N.F.	—	—	**-/9**	**-/8**
,, Flav. Conc. N.F.	**2/9**	**2/6**	**2/3**	—
P1 ,, Hydrarg., Nig. B.P.	—	**1/3**	**1/2**	—
,, Plumbi Evap. Conc. B.P.C.	—	—	**-/9**	**-/8**
P1 ,, ,, c Opio, B.P.C.	—	—	**1/1**	—
,, Sulphur Co. N.F.	—	**1/6**	**1/3**	—
S1 LUMINAL				
S1 ,, *SODIUM* (*vide page 137*)	—	—	—	—
S1 ,, Tablets				
Lupulinum ... ... oz. **2/3**	—	—	—	—
Lupulus *Opt.*	—	**1/9**	**1/8**	—
Lycopodium	—	**5/9**	**5/6**	—
P2 **Lysol** (vide *Liq. Cresol Sap, B.P.*)				
Maclean's Powder	—	**2/3**	**2/-**	—
Macis *finest*...	**5/-**	**4/10**	**4/9**	—
,, *small*...	**4/-**	**3/10**	**3/9**	—
,, *pulv.*	**4/6**	**4/4**	**4/3**	—
Madder *crop*	**4/-**	**3/10**	**3/9**	—
Magnesii Boro-Citras (*scales vel pulv.*)	**7/-**	**6/9**	**6/6**	—
,, Carbonas Levis, B.P.	—	—	**1/-**	**-/11**
,, ,, ,, 1 *cwt. chests* cwt. **46/-**	—	—	—	—
,, ,, ,, ½ ,, ,, ,, **48/6**	—	—	—	—
,, ,, ,, ¼ ,, ,, ,, **50/6**	—	—	—	—
,, ,, ,, 14 lb ,, ,, **54/6**	—	—	—	—
,, ,, Ponderosus, B.P. ...	—	—	**1/6**	**1/5**
,, Chlorid, *pur. cryst.*	—	**1/2**	**1/1**	—
,, ,, *com'l.*	—	—	**-/7**	—
,, Citras, Gran. Efferv. Extra Super "A"	—	—	**1/3**	**1/-**
,, ,, ,, ,, Fair "B"	—	—	**-/10**	**-/8**
,, Glycerophosph (Soluble) oz. **1/9**	—	—	—	—
,, Hydrox	**2/9**	**2/6**	**2/3**	—
,, Hypophosph ... ... oz. **1/-**	**11/6**	**11/3**	**11/-**	—
,, Lactas ... ... ,, **-/11**	—	—	—	—
,, Oxidum Leve, B.P.	**2/6**	**2/4**	**2/3**	—
,, ,, Ponderosum, B.P.	**3/6**	**3/4**	**3/3**	—
,, Peroxid 15% ... ... oz. **-/9**	—	—	—	—
,, Phosphas (Tri-basic)	**3/-**	**2/9**	**2/6**	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q
Magnesii Salicylas oz. -/6	—	—	—	—
,, Silicas, *pur. præcip*	4/-	3/9	3/6	—
,, ,, (*Trisilicate*)	4/6	4/3	4/-	—
,, Sulphas, *finest white*, B.P. 1 cwt. kegs (free) **18/-**	—	—	—	-/2½
,, ,, *large crystals* 1 cwt. kegs (free) **20/-**	—	—	—	-/3
,, ,, *medium crystals* 1 cwt. kegs (free) **22/-**	—	—	—	-/3½
,, ,, *pulv.* 1 cwt. kegs (free) **40/-**	—	—	-/6	-/5
,, ,, *Exsicc. pulv.* 1 cwt. kegs (free) **40/-**	—	—	-/6	-/5
,, ,, Efferves. B.P.C.	—	—	2/-	—
Magnesium (*Powder*) oz. **1/2**	—	—	—	—
,, (*Ribbon or Wire*) ,, **1/9**	—	—	—	—
Maltose ,, **2/3**	—	—	—	—
Manganesii Carbonas *pur.*	3/3	3/-	2/9	—
,, ,, *com'l*	—	2/-	1/9	—
,, Chlorid *pur.*	—	1/9	1/6	—
,, Glycerophosph oz. **2/-**	—	—	—	—
,, Hypophosphis ,, **-/11**	10/-	9/9	9/6	—
,, Oxid. Nig. *com'l pulv.* cwt. **32/6**	—	—	-/6	-/5
,, ,, ,, *gran.* ,, **30/-**	—	—	-/6	-/5
,, Peroxid *pur.* oz. **-/6**	—	—	—	—
,, Sulphas, *pur. cryst.*	—	2/3	2/-	—
Manna Flake, *elect.*	—	—	—	—
,, ,, *good*	—	—	5/6	—
,, ,, *pulv.*	—	—	—	—
Mannite oz. **1/3**	—	—	—	—
Maranta Bermuda (*kind*) *free cartons*	3/3	3/-	2/9	—
,, ,, *Genuine* ,, ,,	7/3	7/-	6/9	—
,, St. Vincent Opt. ,, ,,	—	—	1/6	—
,, ,, Sec. ,, ,,	—	—	1/3	—
Marrubium	—	1/-	-/11	—
,, Incis	—	1/4	1/3	—
Marylebone Cream (*Emulsio Ol. Arachis B.P.C.*)	—	—	1/6	1/3
Mastiche *elect.*	6/-	5/9	5/6	—
,, *pulv.*	7/-	6/9	6/6	—
Matica	2/-	1/10	1/9	—
,, *pulv.*	3/-	2/10	2/9	—
Maw Seed (vide *Papaveris Sem.*).				

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Mel Californian, *fine pale*	—	—	—	—
,, Jamaica ... 1 lb. and 2 lb. s/c jars free	—	—	1/-	-/11
,, Boracis, B.P.	—	—	1/1	1/-
,, Depuratum, B.P.	—	—	1/1	1/-
,, Rosæ	—	2/3	2/-	—
Menthol, B.P. ... 1 oz. 1/5 ; 2 oz. 1/4...	19/6	19/-	18/6	—
,, *Synthetic*	15/-	14/9	14/6	—
Menthyl Valerianas ... ... oz. 5/-	—	—	—	—
S1 **Mercurochrome** (vide page 140).				
Methanol, B.P.C. *puriss*	28/6	28/3	28/-	—
,, *com'l*	2/-	1/10	1/9	—
P1 **Methylacetanilidum,** B.P.C. ... oz. 1/10	—	—	—	—
Methyl Ditannin (*Tannoform*) oz. 1/2	—	—	—	—
,, Iodide ... ... ,, 1/9	—	—	—	—
,, Orange Solution B.P. ... ,, 1/6	—	—	—	—
,, Salicylas, B.P.	—	2/3	2/-	—
P1 ,, Sulphonal, B.P. ... ... oz. 2/2...	26/-	25/6	25/-	—
,, Violet ... ... ,, 1/10	—	—	—	—
Methylthioninæ Chloridum B.P. (*Methylene Blue*) oz. 2/1				
Metol (vide *Lotem*).				
Mezereum	—	1/3	1/2	—
,, Rad.	—	2/-	1/11	—
,, ,, *pulv.*	—	3/-	2/11	—
Mirbane (vide *Nitrobenzenum*).				
Mistura Acid Acetylsal. *conc.* 1-7	3/9	3/6	3/3	—
,, Alba, B.P.C.	—	—	-/8	-/7½
,, Ammoniaci, *conc.* 1-7	—	3/-	2/9	—
,, Amygdalæ B.P.C.	—	—	1/-	-/10
P1 ,, Bismuthi Co., B.P.C.	3/-	2/9	2/6	2/3
P1 ,, ,, ,, c. Pepsin, B.P.C. ...	—	2/9	2/6	2/3
P1 ,, ,, ,, Acid c.Pepsin,B.P.C. ...	4/3	4/-	3/9	—
P1 ,, Bromid Sedativ.	—	3/3	3/-	—
,, Camph. Co. N.F. Conc. 1-3	2/9	2/6	2/3	—
,, Cardam Comp.	—	3/3	3/-	2/9
P1 ,, Carminativa, B.P.C. '23	—	1/6	1/3	1/1
P1 ,, Chloroformi Co., B.P.C.	—	1/8	1/7	1/6
P1 ,, Damianæ Comp., B.P.C.	4/9	4/6	4/3	—
,, **Enzyme**	—	5/-	4/9	4/6
,, Ferri Co. B.P.C.	—	2/1	2/-	—
,, ,, ,, *conc.* (*supplied sine Ferro*)...	6/-	5/9	5/6	—
P1 ,, Gelsemini Co.	—	6/-	5/9	—
,, Guaiaci, B.P.C.	2/6	2/3	2/-	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Mistura Magnesii Hydroxidi B.P.	—	—	1/-	-/10
	,, Myrrh Co. (vide *Mist Ferri Co. Conc.*)				
	,, Olei Ricini, B.P.C.	—	2/-	1/9	1/8
	,, Pectoralis Infans	—	2/-	1/9	1/8
	,, ,, ,, Alk.	—	2/-	1/9	1/8
	,, Sennæ Co., B.P.	—	—	1/1	-/11
P1	,, Tussi (vide *Linct. Tussi Rub.*)				
	,, ,, Dulc.	—	—	2/-	1/11
	,, ,, Infans	—	—	1/9	1/8
	,, ,, Nig. Conc.	—	—	1/3	1/2
P1	,, ,, Rub. B.P.C. (vide *Mist. Chloroform Co.*)				
	,, Tonic Infans.	—	2/-	1/9	1/8
S1†	**Morphina** Pur. *precip.* ⅛ oz. 6/6 ; oz. 45/-	—	—	—	—
S1†	,, ,, *cryst.* ⅛ ,, 6/6 ; ,, 45/-	—	—	—	—
S1†	**Morphinæ** Acetas B.P.'14 ⅛ ,, 5/6 ; ,, 36/6	—	—	—	—
S1†	,, Bimeconas ⅛ ,, 6/6 ; ,, 45/-	—	—	—	—
S1†	,, Hydrochlor, B.P. ⅛ oz. 5/6 ; ,, 36/6	—	—	—	—
S1†	,, Sulphas *cryst.* ⅛ ,, 5/6 ; ,, 36/6	—	—	—	—
S1†	,, Tartras, B.P. ⅛ ,, 6/6 ; ,, 45/-	—	—	—	—
	Moschus *Tonquin Pod* ⅛ oz. 25/- ; oz. 170/-	—	—	—	—
	,, *Gran.* ⅛ ,, 26/- ; ,, 175/-	—	—	—	—
	,, *Artificial* 100% ,, 2/-	—	—	—	—
	Mucilago Acaciæ, B.P.	—	—	1/2	1/-
	,, Tragacanthæ, B.P.	—	—	1/5	1/3
	Mustard D.S.F., *Genuine*... 1 lb. tins	—	—	3/-	—
	,, S.F. ,, ,,	—	—	2/9	—
	,, F. ,, ,,	—	—	2/6	—
	,, Bran. ,, ,,	—	—	-/6	—
	Myricæ Cort. (*Bayberry*)	—	—	2/3	—
	,, ,, *pulv.*	—	—	2/9	—
	Myristica B.P. Opt.	3/6	3/4	3/3	—
	,, Sec.	2/6	2/4	2/3	—
	,, *pulv.*	2/3	2/1	2/-	—
	Myrrha B.P., Turc. No. 1 *hand-picked*	6/-	5/10	5/9	—
	,, ,, ,, 2 *small and dust out*	5/-	4/10	4/9	—
	,, ,, ,, 3 *sorts*	4/-	3/10	3/9	—
	,, ,, ,, 4 *parv.*	3/-	2/10	2/9	—
	,, ,, *pulv.*	4/6	4/4	4/3	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Naphtha Rect. (*wood*) pint **1/2**; gall. **7/9**	—	—	—	—
,, Mineral ,, **-/10**; ,, **6/-**	—	—	—	—
,, (Solvent, Coal Tar) ... ,, **5/6**				
Naphthalene *pure* ... ... oz. **-/6**	**3/9**	**3/7**	**3/6**	—
7 lb. tins ... **4/-** each	—	—	—	—
,, *com'l Scale* 14 ,, ,, ... **7/6** ,,	—	—	—	—
,, ,, *Balls* 28 ,, ,, ...**14/9** ,,	—	—	—	—
1 cwt. cases...**42/6** ,,	—	—	—	—
Narcotina ... ... ⅛ oz. **1/9**; oz. **10/-**	—	—	—	—
P1 **Nebulæ** Adrenal N.F. ... ... oz. **-/6**	—	—	—	—
P1 ,, ,, c̄ Benzamin Hydrochlor N.F. ,, **-/6**	—	—	—	—
P1 ,, Ephedrin N.F. ... ... ,, **-/6**	—	—	—	—
,, Iodi c̄ Phenol N.F. ... ,, **-/6**	—	—	—	—
P1 ,, Menthol c̄ Benzamin N.F. ,, **-/9**	—	—	—	—
,, ,, c̄ Thymol N.F.... ,, **-/6**	—	—	—	—
NEUTRAMYNE TABLETS (vide page 141)				
Nickel Ammonio Sulphas	—	**1/9**	**1/6**	—
,, Carbonas	**4/-**	**3/9**	**3/6**	—
,, Chloride	**3/3**	**3/-**	**2/9**	—
,, Nitras *cryst.* ... ... oz. **-/6**	—	—	—	—
,, Sulphas *cryst.*	—	**1/9**	**1/6**	—
,, ,, *com'l*	—	**1/3**	**1/-**	—
S1 P2 **Nicotina** 95/98% ... ... oz **1/6**	**17/6**	**17/3**	**17/-**	—
S1 P2 ,, Sulphas 40% ... ,, **-/9**	**7/9**	**7/6**	**7/-**	—
P2 **Nitrobenzenum** (*Mirbane*)	—	**1/9**	**1/6**	—
S1 **Nux** Vomica B.P.	—	—	**-/9**	**-/8**
S1 ,, ,, *pulverata* B.P.	—	**1/6**	**1/4**	**1/3**
Oculenta, Atropinæ B.P. ... — In 10 gm. tubes **10/-** dozen.	—	—	—	—
S1 ,, ,, c Hydrargyri Oxido B. P.				
S1† ,, Cocainæ B.P.				
P1 ,, Hydrargyri Oxidi B.P. ...				
P1 ,, Hyoscinæ B.P				
,, Iodoformi B.P.				
S1 ,, Physostigminæ B.P. ...				
Oleoresina Capsici B.P.C. ... oz. **1/9**	—	—	—	—
,, ,, Cubebæ B.P.C.... ... ,, **2/6**	—	—	—	—
,, ,, Zingiberis B.P.C. ... ,, **2/9**	—	—	—	—
Oleum Abietis, B.P. ... ... oz. **-/6**	**5/6**	**5/3**	**5/-**	—
,, Absinthii ... ... ,, **10/6**	—	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q
Oleum Allii ... ⅛ oz. **10/9** ; oz. **75/-**	—	—	—	—
„ Amygd. B.P.	—	**5/6**	**5/3**	**5/-**
S1 „ „ Essent. ... ... oz. **3/-**	—	—	—	—
„ „ „ S.A.P. „ **3/6**	—	—	—	—
„ „ Persic (vide *Ol. Persic*).				
„ Anethi, B.P. ... ... oz. **1/6**	—	—	—	—
„ Angelicæ Rad. ... ... „ **20/-**	—	—	—	—
„ Animalis	—	—	—	—
„ Anisi, B.P.	**6/6**	**6/3**	**6/-**	—
„ Anthemidis, B.P.C. ... oz. **9/-**	—	—	—	—
„ Apii Graveolentis (*Celery*) „ **5/9**	—	—	—	—
„ Arachis, B.P. 1 gall tins (free) ea. **6/6**	—	—	—	—
„ „ Pallid	—	**1/7**	**1/6**	—
„ Aurant, Amar ... ... oz. **1/6**	**20/-**	**19/6**	**19/-**	—
„ „ Dulc. *extra super* „ **1/6**	**20/-**	**19/6**	**19/-**	—
„ „ Mandarin ... „ **3/-**	—	—	—	—
„ Bergamotæ, *extra super* ... „ **1/6**	**19/6**	**19/-**	**18/9**	—
„ Betulæ, Lent (vide *Ol. Gaultheria*)				
„ „ Alb. (*Ol. Rusci*) *crude.* ...	**2/6**	**2/3**	**2/-**	—
„ „ „ *Rect.*	**5/3**	**5/-**	**4/9**	—
„ Buchu ... ⅛ oz. **1/9** ; oz. **10/-**	—	—	—	—
„ Cadinum, B.P.	**5/-**	**4/9**	**4/6**	—
„ Cajuputi, B.P.	**5/-**	**4/9**	**4/6**	—
„ Calami, Aromat ... ... oz. **2/-**	—	—	—	—
„ Camphor, Alb., *Redist*	—	**2/6**	**2/3**	**2/-**
„ „ Brown	—	**2/3**	**2/-**	**1/9**
P2 „ Carbolisatum, B.P.C. (5%)	—	—	**1/7**	**1/6**
„ Cardamomi *Ang.* ... oz. **12/6**	—	—	—	—
„ Cari, B.P. ... ... „ **1/3**	**15/6**	**15/3**	**15/-**	—
„ Caryophylli, B.P.	**10/-**	**9/9**	**9/6**	—
„ Cassiæ (80-85 % *Cinnamic Aldehyde*) oz. **-/9**	**8/6**	**8/3**	**8/-**	—
„ Cedrat (Citronis) ... ... „ **2/6**	—	—	—	—
„ Cedri	**3/-**	**2/9**	**2/6**	—
„ „ (microscopic) 1 oz. bots. ea. **1/-**	—	—	—	—
„ Cetacei ... ... gall. **5/9**	—	—	—	—
„ Chaulmoogra	**3/9**	**3/6**	**3/3**	—
„ Chenopodii, B.P. ... ... oz. **1/9**	—	—	—	—
„ Cinnamomi, B.P. ... ... „ **5/-**	—	—	—	—
„ „ *fine* ... „ **4/3**	—	—	—	—
„ „ *Fol.* ... ... „ **-/10**	—	—	—	—
„ Citronellæ	—	**3/6**	**3/3**	—
„ „ (*Java*) ... oz. **-/6**	—	—	—	—
„ Cocois (*Cochin*)				
1 lb. free tins lb **1/1**	—	—	—	—
2 lb. „ „ „ **1/-**	—	—	—	—
4 lb. „ „ „ **-/11½**	—	—	—	—
„ Cognac (*Green*) ... ... oz. **7/6**	—	—	—	—

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Oleum	Conii		4/9	4/6	4/3	—
„	Copaibæ, B.P.C.		6/-	5/9	5/6	—
„	Coriandri, B.P. *Ang.*		—	—	—	—
„	„ „ *Exot.*		—	—	—	—
P1 „	Crotonis, B.P.C.	oz. 1/3	—	—	—	—
„	Cubebæ, *Ang.* B.P.C.	„ 2/-	—	—	—	—
„	Cumini, *Ang.*	„ 3/3	—	—	—	—
„	Eucalypti, B.P. Glob, 70/75%		—	3/3	3/-	2/10
„	„ „ „ 80/85%		—	3/6	3/3	3/-
„	„ Citriodora		10/-	9/9	9/6	—
„	Filicis Maris (vide *Ext. Filicis Liq.*)					
„	Fœniculi	oz. 1/-	—	—	—	—
„	Gaultheriæ B.P.C.	„ -/10	10/-	9/9	9/6	—
„	„ *Artificial* (vide *Methyl Salicylas*)					
„	Geranii, Gallic, *finest*	oz. 4/6	—	—	—	—
„	„ Algerian, *fine*	„ 2/9	—	—	—	—
„	„ Bourbon	„ 2/9	—	—	—	—
„	„ E.I. (*Ginger Grass*)	„ 1/9	—	—	—	—
„	„ Turc. (*Palmarosa*)	„ 1/6	—	—	—	—
„	Gossypii Sem, B.P.	gall 5/3	—	—	-/10	-/9
„	Graminis Citrat., B.P.C.	oz. -/6	5/-	4/9	4/6	—
„	Gurgun (*Bals. Dipterocarpi*)		2/3	2/1	2/-	—
„	Gynocardiæ (vide *Ol. Chaulmoogra*)					
„	Hippoglossi (30,000 units Vitamin A per gramme)	oz. 2/6	—	—	—	—
„	Hydnocarpi, B.P.	„ -/6	3/3	3/-	2/9	—
„	„ Aethylicum, B.P.	„ 2/6	—	—	—	—
S1 „	Hyoscyami		3/9	3/6	3/3	—
„	Iodisatum B.P. *1 oz. bottles*	5/- each	—	—	—	—
„	Iridis, *Concrete* ⅛ oz. 5/-,	oz. 35/-	—	—	—	—
„	Jasmin	„ 1/-	12/-	11/9	11/6	—
„	Juniperi (*bacc*) *Ang.*, B.P.C.	„ 3/6	—	—	—	—
„	„ „ *Exot.*, B.P.C.	„ -/7	6/-	5/9	5/6	—
„	„ *ab. ligno*		—	3/6	3/3	—
„	Kananga	oz. 3/-	—	—	—	—
„	Lauri (*Bacc.*) *Express*		6/6	6/3	6/-	—
„	„ *Essent.*	oz. 2/3	—	—	—	—
„	Lavandulæ, B.P., *Ang.*	„ 9/-	—	—	—	—
„	„ „ *Petal opt.*	„ 2/3	27/-	26/6	26/-	—
„	„ *good*		18/6	18/-	17/6	—
„	„ *Spic. Gall*		10/6	10/3	10/-	—
„	„ „ *Hisp*		—	6/6	6/3	—
„	Limæ *Essent.* (*Distilled*)	oz. 3/-	36/-	35/6	35/-	—
„	„ „ *hand pressed*	„ 6/3	—	—	—	—
„	Limonis, B.P. (*R.D. Brand*)		19/6	19/-	18/6	18/-
„	„ *Terpeneless*	oz. 5/-	—	—	—	—
„	Lini, B.P.	gall. 4/9	—	—	—	—
„	„ *boiled*	„ 5/-	—	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Oleum Lupuli ⅛ oz. **10/6**	—	—	—	—
„ Menth. Pip., Ang. (Mitcham) oz. **5/6**	—	—	—	—
„ „ „ B.P., *extra super* „ **1/1**	**13/6**	**13/3**	**13/-**	—
„ „ „ Wayne County „ **1/6**	**16/6**	**16/3**	**16/-**	—
„ „ „ H.G.H.	**22/-**	**21/6**	**21/-**	—
„ „ „ *Japan*	**9/6**	**9/3**	**9/-**	—
„ „ Pulegii, *Ang.* oz. **8/-**	—	—	—	—
„ „ „ *Exot.* „ **-/9**	**9/3**	**9/-**	**8/9**	—
„ „ Viridis, B.P.C. „ **1/6**	—	—	—	—
„ **MORRHUÆ**, B.P., *non-freezing* gall. **7/-**	—	—	—	—
For Cattle (vide page 154)				
„ Myrciæ (*Oil of Bay*) oz. **1/-**	**12/-**	**11/9**	**11/6**	—
„ Myristicæ B.P. *Ang.* „ **1/2**	—	—	—	—
„ „ „ *Exot.* „ **1/-**	—	—	—	—
„ „ *Express* „ **1/3**	—	—	—	—
„ Neatsfoot *Genuine* gall. **8/3**	—	—	**1/2**	**1/1**
„ Neroli, *Extra super* ½ oz., **4/6** oz. **32/-**	—	—	—	—
„ „ *Super* ½ „ **3/9** „ **25/-**	—	—	—	—
„ „ Synthetic „ **5/-**	—	—	—	—
„ Nucis, Opt. (vide *Ol. Arachis, B.P.*)				
„ Olivæ, Cream Sublime “Red Diamond”				
1 gall. tins (free) each **18/9**	—	—	—	—
„ „ B.P. gall. **15/9**	—	—	—	—
„ Origani Rub (vide *Ol. Thymi*).				
„ Palmæ *Opt.* 1 lb. free tins lb. **1/2**	—	—	—	—
„ „ „ 2 lb. „ „ „ **1/1**	—	—	—	—
„ „ „ 4 lb. „ „ „ **1/0½**	—	—	—	—
„ Patchouli *Opt.* oz. **2/-**	—	—	—	—
„ Persic, *Expressed*	—	**2/8**	**2/5**	**2/2**
„ Petit Grain (*Paraguay*) oz. **1/-**	—	—	—	—
„ Petroselini (*Parsley*) „ **3/3**	—	—	—	—
P1 „ Phosphoratum, B.P.C. „ **1/-**	—	—	—	—
„ Picis *Com'l.* (*dark*)	—	—	**1/-**	**-/11**
„ „ *Rect.*	—	—	**1/4**	**1/3**
„ Pimentæ oz. **1/6**	—	—	—	—
„ Pini American (*Spruce Pine*) „ **-/11**	**11/-**	**10/9**	**10/6**	—
„ „ Pumilionis „ **1/-**	**12/-**	**11/9**	**11/6**	—
„ Rapii, *Finest refined* gall. **5/-**	—	—	—	**-/8**
„ Rhodii (*not genuine*) oz. **2/9**	—	—	—	—
„ Ricini, B.P. *Alb.* 44lb. tins (free) **-/11** lb.	—	—	**1/1**	**1/-**
„ „ *Italian*	—	—	—	—
„ „ Aromat, B.P.C.	—	—	**1/6**	**1/3**
„ Rosæ (vide *Otto de Rose*).				—
„ „ (*Colouring*)	**4/9**	**4/6**	**4/3**	—
„ Rosmarini, B.P. *Ang.* oz. **12/9**	—	—	—	—
„ „ „ *Exot.*	**6/6**	**6/3**	**6/-**	—
„ „ „ „ *Super*	**5/-**	**4/9**	**4/6**	—
„ Rutæ oz. **1/9**	—	—	—	—
S1 „ Sabinæ „ **1/5**	—	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Oleum Salviæ oz. -/9	—	—	—	—
„ Sambuci (*Viride*)	—	—	1/5	1/3
„ Santali, B.P. oz. 2/9	32/6	32/3	32/-	—
„ „ Australiensis B.P. „ 2/1	24/6	24/3	24/-	—
„ Sassafras Ver.	8/-	7/9	7/6	—
„ Sesami, B.P. gall. 10/6	—	—	—	—
„ Sinapis *Express*	—	—	-/11	-/10
„ „ Volatile, B.P.C. oz. 2/3	—	—	—	—
S1„ Staphisagriæ (Ethereal Ext) „ 1/10	21/6	21/3	21/-	—
S1„ „ (fixed oil) „ 1/6	18/6	18/3	18/-	—
„ Succini, *Rect.*	—	1/8	1/6	1/4
„ Terebinth (*com'l*) gall. 6/-	—	—	—	-/9
„ „ B.P.	—	1/5	1/4	—
„ Theobromatis, B.P. (*tablets*)	—	3/-	2/9	2/6
„ „ „ *Mass.*	—	2/9	2/6	2/3
„ Thymi Alb. Ver.	10/-	9/9	9/6	—
„ „ Rub. Ver.	9/-	8/9	8/6	—
„ „ „ *Com'l...*	5/-	4/9	4/6	—
„ Train 1 gall. tins 6/- each	—	—	—	—
„ Valerianæ 1 oz. bottles 4/9 each	—	—	—	—
„ Verbenæ (vide *Ol. Graminis Citrat. B.P.C.*)				
„ Viride (vide *Ol. Sambuci Viride*)				
„ Wintergreen (vide *Ol. Gaultheriæ*)				
„ Ylang Ylang oz. 5/6	—	—	—	—
„ Zingiberis „ 3/6	—	—	—	—
Olibanum *elect.*	2/6	2/3	2/-	—
„ *parv.*	2/-	1/9	1/6	—
„ *pulv.*	2/6	2/3	2/-	—
S1†**Opium**, B.P., oz. 2/3	27/-	26/6	26/-	—
S1† „ *pulverat.* B.P. „ 2/5	29/-	28/6	28/-	—
P1 **Orthocaina**, B.P. ⅛oz. 1/3, oz. 7/6	—	—	—	—
Orthodichlorbenzene	—	2/-	1/9	—
Os. Sepia, *bold*	4/-	3/9	3/6	—
„ „ *good small*	2/-	1/9	1/6	—
„ „ *pulv. subtil.*	2/3	2/-	1/9	—
Otto de Rose, *finest Virgin* ⅛ oz. 8/- oz. 60/-	—	—	—	—
„ „ „ *fine...* ⅛ „ 5/6 „ 40/-	—	—	—	—
„ „ „ *artificial* ⅛ „ 3/6 „ 12/- tubes and bottles free	—	—	—	—
„ „ „ „ (vide *Rozotto*)				
OTTOS, Floral (*vide* page 137)				

† Comes under regulations of D.D. Act.

	Per lb. ¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Oxymel B.P.	—	**1/3**	**1/2**	**1/1**
,, Ipecac, B.P.C.	**2/3**	**2/1**	**2/-**	**1/11**
,, Scillæ, B.P. (Pale or dark as required)	—	—	**-/9**	**-/8½**
Pancreatinum B.P. ... ... oz. **1/6**	—	—	—	—
Papain ... ... ,, **3/3**	—	—	—	—
S1 **Papaverina** ... ... ⅛ oz. **4/-**	—	—	—	—
S1 ,, Hydrochlor, ... ,, **4/-**	—	—	—	—
S1 ,, Sulphas, ... ,, **4/-**	—	—	—	—
P1 **Papaveris** Capsulæ *on stalks* ... doz. **3/-**	—	—	—	—
25's 50's 100's				
P1 ,, ,, *elect.* **3/-** **5/6** **10/6** all	—	—	—	—
P1 ,, ,, *med.* **2/6** **4/3** **7/6** all	—	—	—	—
P1 ,, ,, *parv.* **1/9** **3/-** **5/3** all	—	—	—	—
P1 ,, ,, Contus	—	**1/-**	**-/11**	—
,, Sem. (Maw Seed)	—	—	**-/9**	**-/8**
Paradichlorbenzenum	—	**2/-**	**1/9**	—
Paradisi Grana...	—	**1/3**	**1/2**	—
,, ,, Pulv.	—	**1/9**	**1/8**	—
,, ,, ,, Coarse	—	—	**1/4**	**1/2**
Paraffinum Carbolisatum, B.P.C....	—	**1/10**	**1/9**	—
,, No. 7	—	**2/2**	**2/1**	—
,, Durum, B.P.	—	—	**-/8**	**-/7**
,, Liquidum, B.P. .880/885 gall. **7/6**	—	—	—	**-/11**
,, ,, ,, .885/890 ,, **7/9**	—	—	—	**1/-**
,, ,, ,, .890/895 ,, **8/6**	—	—	—	**1/2**
,, ,, Leve. ... ,, **6/-**	—	—	—	—
,, ,, Puriss (*see Petrogell Liquid*)	—	—	—	—
,, ,, Brilliantine, *various colours* gall. **5/-**	—	—	—	—
,, ,, ,, *perfumed* gall. **6/-**	—	—	—	—
,, Molle Alb. B.P. (*free tins*) 1 lb. 2 lbs. 7 lbs. 14 lbs. 28 lbs. **1/3** **1/2** **1/1** **1/-** **-/11** lb.				
,, ,, Flav. B.P. (*free tins*) 1 lb. 2 lbs, 7 lbs. 14 lbs. 28 lbs. **-/9** **-/8** **-/7** **-/6** **-/5½** lb. ... (*see also Petrogell*)				
Paraformaldehydum	**3/-**	**2/9**	**2/6**	—
Paraldehydum, B.P.	—	**2/6**	**2/3**	**2/-**
Paramidophenol ... ... oz. **1/6**	—	—	—	—
Pareiræ Rad.	**2/9**	**2/7**	**2/6**	—
,, ,, *incis.*	**2/6**	**2/4**	**2/3**	—
,, ,, *pulv.*	**3/3**	**3/1**	**3/-**	—
Parenol (Alb.) B.P.C.	—	**2/3**	**2-**	—
,, Flav. ,, ...	—	**1/9**	**1/6**	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
S1 P2 **Paris Green** ... ... 1 lb. free cartons	—	—	1/11	—
Parogenum, B.P.C....	5/-	4/9	4/6	—
„ Iodi, B.P.C.	5/6	5/3	5/-	—
Pasta Bismuth et Iodoform, B.P.C. (vide *Bipp.*)				
„ **Magnesii Sulphatis,** B.P.C.	—	1/6	1/3	—
„ **Zinci** Oxid c. Ac. Salicyl. B.P.C. ... (Lassar). 1 lb. free tins	—	—	1/5	—
„ „ „ (Flav) Lassar 1 „ „ „	—	—	1/4	—
„ „ **Oxid Co.** B.P. 1 „ „ „	—	—	1/5	—
„ „ **et Ichthamol,** B.P.C. '23 free tins	—	2/6	2/3	—
Pearlashes (vide *Potasii Carbonas Com'l.*)				—
S1 **Pelletierinæ** Sulphas gr. **-/6,** gm. **4/3**	—	—	—	—
S1 „ Tannas B.P. gr. **-/6,** gm. **3/3**	—	—	—	—
Pepsinum, B.P. ... ... oz. **1/4**	16/-	15/6	15/-	—
Peptone, Siccum. ... ... oz. **1/6**	—	—	—	—
Pessaries (vide page 136)				
Petrogell, B.P., (*Burgoyne's*), Flav. (*free tins*) 1 lb. 2 lb. 7 lb. 14 lb. 28 lb. **-/11 -/10 -/9 -/8 -/7½**				
B.P. (*Burgoyne's*), Alb. (*free tins*) 1 lb. 2 lb. 7 lb. 14 lb. 28 lb. **1/4 1/3 1/2 1/1 1/-**				
„ **Liquid** (**puriss**) *for internal use* 1 gall. tins (free) **10/6** each	—	—	—	—
Petroleum, Barbadensis 1 lb. free tins **1/3** each	—	—	—	—
Phenacetinum B.P.	4/9	4/6	4/3	—
„ Efferv., B.P.C.	—	—	5/-	—
„ c. Caffeina Efferv., B.P.C. ...	—	—	5/6	—
Phenazonum B.P. ... ... oz. **-/10**	10/6	10/3	10/-	—
„ „ *pulv.* ... ... „ **-/10**	10/6	10/3	10/-	—
„ Caffein Citras ... „ **1/9**	—	—	—	—
„ Salicylas, B.P.C. ... „ **1/8**	—	—	—	—
„ Efferv., B.P.C.	—	—	5/3	—
„ cum Caffein Efferves, B.P.C. ...	—	—	5/9	—
S1 **Phenobarbitonum** B.P. ... oz. **2/3**	—	—	—	—
S1 „ Solubile B.P. „ **2/3**	—	—	—	—
P1 **Phenol,** B.P. (*Ice Cryst.*)	—	—	1/9	—
P1 „ „ (*Detached Cryst.*)	—	—	2/6	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
P1 **Phenol** Liq. B.P.	—	—	**1/8**	**1/6**
P2 „ Iodisatum, B.P.C.	**4/6**	**4/3**	**4/-**	—
Phenolphthalein B.P. oz. **-/6**	**5/9**	**5/6**	**5/3**	—
Phloroglucin gm. **-/9**	—	—	—	—
Phosphorus *Amorphous.* oz. **-/8**	—	—	—	—
P1 „ *Sticks* „ **-/7**	—	—	—	—
Physostigmin Sem	—	**1/9**	**1/6**	—
S1 **Physostigmina** (*Eserina*) 5 gr. **2/3**, gm. **6/-**	—	—	—	—
S1 **Physostigminæ** Salicylas, B.P. 5 gr. **2/-**, gm. **5/-**	—	—	—	—
S1 „ Sulphas B.P.C. 5 gr. **2/-**, gm. **5/-**	—	—	—	—
S1 **Picrotoxin** ⅛ oz. **4/6**	—	—	—	—
Pickling Spice	—	—	**1/9**	**1/7**
S1 **Pigment Aconit Co.** B.P.C.	**2/9**	**2/6**	**2/3**	—
„ **Capsici c Methyl Sal.** N.F.	**2/9**	**2/6**	**2/3**	—
„ **Chrysarobin,** B.P.C.	**10/9**	**10/6**	**10/3**	—
„ **Iodi,** N.F.	**2/6**	**2/3**	**2/-**	—
„ „ **Comp.** (Mandl's), B.P.C.	—	**2/-**	**1/9**	—
„ „ **Fort** N.F.	**3/-**	**2/9**	**2/6**	—
„ „ **Mit.** N.F.	**1/9**	**1/6**	**1/3**	—
„ **Iodoform Co.,** B.P.C.	**6/6**	**6/3**	**6/-**	—
„ **Mastiche Co.**	**5/-**	**4/9**	**4/6**	—
S1 **Pilocarpin** gr. **-/4**, gm. **2/9**	—	—	—	—
S1 „ Hydrochloridum gr. **-/3**, gm. **1/6**	—	—	—	—
S1 „ Nitras, B.P. gr. **-/3**, gm. **1/2**	—	—	—	—
Pilulæ (Mass)—				
„ Aloes, B.P. oz. **-/6**	**5/6**	**5/3**	**5/-**	—
„ „ „ *pulv.* „ **-/7**	**6/6**	**6/3**	**6/-**	—
„ „ „ Socot. „ **-/6**	**6/-**	**5/9**	**5/6**	—
„ „ „ „ *pulv.* „ **-/7**	**7/-**	**6/9**	**6/6**	—
„ „ et Asafœtidæ B.P. „ **-/6**	**4/6**	**4/3**	**4/-**	—
„ „ „ „ „ *pulv* „ **-/7**	**5/6**	**5/3**	**5/-**	—
„ „ „ Ferri, B.P. „ **-/6**	**5/-**	**4/9**	**4/6**	—
„ „ „ „ „ *pulv.* „ **-/7**	**6/-**	**5/9**	**5/6**	—
P1 „ Colocynth et Hyoscyami, B.P. „ **-/10**	**11/-**	**10/9**	**10/6**	—
P1 „ „ „ „ „ *pulv.* „ **-/11**	**12/-**	**11/9**	**11/6**	—
„ Ferri Carbonatis B.P.	—	**2/-**	**1/9**	—
„ Galbani Co. oz. **-/8**	**7/3**	**7/-**	**6/9**	—
„ „ „ B.P.C. *pulv.* „ **-/9**	**8/3**	**8/-**	**7/9**	—
„ Hydrargyri B.P. „ **-/6**	**5/-**	**4/9**	**4/6**	—
„ „ Subchlor. Co., B.P.C. „ **-/9**	**8/3**	**8/-**	**7/9**	—
„ „ „ „ „ *pulv.* oz. **-/10**	**9/3**	**9/-**	**8/9**	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Pilulæ (Mass)—					
S1,, Ipecac. c. Scillæ, B.P.C. ...	oz. **-/9**	**8/3**	**8/-**	**7/9**	—
S1,, ,, ,, ,, ,, *pulv.*	,, **-/10**	**9/3**	**9/-**	**8/9**	—
P1,, Phosphori, B.P.C. ...	,, **-/10**	—	—	—	—
S1,, Plumbi e. Opio, B.P.C. ...	,, **-/8**	**7/-**	**6/9**	**6/6**	—
,, Quininæ Sulph., B.P.C. ...	,, **3/9**	—	—	—	—
,, Rhei Co., B.P.	,, **-/6**	**4/-**	**3/9**	**3/6**	—
,, ,, ,, ,, *pulv.* ...	,, **-/7**	**5/-**	**4/9**	**4/6**	—
S1†,, Saponis c Opio B.P.C. ...	,, **-/11**	—	—	—	—
S1†,, ,, ,, ,, ,, *pulv.*	,, **1/-**	—	—	—	—
,, Scammonii Co. B.P.C. ...	,, **1/6**	—	—	—	—
,, Scillæ Co., B.P.C.	,, **-/7**	**6/-**	**5/9**	**5/6**	—
,, ,, ,, ,, ,, *pulv.* ...	,, **-/8**	**7/-**	**6/9**	**6/6**	—
Pimentæ Fruct. *sifted*		—	—	**1/3**	**1/2**
,, ,, *pulv.*		—	**1/9**	**1/6**	**1/5**
Pinus Canadensis		—	**1/3**	**1/2**	—
,, ,, *pulv.*		—	**2/-**	**1/11**	—
Piper Alb. *finest*		—	**2/-**	**1/9**	—
,, ,, *pulv.*		—	**2/3**	**2/-**	—
,, Cayenne, *finest*		**2/3**	**2/-**	**1/9**	—
,, Longum		**2/9**	**2/6**	**2/3**	—
,, ,, *pulv.*		**3/-**	**2/9**	**2/6**	—
,, Nigrum		—	**1/3**	**1/-**	—
,, ,, *pulv.*		—	**1/6**	**1/3**	—
Piperazin	oz. **6/6**	—	—	—	—
,, Efferv. B.P.C.		—	—	**10/-**	—
Piperina	oz. **5/3**	—	—	—	—
Pix Burgundica, *Ver.*		—	**1/9**	**1/6**	**1/5**
,, ,, *Factum*		—	—	**1/2**	**1/1**
,, Carbonis Præp., B.P.		—	—	**1/3**	—
,, Liquid, B.P.	*tins free*	—	—	**-/10**	**-/9**
P1 **Plumbi** Acetas, B.P. *recryst*		—	**1/7**	**1/4**	**1/3**
P1 ,, ,, ,, *pulv.*		—	**2/1**	**1/10**	**1/9**
P1 ,, ,, *com'l*		—	—	**1/-**	**-/11**
P1 ,, ,, ,, *pulv*		—	**1/9**	**1/6**	**1/5**
,, Carbonas *com'l*		—	**1/2**	**1/1**	—
,, ,, *præcip.*		—	**2/9**	**2/6**	—
,, Iodidum B.P.C. ...	oz. **1/6**	—	—	—	—
,, Monoxid, B.P., *pulv.* (*Lithargyrum*) ...		—	—	**1/-**	**-/10**
,, Nitras *com'l*		—	**1/3**	**1/-**	**-/11**
,, ,, *pur. recryst.*		—	**2/3**	**2/-**	—
S1 ,, Oleas (*normal*)		**4/6**	**4/3**	**4/-**	—

† Comes under regulations of D.D. Act.

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Podophylli Resina, B.P., Emodi ...	oz. **1/1**	—	—	—	—
	„ „ Peltatum	„ **2/3**	—	—	—	—
	Podophyllum B.P....		—	**2/-**	**1/9**	—
	„ „ *pulv.*		—	**2/6**	**2/3**	—
	Potassa Sulphurata, B.P.		—	—	**1/3**	**1/1**
	Potassii Acetas, B.P. *Gran.*		—	**1/9**	**1/6**	**1/5**
P1	„ Arsenas	oz. **-/6**	—	—	—	—
	„ Benzoas *synthetic* ...	„ **-/8**	—	—	—	—
	„ Bicarbonas, B.P., *pulv.*		—	**1/-**	**-/11**	**-/10**
	„ „ „ *gran.*		—	**1/2**	**1/1**	**1/-**
	„ Bisulphas, pur.		—	**2/3**	**2/-**	—
	„ Borotart. (*Scales*)		**4/6**	**4/3**	**4/-**	—
	„ Bromidum B.P.		—	—	**2/11**	**2/9**
	„ Carbonas, B.P. (*Salts of Tartar*) ...		—	**1/3**	**1/-**	**-/11**
	„ „ *com'l*		—	—	**-/8**	**-/7**
	„ „ pur. anhydrous.		—	**2/-**	**1/9**	—
	„ Chloras B.P. (*cryst. vel pulv.*)		—	—	**-/11**	**-/10**
	„ „ „ *pur. recryst.*		—	**1/3**	**1/-**	**-/11**
	„ Chlorid *pure*		—	—	**1/3**	**1/2**
	„ „ *com'l*		—	—	**-/8**	**-/7**
	„ Chromas		—	**2/9**	**2/6**	—
	„ Citras, B.P.		—	**2/9**	**2/6**	—
	„ „ Efferv., B.P.C.		—	—	**3/3**	—
S1	„ Cyanid. *cryst.* 98% (*Double Salt*) ...		**2/9**	**2/7**	**2/6**	—
S1	„ „ *fused* 30% (*cake*)		—	**3/4**	**3/2**	—
	„ Dichromas, *recryst.*		—	**2/3**	**2/-**	—
	„ „ *com'l.*		—	—	**1/1**	**-/11**
	„ Ferricyanid *com'l* (*Red*)		**3/9**	**3/7**	**3/6**	—
	„ „ *recryst.*(„)		**4/3**	**4/1**	**4/-**	—
	„ Ferrocyanid (*Yellow*)		—	**1/5**	**1/4**	—
	„ „ *recryst.* (*Yellow*)		**2/-**	**1/10**	**1/9**	—
	„ Formas	oz. **-/6**	—	—	—	—
	„ Glycerophosphas. 50% ...	„ **-/6**	**6/-**	**5/9**	**5/6**	—
	„ Guaiacolsulphonas ...	„ **-/10**	**10/-**	**9/9**	**9/6**	—
P2	„ Hydroxid. B.P. *by electrolysis*	1 *lb. bots.*	—	—	**3/-**	—
P2	„ „ *com'l* ...	1 *lb. tins*	—	—	**1/2**	—
P2	„ „ „ *pulv.*	1 *lb.* „	—	—	**2/2**	—
	„ Hydroxyquinolini Sulphas.	oz. **1/11**	—	—	—	—
	„ Hypophosph.	oz. **-/6**	—	—	—	—
	„ Iodidum, B.P.		**7/6**	**7/3**	**7/-**	—
	„ Metabisulphis		—	—	**1/-**	**-/11**
	„ Nitras (*cryst. vel pulv.*) B.P.	cwt. **45/-**	—	—	**-/8**	**-/7**
	„ „ *recryst.*		—	**1/2**	**1/1**	—
	„ Nitris *cryst.*	oz. **-/6**	**6/-**	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
P1 **Potassii** Oxalas (*neutral*)	1/10	1/8	1/7	—
„ Permang., B.P.	—	—	1/6	1/5
„ Persulphas	4/-	3/9	3/6	—
„ Phosphas, *pure*	4/-	3/9	3/6	—
„ „ *com'l*	—	2/-	1/9	—
„ „ Acid	4/-	3/9	3/6	—
„ „ *Tribasic*	4/-	3/9	3/6	—
P2 „ Quadroxalas, B.P.C. (*cryst. vel pulv.*)	—	—	1/9	1/6
„ Salicylas oz. 1/-	—	—	—	—
„ Silicas, *fusum*	3/3	2/9	2/9	—
„ „ *solutio.*	—	1/-	-/11	—
„ Sulphas, B.P.C.	—	1/3	1/-	—
„ „ *pulv.*	—	1/6	1/3	—
„ „ *com'l*	—	—	-/6	—
„ Sulphide c. Sulphure	2/10	2/8	2/7	—
„ Sulphocyanid	5/-	4/10	4/9	—
„ Tartras, B.P.C.	3/6	3/3	3/-	—
„ „ Acidus, B.P. (*Cremor Tartar*)	—	—	1/7	1/5
S1 **Procaine** Hydrochlor B.P. oz. 4/9	—	—	—	—
Proflavine, B.P.C. 5 gms. 4/9	—	—	—	—
Prunus Serotina, B.P.	—	1/6	1/3	1/2
„ „ „ *pulv.*	—	2/-	1/9	1/7
Psyllium Sem	—	1/9	1/6	—
P1 **Pulvis** Acetanilidi Co.,B.P.C.	6/3	6/1	6/-	—
„ Alkalinus (vide *Maclean's Powder*)				
„ Aloes c. Canella, B.P.C. (c. Aloes Soc.)	4/-	3/9	3/6	—
„ „ „ „ (c. Aloes Cape)	—	2/2	2/-	—
„ Amygd. Co., B.P.C.	4/6	4/3	4/-	—
S1 „ Antimonialis, B.P.C.	4/-	3/9	3/6	—
„ Bismuth Co., B.P.C.	2/6	2/4	2/3	—
„ „ Alk. Co. (vide *Maclean's Powder*)				
„ Catechu Co., B.P.C.	4/9	4/6	4/3	—
„ Cinnamomi Co., B.P.C.	5/9	5/6	5/3	—
„ Confectio Aromatica, P.L.	7/3	7/-	6/9	—
„ Cretæ Aromat., B.P.	—	1/9	1/6	—
„ „ „ B.P. '85	10/6	10/3	10/-	—
S1 „ „ „ c. Opio, B.P.	3/-	2/10	2/9	—
„ Elaterini Co. oz. 3/9	—	—	—	—
„ Glycyrrhizæ Co., B.P. *Tinnev*	—	—	1/-	-/10
„ „ „ „ *Alex.*	—	—	1/2	1/-
S1 „ Ipecac. et Opii, B.P. oz. -/8	—	7/6	7/3	—
„ Jalapæ Co., B.P.	3/-	2/10	2/9	—
S1 „ Kino Co., B.P.C.... oz. -/7	—	—	—	—
„ Lobeliæ Co., B.P.C.	—	—	2/3	2/-
S1† „ Opii Co., B.P.C. oz. -/9	—	—	—	—
„ Pepsin Co., B.P.C.	8/6	8/3	8/-	—

† Comes under regulations of D.D. Act.

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Pulvis pro Mist Cretæ		2/3	2/-	1/9	—
„ Rhei Co., B.P.		—	3/-	2/9	—
„ Scammon. Co., B.P.C.	oz. -/7	—	—	—	—
„ Seidlitz		—	1/6	1/3	—
„ „ Condensed		—	—	2/9	—
„ Stramonii Co., B.P.C.		—	2/-	1/10	—
„ Tragacanth Co., B.P.		4/6	4/3	4/-	—
„ Violæ, *Extra Super*		—	—	1/10	—
„ „ *Super*		—	—	1/2	—
„ Vitamin B., B.P.	oz. 2/9	—	—	—	—
„ Zinci et Amyli B.P.C.		—	—	-/9	-/8
„ „ Amyli et Boric, *p. æq.*		—	—	-/10	-/9
Pyrethri Flor. *pulv.* (*Insect Powder*) Opt.		—	—	2/6	2/3
„ „ „ „ „ Sec.		—	—	2/3	2/-
„ Rad.		—	1/6	1/3	—
„ „ *pulv.*		—	2/3	2/-	—
Pyridina *Pur.*	oz. 1/5	—	—	—	—
Pyrocatechin	„ 2/-	—	—	—	—
Pyrogallol (vide *Acid Pyrogallic*)					
Pyroxylinum B.P.	„ 1/6	—	—	—	—
Quassia B.P. *incis.*		—	—	-/8	-/7
„ „ *pulv.*		—	1/3	1/2	1/1
Quercus		—	—	-/10	-/9
„ *pulv.*		—	1/6	1/5	1/4
Quillaia B.P.		—	—	-/10	-/9
„ „ *Contus*		—	—	1/-	-/11
„ „ *pulv.*		—	1/3	1/2	1/1
Quinidin *pur.*	oz. 6/6	—	—	—	—
Quinidinæ Sulphas B.P.	„ 5/6	—	—	—	—
Quinina pur.	„ 5/6	—	—	—	—
Quininæ Acetas	„ 5/9	—	—	—	—
„ Acetylsalicyl, B.P.C.	„ 6/9	—	—	—	—
S1 „ Arsenas, B.P.C.	„ 6/6	—	—	—	—
„ Benzoas, B.P.C.	„ 6/6	—	—	—	—
„ Bisulphas, B.P.	„ 2/11	—	—	—	—
„ Citras, B.P.C.	„ 5/-	—	—	—	—
„ Dihydriodum	„ 6/6	—	—	—	—
„ Dihydrobrom, B.P.C.	„ 4/9	—	—	—	—
„ Dihydrochlor, B.P.	„ 4/9	—	—	—	—
„ et Æthyl. Carb., B.P.	„ 4/9	—	—	—	—
„ et Ureæ Hydrochlor, B.P.C.	„ 4/3	—	—	—	—
„ Glycerophosphas, B.P.C.	„ 6/-	—	—	—	—
„ Hydriodid, B.P.C.	„ 6/3	—	—	—	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Quininæ Hydrobrom, B.P.C. ...	oz. 4/6	—	—	—	—
" Hydrochlor., B.P. ...	" 4/6	—	—	—	—
" Hypophosphis, B.P.C.	" 6/3	—	—	—	—
" Lactas, B.P.C.	" 6/-	—	—	—	—
" Phosphas, B.P.C. ...	" 5/3	—	—	—	—
" Salicylas B.P.C. ...	" 5/-	—	—	—	—
" Sulphas, B.P.	"2/11	—	—	—	—
" " " ...	4 ozs. 2/10	—	—	—	—
" " " ...	25 " 2/9	—	—	—	—
" Sulphocarbolas ...	oz. 6/3	—	—	—	—
" Tannas, B.P.	" 3/6	—	—	—	—
" Urethane	" 5/-	—	—	—	—
" Valerianas, B.P.C. ...	" 6/6	—	—	—	—
Quinoidina	" -/6	5/6	5/4	5/3	—
S1 **Quinophan** B.P. (vide *Cinchophenum*)					
Resorcinol B.P.	oz. -/9	9/3	9/-	8/9	—
" **Mono-Acetate** (*Resorcinate*) (vide page 141)					
Rhamni Frangulæ Cort.		—	1/1	1/-	—
" " " *pulv.*		—	1/6	1/5	—
Rheum Rhizome, Ang., *trimmed*		—	3/-	2/9	—
" " " *pulv.*		—	2/3	2/-	—
" " B.P. No. 1		9/6	9/3	9/-	—
" " " " 2		7/6	7/3	7/-	—
" " " " 3		6/3	6/-	5/9	—
" " " *trimmed*		14/-	13/9	13/6	—
" " " *pulv.* No. 1		10/6	10/3	10/-	—
" " " " " 2		9/-	8/9	8/6	—
" " " " " 3		—	7/9	7/6	—
" " " " " 4		—	5/9	5/6	—
Rhœados Petalum		4/-	3/10	3/9	—
Rosæ Petalum *Exot.*, *Opt.*		—	—	—	—
Rosmarini Flor.		3/-	2/10	2/9	—
" Fol.		—	1/2	1/1	—
Rouge Jewellers'		—	1/10	1/9	—
" " *Sec.*		—	1/4	1/3	—
Rozotto. A highly concentrated Rose Otto, having the full aroma, strength and character of the genuine Otto.	oz. 22/6	—	—	—	—
S1 **Sabadillæ** Sem.		2/-	1/10	1/9	—
S1 " " *pulv.*		3/-	2/10	2/9	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Saccharin Solubile, B.P.	oz. **3/9**	—	—	—	—
„ 550, B.P. '14	„ **4/3**	—	—	—	—
Saccharum Lactis (vide *Lactosum, B.P.*)					
„ Ustum *Ang.*		—	—	**-/9**	**-/8**
„ „ (*Spirit soluble*)		--	—	**1/2**	**1/1**
Safrolum, B.P.C.		**4/3**	**4/-**	**3/9**	**3/6**
P2 **Sal** Acetosella (vide *Potass Quadroxalas*)					
„ Ammoniac (vide *Ammonium Chlorid*).					
„ Carlsbad (*Carolina Fact, B.P.C.*)		—	—	**1/-**	**-/11**
„ „ *Efferves, B.P.C.*		—	—	**2/9**	—
„ Cheltenham		—	**1/6**	**1/3**	—
„ Harrogate (*Aperiens Sulphuratum, B.P.C.*)...		—	**2/9**	**2/6**	—
„ Limonis (vide *Potass. Quadroxalas*).					
„ Prunella *Glob.*		—	—	**-/11**	**-/10**
„ „ „ *Parv.*		—	**1/6**	**1/3**	**1/2**
„ „ „ *Pea size*		—	**2/6**	**2/3**	—
„ „ *Cake*		—	—	**1/-**	—
„ Vichy		—	**1/9**	**1/6**	**1/4**
Salicinum, B.P.	oz. **1/7**	**17/9**	**17/3**	**16/9**	—
Saline Efferves, extra super "A"...		—	—	**1/9**	**1/6**
„ „ super "B"		—	—	**1/3**	**1/-**
Salix		—	**1/6**	**1/5**	—
„ *pulv.*		—	**2/6**	**2/5**	—
Salol B.P.C.	oz. **-/6**	**6/-**	**5/9**	**5/6**	—
Sambucus		—	**2/-**	**1/11**	—
Sanguis Draconis		**9/9**	**9/6**	**9/3**	—
„ „ *pulv.*		**11/-**	**10/9**	**10/6**	—
„ „ „ *sec.*		**6/-**	**5/9**	**5/6**	—
Sanguinaria		—	**2/-**	**1/10**	—
„ *pulv.*		—	**2/9**	**2/7**	—
Santali Lign. Flav. Rass....		**2/3**	**2/-**	**1/9**	—
„ „ Rubr. Rass.		—	—	**-/11**	—
Santonicæ	oz. **2/-**	—	—	—	—
„ *pulv.*	„ **2/4**	—	—	—	—
Santoninum B.P.	„ **9/9**	—	—	—	—
„ „ ... ... 4 ozs.	„ **9/3**	—	—	—	—
„ „ ... ... 8 ozs.	„ **8/9**	—	—	—	—
„ „ ... ... 16 ozs.	„ **8/3**	—	—	—	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Sapo Animalis, B.P.		—	**1/1**	**1/-**	—
,, ,, ,, *pulv.*		—	**1/6**	**1/5**	**1/4**
,, Arsenicalis *1 lb. free tins*		—	—	**2/3**	—
,, Castil. Alb. (vide *Sapo Durus B.P.*)					
,, ,, mottled		—	**1/-**	**-/11**	**-/10**
,, ,, ,, *pulv.*		—	**1/8**	**1/7**	**1/6**
,, Durus B.P.		—	—	**1/6**	**1/3**
,, ,, ,, *pulv.*		—	**2/6**	**2/3**	**2/-**
,, Kalinus, B.P.C.		—	—	**1/9**	—
,, Mollis B.P. *free tins* 1 lb.	doz. **15/6**	—	—	—	—
,, ,, ,, ,, ,, 2 lb.	,, **27/-**	—	—	—	—
,, ,, ,, ,, ,, 7 lb.	each **7/6**	—	—	—	—
,, ,, *Com'l.* ,, ,, 1 lb.	doz. **8/-**	—	—	—	—
,, ,, ,, ,, ,, 2 lb.	,, **15/-**	—	—	—	—
,, ,, ,, ,, ,, 7 lb.	each **4/-**	—	—	—	—
Saponine, B.P.C. *pur. alb.*	oz. **2/-**	—	—	—	—
,, *crude*	,, **1/-**	—	—	—	—
Sarsæ Rad. Jam. *opt.*		**3/6**	**3/3**	**3/-**	—
,, ,, ,, *incis.*		**4/3**	**4/-**	**3/9**	—
,, ,, ,, *pulv.*		**4/3**	**4/-**	**3/9**	—
Sassafras Cortex., *incis.*		—	**2/-**	**1/11**	—
,, ,, *pulv.*		—	**2/6**	**2/5**	—
,, Rad.		—	**1/6**	**1/3**	—
,, ,, *pulv.*		—	**2/6**	**2/3**	—
Scammoniæ Rad. (vide *Ipomœa B.P.*)					
,, Resina B.P.	oz. **-/7**	**6/-**	**5/9**	**5/6**	—
,, ,, ,, *pulv.*	,, **-/8**	**6/6**	**6/3**	**6/-**	—
Scammonium *Virgin Elect*	oz. **8/9**	—	—	—	—
,, ,, *pulv.*	,, **10/3**	—	—	—	—
,, *Aleppo*	,, **6/3**	—	—	—	—
,, ,, *pulv.*	,, **7/3**	—	—	—	—
Scarlet Red, B.P.C.	,, **3/3**	—	—	—	—
Schlippe's Salt		**4/9**	**4/7**	**4/6**	—
Scilla, B.P. *Sicc., opt.*		—	—	**-/10**	**-/9**
,, ,, *pulv.*		—	**1/9**	**1/6**	—
Scoparium		—	—	**-/10**	**-/9**
Senega B.P. *elect.*		**4/9**	**4/6**	**4/3**	—
,, ,, *pulv.*		**5/3**	**5/-**	**4/9**	—
Sennæ Folium, B.P. Tinnev. *bold elect.*		—	—	**1/9**	**1/7**
,, ,, ,, ,, *good selected*		—	—	**1/7**	**1/5**
,, ,, ,, ,, *medium*		—	—	**1/4**	**1/2**

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Sennæ Folium, B.P. Tinnev. *fair*	—	—	1/-	-/11
,, ,, ,, ,, *pulv.*	—	—	1/9	1/7
,, ,, ,, Alex. *elect.*	2/9	2/7	2/6	2/4
,, ,, ,, ,, *parv.*	1/9	1/7	1/6	1/4
,, ,, ,, ,, *pulv.*	—	—	2/1	—
,, **Fructus,** B.P. Alex. Finest Selected green, H.P.	—	—	6/6	—
,, ,, ,, ,, H.P....	—	—	4/-	3/9
,, ,, ,, ,, Fine ...	—	—	2/6	2/3
,, ,, ,, Tinnev. *hand picked*	—	—	1/7	1/6
,, ,, ,, ,, Fine	—	—	1/1	1/-
Serpentaria, B.P.	—	4/-	3/10	—
,, ,, *pulv.*	—	4/3	4/1	—
Sevum B.P. 1 *lb free tins*	—	—	2/9	—
,, Phosphoratum, B.P.C. oz. -/10	—	—	—	—
Shampoo Cocoa Nut Oil gall. 5/6	—	—	—	—
,, Pine Tar ,, 6/-	—	—	—	—
Shellac Aurant, *fine*	—	—	1/8	1/6
,, ,, *good*	—	—	1/2	1/-
,, ,, *pulv.*	—	—	1/8	1/6
Silica Alb. *com'l*	—	—	-/8	-/7
,, ,, Pur. Præcip.	3/3	3/1	3/-	—
Simarubæ Cort.	3/6	3/4	3/3	—
,, ,, *pulv.*	4/6	4/4	4/3	—
Sinapis Sem., Alb.	—	—	-/9	-/8
,, ,, Nig. Pulv.	—	—	1/6	1/5
,, (vide also *Mustard*).				
Soda Lime	—	—	1/2	—
Sodii Acetas, *pur. cryst.*	—	1/6	1/3	1/1
,, ,, ,, *fused*	2/6	2/3	2/-	—
,, Acetylsalicyl oz. 1/5	—	—	—	—
,, Ammon. Phosph (*Microcosmic Salt*)	—	2/3	2/-	—
S1 ,, Antimony Tartrate (*Stiboform* vide page 141).				
,, Benzoas, B.P. (*ex Gum*) oz. 2/6	—	—	—	—
,, ,, ,, (*ex Toluol*) ,, -/6	3/-	2/9	2/6	—
,, Biboras (vide *Borax*).				
,, Bicarb. B.P., *finest*				
1 *cwt. free* drums 21/6		—	—	-/3
1 ,, ,, bags 19/-				
,, Bichromas, *com'l*	—	—	-/11	-/10
,, Bisulphas, *cryst.*	—	1/9	1/6	—
,, Bisulphis (*Hydrogen Sulphis*)	—	1/6	1/3	—
,, ,, (*Meta*)	—	1/6	1/3	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Sodii	Bitartras	4/3	4/-	3/9	—
,,	Bromidum, B.P.	—	3/4	3/1	2/11
S1 ,,	Cacodylas ... ... oz. 3/-	—	—	—	—
P2 ,,	Carbolas (vide *Sodii Phenas*),				
,,	Carbonas, B.P., *cryst.* 1 *cwt. free kegs* 19/-	—	—	—	-/3
,,	,, *exsicc.* B.P.	—	—	-/8	-/7
,,	,, ,, *com'l* 1 *cwt. free kegs* 19/-	—	—	—	-/3
,,	,, *com'l* 1 ,, ,, ,, 12/6	—	—	—	—
,,	Chloras, *com'l*	—	—	-/10	-/9
,,	,, *cryst. pur.*	—	1/9	1/6	1/4
,,	Chloridum, B.P.	—	—	-/9	-/8
,,	Citras, B.P.	—	2/10	2/7	2/4
,,	Citro-Tartras Efferv., B.P.C.	—	—	3/3	—
S1 ,,	Cyanidum	2/9	2/6	2/3	—
,,	et Potassii Tartras B.P., *pulv.*	—	—	1/6	1/4
P2 ,,	Fluorid, *pur.*	4/9	4/6	4/3	—
P2 ,,	,, *com'l*	—	1/3	1/2	1/1
,,	Formas	—	2/3	2/-	1/10
,,	Glycero-Phosphas *cryst.* ... oz. -/9	8/-	7/9	7/6	—
,,	,, ,, *pulv.* ... ,, -/9	8/-	7/9	7/6	—
,,	,, ,, 50% ... ,, -/6	4/3	4/-	3/9	—
P2 ,,	Hydroxid., B.P. (*stick*) (1 *lb. bottlss*)	—	—	2/2	—
P2 ,,	,, *pulv.* 98% 1*lb. tins free* doz. 8/6	—	—	—	—
P2 ,,	,, ,, ,, 7 *lb.* ,, ,, ea. 3/6	—	—	—	—
P2 ,,	,, ,, ,, 14 *lb.* ,, ,, ,, 5/6	—	—	—	—
,,	Hypophosphis B.P.C. ... oz. -/6	4/6	4/3	4/-	—
,,	Hyposulphis 1 *cwt. free kegs* 20/6	—	—	—	-/3
,,	,, B.P.	—	—	-/9	-/8
,,	Iodidum, B.P. ... ... oz. -/10	9/6	9/3	9/-	—
,,	Lactas (*syrupy*) ... ... ,, -/6	—	—	—	—
,,	Metabisulphis (vide *Sodii Bisulphis Meta*).				
,,	Morrhuas ... ... oz. 3/-	—	—	—	—
,,	Nitras ... ... 1 *cwt. kegs* 23/3	—	—	—	-/4
,	,, *pure*	—	—	1/-	-/10
,,	Nitris, B.P.	—	1/9	1/6	—
,,	,, *com'l*	—	—	-/9	-/7
,,	Nitroprussid ... ... oz. 2/-	—	—	—	—
P1 ,,	Oxalas	2/9	2/6	2/3	—
,,	Perboras	—	2/-	1/9	—
,,	Peroxide ... ... 1 *lb tins*	—	—	3/-	—
P2 ,,	Phenas ... ...oz. -/6	—	—	—	—
,,	Phenosulphonas (vide *Sodium Sulpho-carbolate*)	—	—	—	—
,,	Phosphas. B.P.	—	1/-	-/10	—
,,	,, ,, *pulv.*	—	1/3	1/1	—
,,	,, Acidus, B.P.	—	2/-	1/9	—
,,	,, Efferv. B.P.	—	—	2/6	—
,,	Pyrophosphas, *cryst.*	—	1/6	1/5	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Sodii Salicylas, B.P. (*cryst vel pulv.*)	—	—	2/6	—
„ „ „ *natural* ... oz. 2/3	—	—	—	—
„ Silicas, *fused*	—	1/6	1/5	—
„ „ *solutio*	—	—	—	-/3
„ Stearas	3/-	2/10	2/9	—
„ Sulphas B.P., (*pea cryst.*) 1 *cwt. free kegs* 15/-	—	—	—	-/3
„ „ B.P. "*feathery*" *crystals* 1 *cwt. free kegs* 17/6	—	—	—	-/3
„ „ *pulv. exsicc.*	—	—	-/7	-/6
„ „ *com'l* 1 *cwt. free kegs* 10/6	—	—	—	—
„ „ *Efferves.* B.P.	—	—	2/-	—
„ Sulphidum, *pur. cryst.*	2/-	1/10	1/9	1/7
„ Sulphis ... 1 *cwt. free kegs* 21/6	—	—	—	-/3
„ Sulpho-carbolas	3/3	3/-	2/9	—
„ „ „ *pulv.*	3/6	3/3	3/-	—
„ Sulpho-cyanid ... oz. -/6	—	—	—	—
„ Tartras, *neutral*	3/-	2/10	2/9	—
„ Tauroglycocholas ... oz. 1/6	—	—	—	—
„ Tungstas, *pur. recryst.* ... „ -/7	—	—	—	—
„ „ *com'l*	6/-	5/9	5/6	—
„ Valerianas ... oz. 1/8	—	—	—	—
P2 **Solutio** Cresolis Saponatis, B.P. (vide *Liquor Cresoli Saponatis*).				
„ Ether Nit., 1-7	8/9	8/7	8/6	—
Soy ... gall. 5/6	—	—	—	—
Sparteinæ Sulphas ... oz. 6/6	—	—	—	—
Spigeliæ Radix	5/9	5/7	5/6	—
„ „ *pulv.*	6/9	6/7	6/6	—
Spiritus Ætheris, B.P.	6/-	5/10	5/9	—
„ „ Comp., B.P.C.	8/9	8/7	8/6	—
„ „ Nitrosi, B.P.	5/6	5/3	5/-	—
„ Ammoniæ Aromat. B.P.	4/3	4/-	3/9	—
„ „ Fœtid B.P.C.	7/9	7/7	7/6	—
„ Anisi, B.P.C.	21/6	21/3	21/-	—
„ Armoraciæ Co., B.P.C.	5/9	5/7	5/6	—
„ Cajuputi, B.P.	8/-	7/10	7/9	—
„ Camphoræ B.P.	6/-	5/10	5/9	—
„ Chirurgicalis, B.P.C. ℞ No.1. gall. 4/9	—	—	—	—
„ „ „ ℞ No.2. „ 4/9	—	—	—	—
„ Chloroformi, B.P.	5/3	5/-	4/9	—
„ Cinnamomi, B.P.C. ... oz. 2/6	32/-	31/9	31/6	—
„ Juniperi, B.P.C.	8/3	8/1	8/-	—
„ Lavandulæ, B.P C.	29/6	29/3	29/-	—
„ Menthæ Piperitæ, B.P. Ang.	32/-	31/9	31/6	—
„ „ „ „ Exot.	24/6	24/3	24/-	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Spiritus Methylatus gall. **4/3**	—	—	—	—
„ „ *Industrialis*, B.P. „ **3/3**	—	—	—	—
„ Myristicæ, B.P.C.	25/6	25/3	25/-	—
„ Pulegii, B.P.C.	8/-	7/9	7/6	—
„ Rectificatus (vide *Alcohol .BP.*)	—	—	—	—
„ Rosmarini, B.P.C.	23/-	22/9	22/6	—
„ Saponatus B.P.C.	4/9	4/7	4/6	—
„ „ Meth. B.P.C.	—	1/10	1/9	—
Spongia Ust. oz. **1/-**	—	—	—	—
Stannous Chlorid *cryst. pur.*	3/9	3/7	3/6	—
„ „ „ *com'l*	3/-	2/10	2/9	—
Stannic Oxid, *opt.*	4/6	4/4	4/3	—
„ „ No. 2 (*Putty Powder*)	3/9	3/7	3/6	—
Stannum Granulatum *pur.*	5/3	5/1	5/-	—
S1 **Staphisagria**	—	3/9	3/6	—
S1 „ *pulv.*	4/6	4/3	4/-	—
Stearine (vide *Acid Stearic.*)				
S1 **Stramonium,** B.P.	—	1/3	1/-	—
S1 „ „ *rubbed*	—	1/6	1/3	—
S1 „ „ *pulv.*	—	1/9	1/6	—
S1 **Stramonii,** Sem.	—	1/6	1/3	—
S1 „ „ *pulv.*	2/9	2/6	2/3	—
Strontii Acetas	5/-	4/9	4/6	—
„ Bromid., *cryst.* B.P.C.	4/6	4/3	4/-	—
„ „ *pulv. exsicc.*	7/-	6/9	6/6	—
„ Carb. *pur. præcip*	4/-	3/9	3/6	—
„ Chlorid. *pur.*	2/6	2/3	2/-	—
„ Hydroxid	2/9	2/6	2/3	—
„ Iodid, B.P.C. oz. **1/9**	—	—	—	—
„ Lactas „ **1/6**	—	—	—	—
„ Nitras *exsicc. com'l*	—	1/6	1/5	1/3
„ „ *pure*	2/9	2/6	2/3	—
„ Oxid *pur.* oz. **-/9**	—	—	—	—
„ Salicylas „ **1/6**	—	—	—	—
„ Sulphas, *pur.*	2/9	2/6	2/3	—
S1 **Strophanthinum** B.P. gr. **-/9,** gm. **7/9**	—	—	—	—
S1 **Strophanthus** B.P. oz. **-/7**	—	—	—	—
S1 „ „ *pulv.* „ **-/9**	—	—	—	—
S1 **Strychnina** (*cryst. vel pulv.*) B.P.C. „ **4/3**	—	—	—	—
S1 **Strychninæ** Acetas „ **4/9**	—	—	—	—
S1 „ Hydrochlor, B.P. „ **4/-**	—	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
S1 **Strychninæ** Hypophosphis oz. 7/-	—	—	—	—
S1 „ Nitras, B.P.C. „ 4/-	—	—	—	—
S1 „ Phosphas „ 5/3	—	—	—	—
S1 „ Sulphas, B.P.C. „ 4/-	—	—	—	—
S1 „ Valerianas „ 8/3	—	—	—	—
Styrax B.P. *Præp.*	6/-	5/9	5/6	—
„ *Liquid*	2/6	2/4	2/3	—
„ *Colat.*	6/6	6/3	6/-	—
Succus Alii, B.P.C.	4/-	3/10	3/9	—
P1 „ Belladon	3/-	2/10	2/9	—
P1 „ Conii, B.P.C.	3/-	2/10	2/9	—
„ Cucuminis...	7/9	7/7	7/6	—
„ Glycyrrhizæ "Zamora" 1 *oz.*, 2 *oz. and* 4 *oz. sticks*	—	—	1/11	1/10
„ „ Paste (*Block Juice*)	—	—	1/4	1/3
P1 „ Hyoscyami, B.P.C.	3/-	2/10	2/9	—
„ Limettæ gall. 6/6	—	—	—	—
„ Limonis „ 7/6	—	—	—	—
„ Mori	6/-	5/9	5/6	—
„ Rhamni	—	1/6	1/5	—
„ Scoparii, B.P.C.	2/6	2/4	2/3	—
„ Taraxaci, B.P.C.	2/6	2/4	2/3	—
Sucrosum B.P.	—	—	-/6	-/5½
„ „ *pulv.*	—	—	-/6½	-/6
P1 **Sulphonal** B.P (*cryst. vel pulv.*) oz. 1/9	21/6	21/-	20/6	—
Sulphur Lotum	—	—	-/9	-/8
„ Præcip., B.P.	—	—	1/1	1/-
„ „ *com'l* (*Calcareous*)	—	—	-/10	-/9
„ Rotund cwt. 21/-	—	—	—	-/4
„ Sublim., B.P. *Ang.* „ 32/-	—	—	-/6	-/5
„ „ B.P. *Exot.* „ 21/-	—	—	—	-/4
„ Vivum. „ 25/-	—	—	—	-/4
Sulphuris Chlorid, B.P.C. oz. -/6	—	—	—	—
„ Hypochlorite 1 *oz. bots. each* 1/2	—	—	—	—
„ Iodidum, B.P.C. 1 „ „ „ 1/6	—	—	—	—
Sumbul	—	1/6	1/5	—
„ *pulv.*	—	2/6	2/5	—
Surgical Spirit (vide *Spiritus Chirurgicalis, B.P.C.*)				
Syrupus B.P.	—	—	-/7	-/6
„ Acid Hydriodici, B.P.C.	—	1/10	1/8	—
„ Allii, B.P.C.	—	2/-	1/11	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Syrupus	Altheæ, B.P.C.	—	1/3	1/2	1/1
	„	Anisi, B.P.C.	—	1/9	1/8	1/7
P1	„	Apomorphinæ, B.P.C.	3/6	3/3	3/-	—
	„	Aromat, B.P.C.	3/6	3/3	3/-	—
	„	Aurant, B.P.	—	2/6	2/3	—
	„	„ Flor., B.P.C.	—	1/9	1/8	—
P1	„	Bromoform Co., B.P.C.	2/9	2/6	2/3	—
	„	Calcii. Hypophosph, B.P.C.	—	1/6	1/5	1/4
	„	„ Lactophosph. B.P.C.	—	—	1/2	1/1
	„	„ „ c. Ferro, B.P.C.	—	1/9	1/6	—
P1	„	Camph. Co., B.P.C.	—	1/6	1/5	1/4
	„	Caryoph Rub.	—	1/10	1/9	1/8
	„	Cascaræ Aromat, B.P.C.	4/3	4/1	4/-	3/10
P1	„	Chloral, B.P.C.	2/-	1/10	1/9	1/7
	„	Cocci	2/6	2/4	2/3	—
P1	„	Cocillanæ Co. Burgoyne (vide page 138)				
P1	„	Codeinæ Phosph., B.P.C.	2/9	2/7	2/6	—
	„	Croci, B.P.C.	2/9	2/7	2/6	—
	„	Cydoniæ	3/3	3/1	3/-	—
	„	Ferri Bromid, B.P.C.	2/-	1/10	1/9	—
	„	„ „ c Quinin, B.P.C. ...	3/9	3/7	3/6	—
P1	„	„ „ „ „ et Strych., B.P.C.	3/9	3/7	3/6	—
	„	„ Hypophosph, B.P.C.	—	1/9	1/7	—
	„	„ Iodidi. B.P.	—	1/6	1/3	—
	„	„ Phosphatis, B.P.C.	—	1/3	1/2	1/1
	„	„ „ Co., B.P.	—	—	-/10	-/9
P1	„	„ Phosphatis c. Quin. et Strych., B.P.	—	—	1/6	1/5
	„	Ficorum, B.P.C.	—	1/9	1/8	1/6
	„	„ Co., B.P.C.	—	1/9	1/6	1/3
	„	„ Laxative. Comp.	—	—	1/3	1/-
	„	Formatum Co.	2/6	2/4	2/3	—
	„	Glucosi Liquidi B.P	—	—	1/-	-/11
P1	„	Glycerophosph.Co.,B.P.C.	—	—	1/4	1/3
P1	„	„ „ c. Format B.P.C. ...	2/-	1/10	1/9	—
P1	„	„ et Pepsin Co. (*Robins*) B.P.C. ...	2/-	1/10	1/9	—
	„	Hemidesmi	2/-	1/10	1/9	—
P1	„	Hypophosph. Co. B.P.C.	—	—	1/-	-/11
	„	Iodo-tannic, B.P.C.	—	3/-	2/9	—
	„	Ipecac, B.P.C.	2/3	2/-	1/9	—
	„	Limonis, B.P.	—	—	1/9	1/7
	„	Marrubii, B.P.C.	—	1/6	1/5	—
	„	Menth. Pip. Rub	—	1/9	1/8	1/7
	„	Mori, B.P.C.	2/9	2/7	2/6	—
P1	„	Papaveris Alb. B.P. '85	—	1/6	1/3	1/1
P1	„	„ B.P.C.	—	2/-	1/9	1/7
	„	Picis. Liq., B.P.C.	—	1/6	1/5	1/4
	„	Pini, B.P.C.	—	2/6	2/3	—

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Syrupus Pini, Alb. Co. B.P.C....		—	2/6	2/3	—
P1 ,, Pruni Serotinæ B.P.		—	—	-/11	-/10
,, Rhamni, B.P.C....		—	—	1/4	1/3
,, Rhei, B.P.C.		—	—	1/2	1/1
,, Rhœados, B.P.C.		—	—	1/3	1/2
,, Ribes Nig., B.P.C.		—	1/7	1/6	1/5
,, Rosæ, B.P.C.		2/9	2/7	2/6	—
,, Rubi Idæi		—	2/-	1/11	—
,, Scillæ, B.P.		—	—	-/9	-/8
,, Senegæ ...		3/3	3/1	3/-	—
,, Sennæ, B.P.		—	1/4	1/3	1/1
,, Tamarind		—	1/9	1/8	—
,, Tolutanus, B.P.		—	—	-/9	-/8
,, Triplex, B.P.C.		—	1/6	1/5	—
,, Tussilaginis, B.P.C.		—	1/11	1/10	1/9
,, Violæ ...		—	1/4	1/3	—
,, Zingiberis, B.P.		—	1/4	1/3	1/1
Talcum *purif.* B.P.C.		—	1/6	1/3	1/-
Tallow *Finest*	*free tins*	—	—	-/10	-/9
Tamarindus B.P. ...	,, ,,	—	—	1/1	1/-
Tannin Albumin ...	oz. -/11	—	—	—	—
Tar Stockholm (vide *Pix Liquid*)					
Taraxaci Ang. *sicc.*...		—	1/9	1/8	—
,, *pulv.*		2/3	2/1	2/-	—
Tartrazina, B.P.C. ...	oz. 1/-	—	—	—	—
Terebenum B.P. ...		3/-	2/9	2/6	2/3
Terebinth Canadensis, B.P.C. (*Canada Balsam*)		6/6	6/3	6/-	—
,, Chia ...	oz. 1/2	—	—	—	—
,, Venet *Ver*		2/9	2/6	2/3	—
,, ,, *Fact*	*free tins*	—	—	1/3	—
Terpini Hydras ...	oz. -/6	3/3	3/1	3/-	—
Terpineol ...	,, -/6	3/3	3/1	3/-	—
Terpinol ...	,, -/6	—	3/3	3/-	—
Terra Rosæ, Opt. (*Rose Pink*) ...		—	2/6	2/4	—
Tetracol (vide page 159)					
Theobromina, B.P.C. ...	oz. 1/3	—	—	—	—
,, et Sodii Acetas, B.P.C.	,, 1/2	—	—	—	—
,, ,, ,, Salicylas, B.P.	,, 1/-	—	—	—	—

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Theophyllin B.P.	oz. **7/6**	—	—	—	—
	„ et Sodii Acetas, B.P.	oz. **7/6**	—	—	—	—
	Theriaca (*Golden Syrup*) ...	cwt. **42/6**	—	—	—	—
	„ Nig. (*Black Treacle*) ...	„ **25/-**	—	—	—	—
	Thus	*free tins*	—	**1/8**	**1/5**	—
	Thymol B.P.	oz. **-/11**	**11/9**	**11/6**	**11/3**	—
	Thymolis Iodid., B.P.C.	„ **2/3**	—	—	—	—
P1	**Thyroideum** B.P. ½ oz. bottles	each **1/9**	—	—	—	—
P1	„ „ 1 „ „	„ **3/-**	—	—	—	—
	Tillæ		—	**2/2**	**1/11**	—
	„ *sine bract*		**3/6**	**3/3**	**3/-**	—
	Tinctura, Absinthii, B.P.C.		**8/-**	**7/9**	**7/6**	—
S1	„ Aconiti B.P.C.		**5/6**	**5/4**	**5/3**	—
S1	„ „ Fortis, B.P.C. (*Flemings*) ...		**7/3**	**7/1**	**7/-**	—
	„ Adonis Vernalis		**7/3**	**7/1**	**7/-**	—
	„ Alii		**7/9**	**7/7**	**7/6**	—
	„ Aloes, B.P.C.		**3/9**	**3/7**	**3/6**	—
	„ „ N.A. (non-alcoholic) ...		—	—	**2/6**	**2/3**
	„ „ Comp. B.P.C.		**8/-**	**7/9**	**7/6**	—
P2	„ Ammon. Co. B.P.C.		**4/6**	**4/4**	**4/3**	—
P1	„ Antiperiodica, B.P.C.		**6/6**	**6/4**	**6/3**	—
	„ Apocyni, B.P.C.		**6/-**	**5/10**	**5/9**	—
	„ Arnicæ, Flor. B.P.C.		**3/3**	**3/1**	**3/-**	**2/10**
	„ „ Rad. B.P.C.		**5/6**	**5/4**	**5/3**	—
	„ „ N.A. (non-alcoholic) ...		—	—	**2/6**	**2/3**
	„ Asafœtidæ, B.P.		**6/-**	**5/10**	**5/9**	—
	„ Aurantii B.P.		**19/-**	**18/9**	**18/6**	**18/3**
	„ „ „ '85		**17/-**	**16/9**	**16/6**	—
	„ „ N.A. (non-alcoholic) ...		—	—	**2/9**	**2/6**
	„ Baptisiæ, B.P.C.		**6/6**	**6/4**	**6/3**	—
S1	„ Belladonnæ B.P.		**5/-**	**4/9**	**4/6**	**4/3**
S1	„ „ N.A. (non-alcoholic) ...		—	—	**2/-**	**1/9**
	„ Benzoin Co., B.P.		**5/6**	**5/3**	**5/-**	**4/9**
	„ „ Simp. B.P.C.		**6/6**	**6/3**	**6/-**	—
	„ Berberidis, B.P.C.		**8/-**	**7/9**	—	—
	„ Boldo, B.P.C.		**6/-**	**5/10**	—	—
	„ Bryoniæ, B.P.C.		**5/6**	**5/4**	**5/3**	—
	„ Buchu B.P. C.		**6/6**	**6/3**	**6/-**	—
	„ „ N.A. (non-alcoholic) ...		—	—	**3/3**	**3/-**
	„ Calendulæ B.P.C.		**7/9**	**7/7**	**7/6**	—
	„ Calumbæ, B.P....		**4/9**	**4/6**	**4/3**	**4/-**
	„ „ N.A. (non-alcoholic) ...		—	—	**2/-**	**1/9**

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
P1	**Tinctura** Camph. Co. N.A. (non-alcoholic)	—	—	1/6	1/3
S1†	,, Cannab. B.P.C. oz. 2/6	30/-	29/6	29/-	—
S1	,, Cantharidin (vide *Liquor Cantharidini, B.P.C.*)				
S1	,, Cantharidis, B.P. '98	7/6	7/4	7/3	—
S1	,, ,, B.P. '85	5/9	5/7	5/6	5/3
	,, Capsici, B.P.	4/3	4/-	3/9	3/6
	,, ,, Fort, B.P.C.	8/3	8/1	8/-	—
	,, ,, N.A. (non-alcoholic)	—	—	2/-	1/9
	,, Cardamomi, B.P.C.	6/3	6/1	6/-	—
	,, ,, Aromatica, B.P.C. (*Carminativa*)...	9/-	8/9	8/6	—
	,, ,, Co. B.P.	—	4/-	3/9	3/6
	,, ,, ,, N.A. (non-alcoholic)...	—	—	2/-	1/9
	,, Cascaræ Sagrada	6/9	6/7	6/6	—
	,, Cascarillæ, B.P.C.	7/3	7/1	7/-	—
	,, Castorei, B.P.C.... oz. 1/4	—	—	—	—
	,, Catechu B.P.	3/6	3/4	3/3	3/-
	,, ,, N.A. (non-alcoholic)	—	—	2/-	1/9
	,, Cerei B.P.C.	9/9	9/6	9/3	—
	,, Chiratæ, B.P.C. ...	4/6	4/4	4/3	—
P1	,, Chloroform Co. B.P.C. ...	5/3	5/-	4/9	—
S1	,, ,, et Morph. B.P.C. ...	3/-	2/9	2/6	2/3
S1†	,, ,, ,, Co. B.P.C.	11/9	11/6	11/3	—
	,, Cimicifugæ, B.P.C.	4/9	4/7	4/6	—
	,, Cinchonæ, B.P.	5/6	5/3	5/-	—
	,, ,, N.A. (non-alcoholic)	—	—	3/-	2/9
	,, ,, Co. B.P.	5/3	5/-	4/9	4/6
	,, ,, ,, N.A. (non-alcoholic)	—	—	3/3	3/-
	,, Cinnamomi, B.P.C. oz. 1/8	—	—	—	—
	,, ,, Co. B.P.C.	5/6	5/4	5/3	—
S1†	,, Cocæ, B.P.C. 1923	6/9	6/7	6/6	—
	,, Cocci, B.P.	14/6	14/3	14/-	—
P1	,, Colchici B.P.	5/3	5/-	4/9	4/6
P1	,, ,, N.A. (non-alcoholic)...	—	—	3/-	2/9
P1	,, ,, Corm. ...	6/9	6/7	6/6	—
	,, Colocynth, B.P.C. 1923...	9/6	9/3	9/-	—
S1	,, Conii	7/3	7/1	7/-	—
	,, Convallariæ, B.P.C.	6/-	5/10	5/9	—
	,, Coto, B.P.C.	8/9	8/7	8/6	—
	,, Croci	11/9	11/6	11/3	—
	,, Cubebæ, B.P.C. ...	8/6	8/4	8/3	—
S1	,, Digitalis, B.P. (*Biologically assayed*)	5/6	5/3	5/-	4/9
	,, Droseræ Rotund.	8/3	8/1	8/-	—
S1	,, Ergotæ Ammon. B.P.C.	7/6	7/3	7/-	—
	,, Eucalypti, B.P.C.	6/-	5/10	5/9	—
	,, Euonymi, B.P.C.	6/3	6/1	6/-	—
	,, Euphorbiæ, B.P.C. 1923	6/-	5/10	5/9	—
	,, Ferri Acetas, B.P.C. 1923	4/6	4/4	4/3	—

† Comes under regulations of D.D. Act.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Tinctura Ferri Perchlor, B.P.C.	—	**1/9**	**1/8**	**1/6**
„ „ Pomata	**4/3**	**4/1**	**4/-**	—
P1 „ Gelsemii, B.P.C.	**4/6**	**4/4**	**4/3**	**4/-**
„ Gentianæ Co. B.P.	—	—	**3/6**	**3/3**
„ „ „ N.A. (non-alcoholic)	—	—	**2/-**	**1/9**
„ Gossypii Corticis, B.P.C.	**6/9**	**6/7**	**6/6**	—
„ Grindeliæ Robustæ	**7/-**	**6/9**	**6/6**	—
„ Guaiaci, B.P.C.	**6/6**	**6/4**	**6/3**	—
„ „ Ammon. B.P.C.	**6/6**	**6/4**	**6/3**	—
„ Guaranæ, B.P.C.	**10/9**	**10/6**	**10/3**	—
„ Hamamelidis, B.P.C.	**4/-**	**3/9**	**3/6**	—
„ Hellebori Nigri	**8/-**	**7/10**	**7/9**	—
„ Hydrastis, B.P.C.	**8/3**	**8/-**	**7/9**	—
P1 „ Hyoscyami, B.P.	**5/3**	**5/-**	**4/9**	**4/6**
P1 „ „ N.A. (non-alcoholic) ...	—	—	**2/6**	**2/3**
S1 „ Ignatiæ, B.P.C.	**8/6**	**8/4**	**8/3**	—
„ Iodi Fort. (vide *Liq. Iodi Fort.*)				
„ „ Mitis. (vide *Liq. Iodi Mit.*)				
„ „ „ N.A. (non-alcoholic) ...	—	—	**2/3**	—
„ „ Decolorata (vide *Liq. Iodi Decoloratus, B.P.C.*)				
„ „ French Codex 1908	**6/3**	**6/-**	**5/9**	—
„ Ipecacuanhæ, B.P.	**3/-**	**2/9**	**2/6**	**2/3**
P1 „ Jaborandi, B.P.C.	**4/6**	**4/4**	**4/3**	**4/-**
„ Jalapæ B.P.C.	**6/-**	**5/10**	**5/9**	—
„ „ Co. B.P.C.	**6/-**	**5/10**	**5/9**	—
„ Kino, B.P.C.	**5/3**	**5/1**	**5/-**	—
„ Kolæ, B.P.C.	**5/3**	**5/1**	**5/-**	—
„ Krameriæ, B.P.	**4/9**	**4/7**	**4/6**	—
„ Lavand. Co. B.P.C.	**7/-**	**6/9**	**6/6**	**6/3**
„ „ „ N.A. (non-alcoholic) ...	—	—	**2/9**	—
„ Limonis B.P.	**14/6**	**14/3**	**14/-**	—
„ Litmi ... ... oz. **1/3**	—	—	—	—
P1 „ Lobeliæ Simplex, B.P.C.	**4/9**	**4/7**	**4/6**	—
P1 „ „ N.A. (non-alcoholic)	—	—	**2/9**	—
P1 „ „ Ætherea, B.P.	**7/-**	**6/10**	**6/9**	—
„ Lupuli, B.P.C.	**5/6**	**5/4**	**5/3**	—
„ Lycopodii B.P.C.	**12/-**	**11/9**	**11/6**	—
„ Myrrhæ, B.P.	**7/-**	**6/9**	**6/6**	—
„ „ Co. B.P.C.	**5/9**	**5/6**	**5/3**	—
„ „ et Boracis. B.P.C.	**8/6**	**8/3**	**8/-**	—
„ „ „ „ Meth. B.P.C. ...	**2/6**	**2/3**	**2/-**	—
P1 „ Nucis Vom. B.P.	**3/9**	**3/6**	**3/3**	**3/-**
P1 „ „ N.A. (non-alcoholic) ...	—	—	**2/-**	**1/9**
S1† „ Opii B.P.	**6/3**	**6/-**	**5/9**	**5/6**
S1† „ „ „ '98	**6/-**	**5/9**	**5/6**	**5/3**
S1† „ „ (1% Morphine) N.A. (non-alcoholic)	**4/6**	**4/3**	**4/-**	**3/9**

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act

		Per lb.			
		¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
S1	†**Tinctura** Opii (0.75% Morphine) N.A. (non-alcoholic)	4/-	3/9	3/6	3/3
P1	,, ,, Ammon. B P.C.	6/-	5/10	5/9	—
P1	,, ,, Camphorata, B.P.	—	3/6	3/3	3/-
	,, Persionis B.P.C.	3/-	2/10	2/9	—
	,, Podophylli, B.P.C.	8/6	8/4	8/3	
	,, ,, Ammon. B.P.C.	7/9	7/7	7/6	—
P1	,, Pruni Serotinæ B.P.C.	4/9	4/7	4/6	—
	,, Pulsatillæ, B.P.C.	5/3	5/-	4/9	—
	,, Pyrethri, B.P.C.	6/9	6/7	6/6	—
	,, ,, Floris, B.P.C.	6/9	6/7	6/6	—
P1	,, Pyrexialis (Warburg's) (vide *Tinct. Antiperiodica*)	—	—	—	—
	,, Quassiæ, B.P.	3/9	3/7	3/6	—
	,, ,, N.A. (non-alcoholic)	—	—	1/3	—
	,, Quillaiæ, B.P.	3/9	3/6	3/3	—
	,, Quininæ, B.P.C. oz. 1/6	22/-	21/6	21/-	—
	,, ,, Ammon. (vide *Liquor Quinin. Ammon. B.P.*)				
	,, Quininæ Ammon. c Cinnam.	6/3	6/-	5/9	—
	,, Rhei Co., B.P.	—	3/9	3/6	3/3
	,, ,, ,, N.A. (non-alcoholic)	—	—	2/-	1/9
	,, Rhus Toxicodendron	6/9	6/6	6/3	—
	,, Sabinæ	6/-	5/9	5/6	—
	,, Sanguinariæ	6/-	5/9	5/6	—
	,, Scillæ, B.P.	4/3	4/-	3/9	3/6
	,, ,, N.A. (non-alcoholic)	—	—	2/6	2/3
	,, Senegæ B.P.	5/6	5/3	5/-	4/9
	,, ,, N.A. (non-alcoholic)	—	—	3/3	3/-
	,, Sennæ Co. B.P.C.	3/6	3/3	3/-	2/9
	,, ,, N.A. (non-alcoholic)	—	—	2/3	2/-
	,, Serpentariæ B.P.C	6/6	6/4	6/3	—
	,, ,, N.A. (non-alcoholic)	—	—	3/6	—
P1	,, Stramonii, B.P.	—	3/9	3/6	—
P1	,, ,, N.A. (non-alcoholic)	—	—	2/6	2/3
S1	,, Strophanthi B.P. (*Biologically assayed*)	8/-	7/9	7/6	—
	,, Sumbul, B.P.C.	6/-	5/9	5/6	—
	,, Thujæ	7/-	6/9	6/6	—
	,, Tolutana B.P.	—	7/-	6/9	6/6
	,, Valerian Simplex, B.P.C.	—	4/6	4/3	—
	,, ,, ,, N.A. (non-alcoholic)	—	—	2/9	2/6
	,, ,, Ammon. B.P.	4/9	4/6	4/3	4/-
	,, ,, ,, N.A. (non-alcoholic)	—	—	3/-	2/9
P1	,, Veratri B.P.C.	7/-	6/10	6/9	—
	,, Viburni	6/9	6/7	6/6	—
P1	,, Warburgii (vide *Tinct. Antiperiodica*)	—	—	—	—
	,, Zingiberis, Fort. B.P.	7/6	7/3	7/-	6/9
	,, ,, Mitis, B.P.	6/9	6/6	6/3	6/-
	,, ,, ,, N.A. (non-alcoholic)	—	—	2/3	—

† Comes under regulations of D.D. Act.

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Toilet Spirit (*Ind. Spt.*) pt. 1/-, gall. 5/-	—	—	—	—
Toncæ Fab *Angostura, fine frosted*	14/6	14/3	14/-	—
„ „ *Para*	5/-	4/9	4/6	—
„ „ „ *fine frosted*	5/9	5/6	5/3	—
„ „ „ *pulv.*	5/6	5/3	5/-	—
„ „ *Surinam, frosted*	—	—	—	—
Tooth Powder Carbolic No. 1 1 lb *tins free*	—	—	1/3	—
„ „ „ „ 2 1 lb. „ „	—	—	-/10	—
„ „ Eucalyptus 1 lb. „ „	—	—	1/3	—
„ „ Quinine 1 lb. „ „	—	—	2/-	—
„ „ Rose (Burgoyne) 1 lb. „ „	—	—	2/-	—
„ „ „ No. 2 1 lb. „ „	—	—	1/6	—
Tormentillæ Rad.	—	1/9	1/8	—
„ „ *pulv.*	—	2/4	2/3	—
Totaquina B.P. ... ... oz. 3/-	—	—	—	—
Tragacantha B.P. *elect*	21/-	20/6	20/-	—
„ „ *fine white*	19/-	18/6	18/-	—
„ *sorts*	14/-	13/9	13/6	—
„ B.P. *pulv.* No. 1	22/-	21/6	21/-	—
„ „ „ „ 2	20/-	19/6	19/-	—
„ „ „ „ 3	15/-	14/9	14/6	—
Trimethylamine Solution 33% ... oz. 1/9	—	—	—	—
P1 **Trinitrophenol** B.P. ... ... „ -/8	6/3	6/-	5/9	—
„ Sol'n 1%	—	—	-/9	-/8
Tripoli (Photographic)	—	1/8	1/7	—
„ Polishing	—	—	-/8	-/7
Triticum Repens (vide *Agropyrum*).				
Trochisci (vide page 130).				
Trypan Blue ⅛ oz. 1/- oz. 4/9	—	—	—	—
Trypsin ⅛ „ 1/2 „ 7/3	—	—	—	—
Ulmi Fulvæ Cort. *Select.*	—	—	4/-	—
„ „ „ *pulv*	3/9	3/6	3/3	—
Ultramarine	—	1/3	1/2	—
Unguentum Acid Benzoic Co. B.P.C.	—	3/6	3/3	—
„ „ Borici, B.P. Alb. *free tins*...	—	—	1/1	1/-
„ „ „ Flav. B.P.C. „ „ ...	—	—	-/11	-/10
„ „ Salicylici, B.P.	—	1/11	1/8	—

				Per lb.			
				¼ lb. pkgs.	½ lb. pkgs.	1 lb. pk 's.	7 lbs. or W.Q.
	Unguentum	Acid Tannici, B.P.		—	3/6	3/3	—
S1	,,	Aconitinæ, B.P.C.	oz. 6/3	—	—	—	—
	,,	Altheæ B.P.C.		—	2/3	2/-	—
	,,	,, Flav. Burgoyne		—	2/3	2/-	—
	,,	Antiseptic		—	1/9	1/8	1/6
	,,	Aquæ Rosæ B.P.C.		6/-	5/9	5/6	—
	,,	Aquosum B.P.		2/6	2/3	2/-	—
S1	,,	Atropinæ B.P.C.	oz. 1/6	—	—	—	—
S1	,,	Belladonnæ B.P.C.	,, -/7	6/-	5/9	5/6	—
	,,	Bismuthi Oleatis, B.P.C.	,, -/6	4/-	3/9	3/6	—
	,,	,, c. Camph. N.F.	,, -/6	4/9	4/6	4/3	—
	,,	Boracis, B.P.C. 1923		2/6	2/3	2/-	—
	,,	Calaminæ B.P.C.		—	2/3	2/-	1/10
S1	,,	Cantharidini B.P.C.	,, -/6	4/9	4/6	4/3	—
	,,	Capsici B.P.	*free tins*	—	—	1/6	1/4
P1	,,	,, Co. B.P.C.		6/6	6/3	6/-	—
	,,	Cetacei B.P.C.		—	2/4	2/1	—
	,,	Chaulmoogra, B.P.C.	oz. -/6	—	—	—	—
	,,	Chrysarobini, B.P.		—	2/3	2/-	—
S1†	,,	Cocainæ B.P.C.	oz. 3/-	—	—	—	—
	,,	Colophonii, B.P.C.	*tins free*	—	—	2/-	1/9
	,,	Conii	,, -/6	6/-	5/9	5/6	—
	,,	Creosoti, B.P.C.		4/3	4/-	3/9	—
	,,	Cupri Oleat, B.P.C.		3/6	3/3	—	—
	,,	**Eczema, "M.D."**		—	4/-	3/9	3/6
	,,	Eucalypti B.P.C.	*free tins*	—	2/-	1/9	1/7
	,,	Gallæ B.P.C.	*free tins*	—	2/3	2/-	1/9
S1	,,	,, c. Opio, B.P.C.	,, ,,	—	4/6	4/3	—
P1	,,	Glycerin. Plumbi Subacet B.P.C.		—	2/3	2/-	1/10
	,,	Hamamelidis B.P.C.	*free tins*	—	—	1/9	1/6
	,,	Hydrarg, B.P.		—	4/6	4/3	—
	,,	,, ,, '98		—	6/3	6/-	—
P1	,,	,, Ammon:, B.P		—	—	2/3	2/-
P1	,,	,, ,, Dil. B.P.C.		—	—	2/-	1/9
	,,	,, Co., B.P.		—	4/-	3/9	—
S1	,,	,, Iodid. Rub. B.P.C.		4/6	4/3	4/-	—
	,,	,, Mite (vide *Ung. Mercuriale*)					
	,,	,, Nitratis, Dil. B.P.		—	—	2/-	—
S1	,,	,, ,, Fort. B.P.		—	3/9	3/6	—
S1	,,	,, Oleati, B.P.		3/6	3/3	3/-	—
P1	,,	,, Oxid. Flav. B.P.C.		—	—	1/6	1/4
P1	,,	,, ,, Rub. B.P.C		—	2/11	2/8	—
	,,	,, Subchlor, B.P.		4/6	4/3	4/-	—
	,,	Ichthammol B.P.C. *1lb*	*free tins*	—	—	1/7	—
	,,	,, Co., B.P.C. *1lb*	,, ,,	—	—	3/6	—
	,,	Iodi B.P.C.		—	2/3	2/-	—
	,,	,, Denigrescens B.P.C.		—	1/8	1/5	—
	,,	,, ,, N.F.		—	1/8	1/5	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act.

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Unguentum	Iodi c. Methyl Sal. N.F.	—	—	1/5	—
	,,	Iodoform B.P.C.	3/3	3/-	2/9	—
	,,	Lanae Co., B.P.C.	—	2/3	2/-	—
	,,	Marcussens (vide *Ung Potassii Polysulphide*)				
	,,	Menthol 5%	4/-	3/9	3/6	—
	,,	,, N.F.	2/9	2/6	2/3	—
	,,	Mercuriale, B.P.C....	—	2/1	2/-	—
	,,	Metallorum	—	—	2/-	—
	,,	Methyl Salicylas Dil. B.P.C. ...	—	—	1/9	—
	,,	,, ,, B.P.C. (Fort). ...	—	3/-	2/9	—
	,,	,, ,, Co., Dil. B.P.C. ...	—	—	2/9	—
	,,	,, ,, ,, B.P.C. (Fort.)	—	5/-	4/9	—
	,,	Oleoresin Capsici B.P.C. oz. -/8	—	—	—	—
	,,	Paraffini B.P., Alb. *free tins*	—	—	1/3	1/1
	,,	,, B.P., Flav. ,, ,,	—	—	1/1	1/-
P2	,,	Phenolis B.P.	—	—	1/7	1/5
P1	,,	,, Co., B.P.C.	4/3	4/-	3/9	—
	,,	Picis, Liq., B.P.C.	—	—	1/10	1/8
	,,	,, Carb., B.P.C.	—	1/9	1/6	—
	,,	,, ,, Co., B.P.C.	—	2/3	2/-	—
P1	,,	Plumbi Acet, B.P.C.	—	2/3	2/-	1/10
	,,	,, Carb., B.P.C.	3/6	3/3	3/-	—
	,,	,, Iodidi, B.P.C.	4/6	4/3	4/-	—
S1	,,	,, Oleatis, B.P.C.	4/-	3/9	3/6	—
	,,	,, Subacet B.P.C.	—	1/9	1/6	—
	,,	Potassii Iodid, B.P.C.	4/-	3/9	3/6	—
	,,	,, Polysulphidii, B.P.C. ...	3/3	3/-	2/9	—
	,,	Resinæ (vide *Ung. Colophonii, B.P.C*)				
	,,	Resorcin B.P.C.	—	2/9	2/6	—
	,,	,, Comp. B.P.C.	—	—	2/3	—
	,,	,, et Bismuth Co. B.P.C. ...	5/-	4/9	4/6	—
	,,	Rubri Scarlatini, B.P.C. 5% ...	3/6	3/3	3/-	—
	,,	Rusci Co., B.P.C.	—	2/3	2/-	—
	,,	Sambuci Flor., B.P.C.	3/6	3/3	3/-	—
	,,	,, Virid	2/6	2/3	2/-	—
	,,	Scarlet Red (vide *Ung. Rubri Scarlatini B.P.C.*)				
	,,	Sedativ N.F. ... *free tins...*	—	—	1/6	1/4
	,,	Simplex B.P. Alb. ,, ,,	—	—	1/2	1/1
	,,	,, ,, Flav. ,, ,,	—	—	1/-	-/11
	,,	Staphisagriæ B.P.C. oz. -/6	4/6	4/3	4/-	—
	,,	Sulphuris B.P. ... *free tins...*	—	—	1/2	1/1
	,,	,, Co. B.P.C. ,, ,,	—	—	2/-	1/10
	,,	,, Hypochlor, B.P.C. oz. -/8	7/9	7/6	—	—
	,,	,, Iodidi, B.P.C. ,, -/6	4/6	4/3	—	—
	,,	Terebinthinæ	3/-	2/9	2/6	—
S1	,,	Veratrinæ, B.P.C. ... oz. -/10	—	—	—	—

	Per lb.			
	¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Unguentum Zinci Oleatis B.P.	**3/-**	**2/9**	**2/6**	—
,, ,, Oxidi B.P. ... *free tins*	—	—	**1/3**	**1/2**
,, ,, ,, ,, Flav. ,, ,,	—	—	**1/1**	**1/-**
,, ,, c Ol Ricini, B.P.C.	—	—	**1/9**	—
,, ,, c Ung Ac Boric *free tins*	—	—	**1/8**	**1/6**
,, Z.E.B. N.F.	—	—	**1/6**	—
Unna's Paste (vide *Gelatin Zinci B.P.*)				
Uranii Acetas ... ... oz. **2/-**	—	—	—	—
,, Chlorid ... ... ,, **1/8**	—	—	—	—
,, Nitras ... ... ,, **1/8**	—	—	—	—
Urea B.P.	—	**2/-**	**1/9**	—
Urethane ... ... oz. **1/2**	—	—	—	—
Uvæ Ursi	—	**1/6**	**1/3**	**1/1**
,, ,, *pulv.*	—	**2/-**	**1/9**	**1/7**
Valeriana B.P. *Ang.*	**7/9**	**7/6**	**7/3**	—
,, ,, ,, *pulv.*	**8/3**	**8/0**	**7/9**	—
,, ,, *Exot.*	—	**1/4**	**1/3**	—
,, ,, ,, *pulv.*	**2/3**	**2/1**	**2/-**	—
Vanilla *fine bold frosted* ... ... oz. **1/2**	—	—	—	—
,, *medium* ... ... ,, **1/1**	—	—	—	—
,, *good short* ... ... ,, **1/-**	—	—	—	—
Vanillin ... ... ,, **1/9**	—	—	—	—
Vapor Benzoin Co. c Menthol N.F.	**3/-**	**2/9**	**2/6**	—
,, Eucalypti et Pini N.F.	—	**1/6**	**1/4**	—
,, Menthol N.F.	**3/3**	**3/-**	**2/9**	—
S1 **Veratrum** Alb.	—	**1/4**	**1/3**	—
S1 ,, ,, *pulv.*	—	**1/9**	**1/8**	—
S1 ,, ,, ,, *Agricultural*	—	**1/3**	**1/2**	—
S1 ,, Viride.	**3/6**	**3/4**	**3/3**	—
S1 ,, ,, *pulv.*	**5/-**	**4/10**	**4/9**	—
S1 **Veratrina** ... ⅛ oz. **1/6,** oz. **9/-**	—	—	—	—
Viburnum	**2/3**	**2/-**	**1/9**	—
Vinegar Essence, Concentrated (Burgoyne) gall. **8/6**	—	—	—	—

			Per lb.			
			¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
	Vinum Aloes		3/9	3/7	3/6	—
P1	,, Antimoniale, B.P.C.		2/6	2/3	2/-	—
	,, Aurant	gall. 8/3	—	—	—	—
	,, ,, Detan, B.P.C. 1923	,, 13/6	—	—	—	—
	,, Cinchonæ		4/3	4/1	4/-	—
P1	,, Cocæ		4/9	4/7	4/6	—
P1	,, Colchici, B.P.C.		2/9	2/6	2/3	—
P1	,, ,, Sem, B.P.C.		3/3	3/-	2/9	—
	,, Ferri, B.P.C.		2/9	2/6	2/3	—
	,, ,, Citratis, B.P.C.		2/-	1/10	1/9	1/7
	,, Ipecac, B.P. '14		3/-	2/9	2/6	2/3
S1†	,, Opii, B.P. '85		7/-	6/10	6/9	—
	,, Pepsin B.P.C.		3/-	2/9	2/6	—
	,, Quininæ, B.P.C.	gall. 9/-	—	—	—	—
	,, Rhei		4/6	4/3	4/-	—
	,, Xericum, B.P. '14	gall. 20/-	—	—	—	—
	,, ,, Detan, B.P.C.	,, 21/6	—	—	—	—
	Whitehead's Varnish (vide *Pigment- Iodoform Co.*)					
	Wine Spice		2/-	1/10	1/9	1/8
	Xylol *pur.*		—	2/-	1/9	—
	Yeast (vide *Cerevisiæ*)					
S1	**Yohimbin** Hydrochlor	gm. 2/9	—	—	—	—
	Zinci Acetas		—	2/3	2/-	1/9
	,, Benzoas	oz. 1/-	—	—	—	—
	,, Bromid	,, -/9	—	—	—	—
	,, Carbonas		2/3	2/-	1/9	—
	,, Chlorid, B.P.		3/-	2/9	2/6	—
	,, ,, ,, *sticks* 1 *oz. bots. doz.*	12/6	—	3/-	2/9	—
	,, ,, *com'l*		—	1/3	1/-	—
S1	,, Cyanid	oz. -/6	—	—	—	—
S1	,, ,, c. Hydrarg Cyanide	,, 2/6	—	—	—	—
	,, Iodid	,, 1/9	—	—	—	—
	,, Lactas	,, -/11	—	—	—	—
	,, Oleas præcip	,, -/6	4/-	3/10	3/9	—
	,, Oleostearas, B.P.C.		4/6	4/4	4/3	—
	,, Oxidum, B.P.	*free 1 lb cartons*	—	—	1/4	1/3
	,, Permanganas	oz. 1/2	—	—	—	—
	,, Peroxid	,, 1/2	—	—	—	—
	,, Phosphas	,, -/6	—	—	—	—
	,, Phosphidum	,, 1/-	—	—	—	—
	,, Stearas, B.P.		3/9	3/7	3/6	—
	,, Sulphanilas	oz. 1/-	—	—	—	—
	,, Sulphas, *pur.*, B.P.		—	—	-/9	-/8
	,, ,, *com'l.*		—	—	-/8	-/6
	,, Sulphid, *pur.*	oz. -/7	—	—	—	—

ALL OFFICIAL PREPARATIONS ACCORDING TO THE BRITISH PHARMACOPŒIA OF 1932.

† Comes under regulations of D.D. Act.

	Per lb. ¼ lb. pkgs.	½ lb. pkgs.	1 lb. pkgs.	7 lbs. or W.Q.
Zinci Sulphocarbolas	3/3	3/-	2/9	—
„ „ *pulv.*	3/6	3/3	3/-	—
„ Tannas oz. 1/3	—	—	—	—
„ Valerianas *cryst.* „ 1/6	—	—	—	—
Zincum Granulatum B.P.	3/3	3/1	3/-	—
„ „ *com'l*	—	1/1	1/-	—
Zingiber Afric.	—	1/-	-/11	-/10
„ „ *pulv.*	—	1/3	1/2	1/1
„ Cochin	—	1/5	1/4	1/3
„ „ *pulv.*	—	1/10	1/9	1/8
„ B.P., Jamaica, *finest*	—	2/4	2/3	2/2
„ „ „ *good*	—	2/1	2/-	1/11
„ „ „ *fine*	1/9	1/7	1/6	1/5
„ B.P., „ *pulv. opt.*	—	2/1	2/-	1/11
„ „ „ „ No. 2	—	1/10	1/9	1/8

Zotal & Zotal Preparations (vide page 142)

Zotalene Healing Cream (vide page 142).


BURGOYNE'S
PURE
PHARMACEUTICAL
CHEMICALS
SODIUM SALICYLATE
PHENAZONE
POTASSIUM BROMIDE
ASPIRIN
HEXAMINE
MAGNESIUM CARBONATE B.P.
BISMUTH CARBONATE B.P.
In lined sealed cartons

NO EMPTIES TO BE RETURNED!

NO CHARGES *for* CONTAINERS!

Whenever possible Burgoyne's Pure Pharmaceutical Chemicals are supplied in lined sealed cartons, as illustrated

Burgoyne's Concentrated Liquors

				PRICE
S1	**LIQUOR**	**ACONITI**, 1 vol. diluted with Alcohol 70% to 8 vols. forms **Tr. Aconite, B.P.C.**	lb.	**11/9**
	„	**ARNICÆ FLOR.**, 1 vol. diluted with Alcohol 45% to 4 vols. forms **Tr. Arnicæ Flor., B.P.C.**	lb.	**9/-**
	„	**AURANT**, 1 vol. diluted with a mixture of 6 vols, Alcohol 90% and 1 vol. water forms **Tinct. Aurant B.P.**, 1932	lb.	**21/-**
S1	„	**BELLADONNÆ**, 1 vol. diluted with Alcohol 70% to 8 vols. forms **Tr. Belladonnæ. B.P.** 1932	lb.	**8/-**
	„	**BENZOIN CO.**, 1 vol. diluted with Alcohol 90% to 4 vols. forms **Tr. Benzoin Co. B.P.**, 1932	lb.	**11/3**
	„	**BUCHU**, 1 vol. diluted with Alcohol 60% to 4 vols. forms **Tr. Buchu, B.P.C.**	lb.	**11/3**
		CALUMBA, 1 vol. diluted with Alcohol 60% to 8 vols. forms **Tinct. Calumba, B.P.**, 1932	lb.	**7/6**
S1	„	**CANTHARIDIN**, 1 vol. diluted with Alcohol 90% to 8 vols. forms **Tr. Cantharidin, B.P.**, 1914	lb.	**10/3**
	„	**CAPSICI**, 1 vol. diluted with Alcohol 60% to 8 vols. forms **Tr. Capsici, B.P.**, 1932	lb.	**7/3**
	„	**CARDAMOMI COMP.**, 1¼ vols. diluted with ½ vol. Glycerine and 8¼ vols. Alcohol 60 % forms **Tinct. Cardam Comp., B.P.**, 1932	lb.	**7/3**
	„	**CARDAMONI CO.**, 1 vol. diluted with Alcohol 60% to 4 vols. forms **Tr. Cardam. Co., B.P.**, 1932	lb.	**5/6**
	„	**CATECHU**, 1 vol. diluted with Alcohol 45% to 4 vols. forms **Tr. Catechu, B.P.**, 1932	lb.	**6/6**
	„	**CHIRATÆ**, 1 vol. diluted with Alcohol 60% to 8 vols. forms **Tr. Chiratæ, B.P.C.**	lb.	**9/-**
	„	**CINCHONÆ**, 1 vol. diluted with Alcohol 70% to 4 vols. forms **Tr. Cinchonæ. B.P.**, 1932	lb.	**11/-**
	„	**CINCHONÆ CO.**, 1 vol. diluted with Alcohol 70% to 4 vols. forms **Tr. Cinchonæ Co., B.P.**, 1932	lb.	**10/6**
	„	**CINNAMONI**, 1 vol. diluted with Alcohol 70% to 4 vols. forms **Tr. Cinnamoni, B.P.C.**	lb.	**25/6**
	„	**COCCI**, 1 vol. diluted to 8 vols. with Alcohol 45% forms **Tr. Cocci, B.P.**, 1932	lb.	**15/-**
S1	„	**COLCHICI** (Syn. Ext. Colchici Liq., B.P., 1932) 1 vol. diluted with Alcohol 60% to 10 vols. forms **Tr. Colchici, B.P.**, 1932		
S1	„	**ERGOTÆ AMMON.**, 1 vol. diluted with Alcohol 60% to 4 vols. forms **Tr. Ergotæ Ammon., B.P.C.**	lb.	**15/-**
S1	„	**GELSEMII**, 1 vol. diluted with Alcohol 60% to 8 vols. forms **Tr. Gelsemii, B.P.C.**	lb.	**7/6**
	„	**GENTIANÆ CO.**, 1 vol. diluted with Alcohol 45% to 8 vols. forms **Tr. Gentianæ Co., B.P.**, 1932	lb.	**6/3**
	„	**HAMAMELIDIS**, 1 vol. diluted to 8 vols. with Alcohol 45% forms **Tr. Hamamelidis, B.P.C.**	lb.	**4/6**
	„	**HYDRASTIS**, 1 vol. diluted with Alcohol 60% to 10 vols. forms **Tr. Hydrastis, B.P.**, 1914 (vide Ext. Hydrastis Liq., B.P.C.)	lb.	**20/6**
P1	„	**HYOSCYAMUS** (Syn. Ext. Hyoscyamus Liq., B.P., 1932), 1 vol. diluted with Alcohol 70% to 10 vols. forms **Tr. Hyoscyami, B.P.**, 1932	lb.	**9/6**
	„	**IODI**, 1 vol. diluted with Alcohol 90% to 4 vols. forms **Liq. Iodi Mit., B.P.**, 1932	lb.	**6/3**
	„	**IPECACUANHA** (Syn. Ext. Ipecac Liq., B.P., 1932) 1 vol. diluted with 4 vols. Alcohol 90%, 4 vols. Glycerine, and sufficient water to produce 20 vols. forms **Tr. Ipecac., B.P.**, 1932		
	„	**JALAPÆ**, 1 vol. diluted with Alcohol 70% to 4 vols. forms **Tr. Jalapæ, B.P.C.**	lb.	**8/6**
	„	**KRAMERIA**, 1 vol. diluted with Alcohol 60% to 4 vols. forms **Tr. Krameria, B.P.**, 1932	lb.	**5/6**
	„	**LAVAND CO.**, 1 vol. diluted with Alcohol 90% to 8 vols. forms **Tr. Lavand Co., B.P.C.**	lb.	**12/6**
S1	„	**LOBELIÆ ÆTHEREA**, 1 vol. diluted with Spts. Ætheris to 4 vols. forms **Tr. Lobeliæ Ætherea, B.P.**, 1932	lb.	**12/6**
	„	**MYRRHÆ**, 1 vol. diluted with Alcohol 90% to 4 vols. forms **Tr. Myrrhæ, B.P.**, 1932	lb.	**10/-**
S1	„	**NUCIS VOMICA** (Syn. Ext. Nucis Vom., Liq., B.P., 1932) 1 vol. diluted with a mixture of 6 vols. Alcohol 90% and 5 vols. distilled water forms **Tr. Nucis Vomica, B.P.**, 1932		
S1†	„	**OPII**, 1 vol. diluted with a mixture of equal parts distilled water and Alcohol 90% to 8 vols. forms **Tr. Opii, B.P.**, 1932	lb.	**25/-**
S1†	„	**OPII CAMPH**, 1 vol. diluted with Alcohol 60% to 8 vols. forms **Tr. Opii Camph., B.P.**, 1932	lb.	**6/6**

† Comes under regulations of D.D. Act.

	LIQUOR	**PODOPHYLLI**, 1 vol. diluted with Alcohol 90% to 8 vols. forms **Tr Podophylli, B.P.C.** ..	lb.	**15/-**
	,,	**PRUNI SEROTINÆ**, 1 vol. diluted to 4 vols. with a mixture of 7 vols. Alcohol 90% and 3 vols. water forms **Tr. Pruni Virg., B.P.C.**	lb.	**9/6**
	,,	**QUASSIA**, 1 vol. diluted with Alcohol 45% to 8 vols. forms **Tr. Quassia, B.P., 1932**	lb.	**7/6**
	,,	**QUILLAIÆ**, 1 vol. diluted with Alcohol 45% to 8 vols. forms **Tr. Quillaiæ, B.P., 1932** ..	lb.	**4/6**
	,,	**QUININÆ AMMON.**, 1 vol. diluted with Alcohol 60% to 4 vols. forms **Liq. Quininæ Ammon. B.P., 1932**	lb.	**12/-**
	,,	**RHEI CO.**, 1 vol. diluted with Alcohol 60% to 4 vols. forms **Tr. Rhei Comp., B.P., 1932** ..	lb.	**7/3**
	,,	**SCILLÆ**, 1 vol. diluted with Alcohol 60% to 8 vols. forms **Tr. Scillæ, B.P., 1932**	lb.	**5/9**
	,,	**SENEGÆ** (Syn. Ext. Senegæ, Liq., B.P., 1932) 1 vol. diluted with Alcohol 60% to 4 vols. forms **Tr. Senegæ, B.P., 1932**		
	,,	**SENNÆ CO.**, 5 vols. diluted with 2 vols. Glycerine and 13 vols. Alcohol 45% forms .. **Tr. Sennæ Comp., B.P.C.**	lb.	**5/9**
S1	,,	**STRAMONII**, 1 vol. diluted with Alcohol 45% to 4 vols. forms **Tr. Stramonii, B.P., 1932** ..	lb.	**8/6**
	,,	**TOLUTANUS**, 1 vol. diluted with Alcohol 90% to 4 vols. forms **Tr. Tolutana, B.P., 1932**	lb.	**11/6**
	,,	**VALERIAN AMMON.**, 1 vol. diluted with Alcohol 60% to 4 vols. forms **Tr. Valerian Ammon. B.P., 1932**	lb.	**8/6**
	,,	**ZINGIBERIS FORT.** 1 vol. diluted with Alcohol 90% to 8 vols. forms **Tr. Zingiberis. Fort, B.P., 1932**	lb.	**10/-**

HOT WATER BOTTLES

		Average weight		
"PEACE"	6 assorted colours	13½ oz.	1 doz.	20/6 doz.
			3 ,,	20/- ,,
			6 ,,	19/6 ,,
			12 ,,	18/9 ,,
"LULLABY"	Red, Blue and Green (extra strong side seams).	14 oz.	1 ,,	20/- ,,
			3 ,,	19/6 ,,
			6 ,,	19/- ,,
			12 ,,	18/6 ,,
"DOLPHIN"	Red, Blue and Green	14 oz.	1 ,,	19/- ,,
			3 ,,	18/6 ,,
			6 ,,	18/- ,,
			12 ,,	17/6 ,,

We strongly advise contracts for Hot Water Bottles being booked as early in the season as possible, as there is every likelihood of rubber advancing.

Burgoyne's Concentrated Mixtures

(1 to 3) and (1 to 7).

Elegant, Efficacious, and Distinctly labelled with dosage, &c.

The Mixtures are so prepared that by the addition of three or seven parts of water to one part of the concentrated preparation the resulting mixture is ready for use. Whenever practical the Concentration has been made 1 to 7, but in many cases the properties and solubilities of the ingredients only permit a 1 to 3 Concentration, in every case the degree of Concentration is clearly indicated in the following list. These Concentrated Mixtures will be found of great convenience, and the **formulæ given,** which have been carefully selected, **show the proportion of ingredients in the mixtures when so diluted.**

No.

1. **Mist. Acida Amara** (Conc. 1–7) (*St. Mary's*)—

Acid Nitro-Hydrochlor. Dil ...	10 minims	lb 2/- W.Qt. 1/10
Infus. Gentianæ Comp ad	1 ounce	

P1 2. **Mist. Acidi Phosph. Comp.** (Conc. 1–7) (*Throat*)—

Acid. Phosph. Dil. ...	15 minims	lb 3/- W.Qt. 2/9
Liq. Strych. Hydrochlor, B.P. ...	5 ,,	
Sp. Chloroformi ...	10 ,,	
Inf. Quassiæ ... ad	1 ounce	

P1 3. **Mist. Acidi Tonica Co.** (Conc. 1-7)—

Acid. Nitro Hyd. Dil., B.P. ...	10 minims	lb 2/6 W.Qt. 2/4
Tinct. Nucis. Vomicæ	10 ,,	
Tinct. Gentianæ Co....	30 ,,	
Syr. Aurantii ...	20 ,,	
Infus. Chiratæ ...	½ ounce	

(In each fluid onnce)

4. **Mist. Alkalina** (Conc. 1–3)—

Ammon. Carb. ...	4 grs.	lb 1/9 W.Qt. 1/7
Potass. Bicarb. ...	10 ,,	
Sp. Chloroformi ...	10 minims	
Inf. Gentianæ Comp. ad	1 ounce	

5. **Mist. Ammonii Chloridi** (Conc. 1–7)—

Ammon. Chlorid. ...	10 grs.	lb 1/6 W.Qt. 1/3
,, Carb. ...	5 ,,	
Sp. Chloroformi ...	10 minims	

(In each fluid ounce)

No

6. **Mist. Ammonii c. Cinchona** (Conc. 1–3) (*Royal Free*)—

Ammon. Carb. ...	5 grs.	lb 3/3
Tinct. Gentianæ Comp.	20 minims	
Dec. Cinchonæ ad	1 ounce	

7. **Mist. Ammonii c. Senega** (Conc. 1–7) (*University*)—

Ammon. Carb. ...	4 grs.	lb 4/- W.Qt. 3/9
Sp. Chloroformi ...	9 minims	
Inf. Senegæ ... ad	1 ounce	

P1 7a. **Mist. Anti-asthmatic** (Conc. 1–7)

Tinct. Lobeliæ Æther.	10 minims	lb 4/3 W.Qt. 4/-
Tinct. Belladonnæ ...	5 ,,	
Tinct. Stramonii ...	5 ,,	
Sodii Iodid.	2 grains	
Sodii Bromid. ...	2 ,,	
Syr. Codeinæ... ...	40 minims	

(In each fluid ounce.)

P1 8. **Mist. Anti-rheumatica** (Conc. 1-3)—

Potass. Iodid. ...	5 grs.	lb 2/9 W.Qt. 2/6
,, Bicarb. ...	15 ,,	
Sp. Chloroformi ...	10 minims	
Vini Colchici	10 ,,	

(In each fluid ounce)

P1 9. **Mist. Anti-spasmodica** (Conc. 1-3)—

Tinct. Valerianæ Ammon.	30 minims	lb 4/3 W.Qt. 4/-
Sp. Chloroformi ...	15 ,,	
Tinct. Hyoscyami ...	15 ,,	
,, Card. Comp. ...	40 ,,	

(In each fluid ounce)

No.

10. Mist. Aperiens Alb. (Conc. 1–3) (*London*)—

Magnesii Carb.	... 15 grs.	lb 1/-
,, Sulph.	... 60 ,,	W.Qt.
Aq. Menth. Pip.	ad 1 ounce	10d.

11. Mist. Aperiens Alb. (Conc. 1–7)—

Magnes. Sulphatis	... 45 grs.	lb 1/3
Tinct. Zingiberis	... 5 minims	W.Qt.
Magnes. Carb. Levis	5 grs.	1/1
Aqua Menthæ Pip	ad 1 ounce	

11a. Mist. Aperiens Infantilis.

℞ Syr. Senna	... 15 minims	lb 1/9
Aq. Menth. Pip....	ad 1 dr.	W. Qt. lb 1/8

12. Mist. Aperiens Rub. (Conc. 1–3)—

Magnesii Sulph.	... 60 grs.	lb 10d.
Syrup. Zingib.	... 1 drachm	W.Qt.
Liq. Rosæ ...	ad q.s.	9d.

(In each fluid ounce)

P1 **13. Mist. Astringens Acida** (Conc. 1–7)—

Acid. Sulph. Aromat	25 minims	lb 4/3
Tinct. Opii ...	... 5 ,,	W.Qt.
,, Catechu	... 20 ,,	4/-

(In each fluid ounce)

14. Mist. Bismuth et Soda (Conc. 1–7)—

Bismuth Carb.	... 10 grs.	
Sodii Bicarb. ...	... 10 ,,	lb 4/-
Tr. Card Co. ...	... 15 minims	
Sp. Chloroform	... 5 ,,	W.Qt.
Aq. Menth. Pip.	ad 1 fl. oz.	3/9

15. Mist. Bismuth Co. Conc. 1–7)—

Bismuthi Carbonatis...	15 grs.	lb 4/9
Sodii Bicarbonatis	... 10 ,,	
Mucil. Tragacanth	... 1 dr.	W.Qt.
Infus. Gentianæ Co.	ad 1 ounce	4/6

S1 **16. Mist. Bismuth c. Acid Hydrocyan** (Conc. 1–7)—

Liq. Bismuthi	... 30 minims	lb 1/8
Sodii Bicarbonatis	... 10 grs.	
Acidi Hydrocyan Dil.	4 minims	W.Qt.
Tinct. Cardamomi Co.	10 ,,	1/6

(In each fluid ounce)

17. Mist. Bismuth Co. c. Pepsin (Conc. 1–7)—

Pepsin ...	... 3 grs.	lb 4/3
Liq. Bismuthi...	... 30 minims	
Tr. Card Co, ...	... 6 ,,	
Sp. Chloroform	... 3 ,,	W.Qt.
Ext. Opii Liq.	... 3 ,,	4/-
Ac. Hydrocyan Dil. ...	1½ ,,	

No.

17a. Mist. Bromid Aromat (Conc. 1–7)—

Ammon Bromidi	... 5 grs.	lb.
Potassii Bromidi	... 5 ,,	2/6
Sodii Bromidi	... 10 ,,	
Tinct. Cardam Co.	.. 30 minims	W.Qt.
Aquæ Menthæ Pip ad	1 ounce	2/4

S1 **18. Mist. Bromid Co.** (Conc. 1–7)—

Sodii Bromidi...	... 5 grs.	
Ammonii Bromidi	... 5 ,,	lb 3/-
Potassii Bromidi	... 5 ,,	
Potassii Iodidi	... 2½ ,,	W.Qt.
Liq. Arsenicalis	... 3 minims	2/10
Glycerin Rosæ	... 15 ,,	

(In each fluid ounce)

19. Mist. Bronchitis (Conc. 1–7)—

Ammon. Carbonate ...	3 grs.	lb 2/3
Ammon. Chloride	... 5 ,,	
Vin. Ipecac. ...	... 5 minims	W.Qt.
Tinct. Scillæ ...	... 5 ,,	2/-
Ext. Glycyrrh. Liq. ...	5 ,,	

(In each fluid ounce)

19a. Mist. Bronchitis (Conc. 1–7)—

Ammonii Carbonatis...	3 grs.	lb 1/3
Ammonii Chloridi	... 5 ,,	
Vin. Ipecacuanhæ	... 5 minims	W.Qt.
Tinct. Scillæ ...	... 5 ,,	1/1

(In each fluid ounce)

P1 **20. Mist. Butyl. Chloral c. Strych** (Conc. 1–7)—

Butyl Chloral	... 2 grs.	lb 3/-
Liq. Strychninæ Hyd.	4 minims	
Ammon. Bromidi	... 5 grs.	W.Qt.
Tinct. Gelsemii	... 8 minims	2/9
Syr. Aurantii...	... 30 ,,	

(In each fluid ounce)

21. Mist. Cardiac. (Conc. 1–7)—

Spt. Aetheris ...	... 10 minims	lb 4/-
Spt. Ammon. Aromat.	10 ,,	
Tinct. Lavand Co.	... 10 ,,	W.Qt.
Aquæ Camphoræ	ad 1 ounce	3/10

22. Mist. Carminativa (Conc. 1–3) (*For Children*)—

Magnesii Carb.	... 10 grs.	
Rad. Rhei. Pulv.	... 2 ,,	lb 1/3
Ol. Anisi ...	... ½ minim	
,, Anethi ...	... ½ ,,	W.Qt.
,, Menth. Pip.	... ½ ,,	1/1
Syr. Simplex ...	... 60 minims	

(In each fluid ounce)

23. Mist. Carminativ. (Conc. 1–7)—

Tinct. Cardamomi Co.	20 minims	lb 4/-
Spt. Chloroformi	... 10 ,,	
Spt. Ammon. Aromat.	30 ,,	W.Qt.
Tinct. Zingiberis	... 5 ,,	3/9

(In each fluid ounce`

No.

P1 24. **Mist. Chloral Comp** (Conc. 1-7) (*Consumption*)—

Chloral Hydrat ...	10 grs.	lb 3/- W.Qt. 2/9
Potassi Bromid. ...	10 ,,	
Syr. Aurantii... ...	30 minims	

(In each fluid ounce)

P1 25. **Mist. Colchici** (Conc. 1-3)—

Vin Colchici	15 minims	lb 3/- W.Qt. 2/9
Magnesii Carb. ...	10 grs.	
Sp. Etheris Nitrosi ...	30 minims	
Tinct. Hyoscyami ...	20 ,,	
Aq. Menth. Pip.	ad 1 ounce	

P1 26. **Mist. Cretæ c. Opio** (Conc. 1-7) (*Royal Chest*)—

Pulv. Cretæ Aromat....	20 grs.	lb 4/6 W.Qt. 4/3
Tinct. Opii	5 minims	
Sp. Chloroformi ...	20 ,,	
Tinct. Capsici... ...	2 ,,	
Aq. Pimentæ ..	ad 1 ounce	

P1 27. **Mist. Cystitis** (Conc. 1-7)—

Hexamin	5 grs.	lb 3/- W.Qt. 2/10
Tinct. Belladonnæ ...	5 minims	
Tinct. Hyoscyami ...	10 ,,	
Sodii Bromidi ...	5 grs.	
Sodii Sulphatis ...	5 ,,	
Infus. Buchu ...	ad 1 ounce	

28. **Mist. Diaphoretica** (Conc. 1-3)—

Vin Ipecacuanhæ ...	5 minims	lb 2/- W.Qt. 1/10
Sp. Etheris Nitrosi ...	30 ,,	
Liq. Ammonii Acetatis	2 drachms	

(In each fluid ounce)

28a. **Mist. Diaphoretica** (Conc. 1-7)—

Potass. Nitras ...	2 grains	lb. 1/3 W.Qt. 1/1
Acet. Ipecac.	2 minims	
Liq. Ammon. Acet. ...	1 drachm	
Syrup. Simplex. ...	½ ,,	
Aqua. Dest.	ad 1 ounce	

P1 29. **Mist. Diarrhœa** (Conc. 1-3)—

Tinct. Opii	5 minims	lb 3/- W.Qt. 2/9
Sp. Chloroformi ...	20 ,,	
Tinct. Catechu ...	30 ,,	
Mist. Cretæ ...	ad 1 ounce	

P1 30. **Mist. Diarrhœa** (Conc. 1-7)—

Acid Sulphuric Dil. ...	15 minims	lb 2/6 W.Qt. 2/4
Tinct. Cardam Co. ...	40 ,,	
Tinct. Opii	5 ,,	
Spt. Chloroformi ...	10 ,,	
Aquæ Menthæ Pip.	ad 1 ounce	

P1 31. **Mist. Diarrhœa Acida** (Conc. 1-7)—

Tinct. Opii	5 minims	lb 4/6 W.Qt. 4/3
Acid Sulph. Aromat...	15 ,,	
Sp. Chloroformi ...	20 ,,	

(In each fluid ounce)

No.

P1 32. **Mist. Diuretica** (Conc. 1-3)—

Potassii Acetat ...	10 grs.	lb 4/- W.Qt. 3/9
Sp. Etheris Nitrosi ...	20 minims	
Tinct. Hyoscyami ...	10 ,,	
Sp. Juniperi	10 ,,	
Inf. Buchu ...	ad 1 ounce	

33. **Mist. Dyspepsia** (Conc. 1-7)—

Sodii Bicarbonatis ...	10 grs.	lb 2/- W.Qt. 1/10
Magnesii Carb. ...	20 ,,	
Tinct. Zingiberis ...	10 minims	
Essentiæ Menthæ Pip.	10 ,,	
Infus. Gentianæ	ad 1 ounce	

P1 34. **Mist. Expectorans** (Conc. 1-7)—

Ammonii Chlorid ...	5 grs.	lb 2/3 W.Qt. 2/1
Vini Ipecacuanhæ ...	5 minims	
Tinct. Camph. Comp.	30 ,,	
Spt. Chloroformi ...	7 ,,	
Oxymel Scillæ... ...	30 ,,	

(In each fluid ounce)

35. **Mist. Expectorans** (No. 2) (Conc 1-7)—

Acid Hydrobrom Dil.	10 minims	lb 1/9 W.Qt. 1/7
Acet Scillæ	15 ,,	
Vin. Ipecacuanhæ ...	5 ,,	
Syr. Pruni Virg. ..	30 ,,	
Aquæ Chloroformi	ad 1 ounce	

36. **Mist. Febrifuga** (Conc. 1-3) (*Royal Free*)—

Potassii Nitrat ...	7 grs.	lb 2/- W.Qt. 1/10
Sp. Etheris Nitrosi ...	30 minims	
Liq. Ammonii Acetatis	4 drachms	

(In each fluid ounce)

37. **Mist. Ferri Ammon. Cit.** (Conc. 1-7)—

Ferri Ammonio-Citrat	5 grs.	lb 3/6 W.Qt. 3/3
Ether Chloric	5 minims	
Syr. Aurantii... ...	1 drachm	
Aq. Cinnamomi	ad 1 ounce	

38. **Mist. Ferri Aperiens** (Conc. 1-3) (*University*)—

Ferri Sulphas ...	2 grs.	lb 1/2 W.Qt. 1/-
Magnesii Sulphas ...	30 ,,	
Acid Sulph. Dil. ...	9 minims	
Aq. Menth. Pip	ad 1 ounce	

39. **Mist. Ferri c. Calumba** (Conc. 1-7) (*Consumption*)—

Ferri Ammonio-Citrat	5 grs.	lb 4/- W.Qt. 3/9
Liq. Ammonii Fort ...	1½ minims	
Sp. Myristicæ ...	6 ,,	
Inf. Calumbæ	ad 1 ounce	

40. **Mist. Ferri c. Magnes Sulph** (Conc. 1-3) (*Consumption*)—

Ferri Sulph.	2 grs.	lb 1/2 W.Qt. 1/-
Magnesii Sulph. ...	30 ,,	
Acid Sulph. Dil. ...	10 minims	
Inf. Quassiæ...	ad 1 ounce	

No.

41. Mist. Ferri c. Nuc. Vom. (Conc. 1–7)
(*Samaritan*)—

Tinct. Nucis Vomicæ	10 minims	lb 2/3
Ferri Ammonio-Citrat	5 grs.	
Ammonii Carbonat ...	4 ,,	W.Qt.
Aq. Chloroformi	ad 1 ounce	2/-

42. Mist. Ferri c. Quinina (Conc. 1–7)

Ferri et Quininæ Citrat	5 grs.	lb 4/3
Syr. Aurantii ...	... 60 minims	W.Qt.
Sp. Chloroformi	... 10 ,,	4/-

(In each fluid ounce)

P1 **43. Mist. Ferric. Strychnina** (Conc. 1–7)

Liq. Ferri Perchloridi	10 minims	lb 2/3
,, Strychninæ Hydrochlor	4 ,,	W.Qt.
Sp. Chloroformi	... 10 ,,	2/-

(In each fluid ounce)

83. Mist. Ferri c. Strych. (No. 2) (Conc. 1–7)—

Tinct. Ferri Perchlor	5 minims	lb 1/9
Liq. Strychninæ Hyd.	2 ,,	W.Qt.
Acid Phosph. Dil. ...	10 ,,	1/7
Infus. Quassiæ	ad 1 ounce	

44. Mist. Gentianæ Acida (Conc. 1–7)
(*University*)—

Acid. Nitro-Hydrochlor. Dil. ...	... 12 minims	lb 2/6
Ether Chloric.	... 10 ,,	W.Qt.
Inf. Gentian. Comp.	ad 1 ounce	2/3

45. Mist. Gentianæ Alk. (Conc. 1–7)—

Ammon. Carbonatis ...	3 grs.	lb 2/-
Sodii Bicarbonatis ...	10 ,,	W.Qt.
Infus. Gentianæ Co.	ad 1 ounce	1/10

46. Mist. Gentianæ Alkalina (Conc. 1–3)—

Sp. Ammon. Aromat.	20 minims	
Sodii Bicarbonat. ...	10 grs.	lb 2/6
Acid Hydrocyanic. Dil.	3 minims	
Sp. Chloroformi ...	10 ,,	W.Qt.
Inf. Gentian Comp.	ad 1 ounce	2/3

47. Mist. Gentianæ Co. c. Rheo
(Conc. 1–7)—

Sodii Bicarbonatis ...	10 grs.	
Ammon. Carbonatis ...	4 ,,	lb 2/9
Spt. Chloroformi ...	10 minims	
Ess. Menthæ Pip. ...	5 ,,	W.Qt.
Infus. Rhei	½ ounce	2/6
Infus. Gentianæ Co.	ad 1 ,,	

48. Mist. Hepatica (Conc. 1–7)—

Ext. Cascar. Sag. Liq.	30 minims	lb 2/9
Tinct. Podophylli ...	10 ,,	
Tinct. Belladonnæ ...	5 ,,	W.Qt.
Aquæ Caryophylli	ad 1 ounce	2/6

No.

49. Mist. Influenza (Conc. 1–7)—

Potassii Bromidi ...	10 grs.	lb 3/6
Phenazoni	10 ,,	
Spt. Ammon. Aromat.	15 minims	W.Qt.
Sodii Salicylatis ...	10 grs.	3/3
Syr. Aurantii	q. s.	

(In each fluid ounce)

P1 **49A. Mist. Influenza.**

Liq. Ammon. Acet.	64 minims	
Tinct. Camph. Co. ...	30 ,,	lb 2/3
Spt. Æther Nit. ...	30 ,,	
Oxymel Scillæ ...	1½ fl dr.	W.Qt.
Spt. Chloroformi ...	28 minims	2/-
Inf. Buchu	ad 1 oz.	

P1 **50. Mist. Ipecacuanhæ Co.** (Conc. 1–7)—

Vini Ipecacuanhæ ...	15 minims	
Tinct. Camph. Co. ...	20 ,,	lb 3/6
Ether Chloric	10 ,,	
Tinct. Scillæ	8 ,,	W.Qt.
Glycerini	20 ,,	3/3
Syr. Tolut.	1 drachm	

(In each fluid ounce)

P1 **52. Mist. Neuralgia** (Conc. 1–7)—

Ammon. Chloridi ...	10 grs.	
Potass. Bromidi ...	10 ,,	lb 2/-
Ferri et Ammon. Cit.	10 ,,	
Tinct. Nucis Vomicæ	5 minims	W.Qt.
Tinct. Hyoscyami ...	30 ,,	1/10

(In each fluid ounce)

P1 **53. Mist. Neuralgica** (Conc. 1-3)—

Quininæ Bromid ...	2 grs.	lb 3/-
Ammonii ,, ...	10 ,,	
Tinct. Gelsemii ...	8 minims	W.Qt.
Acid. Hydrobrom. Dil.	20 ,,	2/9
Syr. Pruni. Virg. ...	1 drachm	

(In each fluid ounce)

P1 **54. Mist. Nucis Vom. Acida** (Conc. 1–7)—

Tinct. Nucis Vomicæ	7½ minims	
Acid Nitro-Hydrochlor Dil.	... 10 ,,	lb 2/3
Syr. Simplex ...	... 30 ,,	W.Qt.
Inf. Gentian. Comp.	ad 1 ounce	2/-

P1 **55. Mist. Pectoralis** (Conc. 1–7)—

Vin. Ipecacuanhæ ..	10 minims	
Acid. Hydrobromic Dil.	10 ,,	lb 2/3
Liq. Morphinæ Hydrochlor.	5 ,,	W.Qt.
Oxymel Scillæ... ...	1 drachm	2/-

(In each fluid ounce)

P1 **56. Mist. Pectoralis** (No. 2) (Conc. 1–7)—

Liq. Ammon. Acet ...	15 minims	
Acet Ipecac... ..	4 minims	lb 2/8
Tinct. Camphoræ Co.	10 ,,	
Spt. Aetheris Nitrosi	20 ,,	W.Qt.
Ext. Glycyrrhizæ Liq.	30 ,,	2/6
Aqua Destillatæ	ad 1 ounce	

No.

57. **Mist. Potassii Bromidi** (Conc. 1–7)
(*Consumption*)—

Potassii Bromid.	... 20 grs.	lb 2/3
Tinct. Card. Comp.	... 10 minims	W.Qt.
Aq. Cinnamomi	ad 1 ounce	2/1

58. **Mist. Potassii Bromidi** (No. 2)
(Conc. 1–7)—

Potassii Bromidi	... 10 grs.	lb 2/9
Spt. Ammon. Aromat.	15 minims	
Spt. Chloroformi	... 10 ,,	W.Qt.
Tinct. Valer Ammon.	5 ,,	
Aqua Destillatæ	ad 1 ounce	2/6

59. **Mist. Pot. Bromid. Co.** (Conc. 1–7)
(*Royal Chest*)—

Potassii Bromid.	... 10 grs.	lb 1/10
Tinct. Valerianæ Ammon. ...	... 10 minims	W.Qt.
Aq. Camphoræ	ad 1 ounce	1/8

60. **Mist. Potassii Iodidi** (Conc. 1–7)—

Potassii Iodid...	... 5 grs.	lb 2/9
,, Bicarbonat. ...	5 ,,	W.Qt.
Caramel ...	... q. s.	2/6

(In each fluid ounce)

P1 61. **Mist. Potassii Iodidi c. Hydrargyro**
(Conc. 1–7)—

Hydrargyri Perchloridi	$\frac{1}{32}$ gr.	lb 3/3
Potassii Iodid...	... 5 grs.	
Ammon Carb.	... 3 ,,	W.Qt.
Inf. Gentian. Comp	ad 1 ounce	3/-

62. **Mist. Pruni Virg.** (Conc. 1–7)—

Tinct. Scillæ ...	... 20 minims	lb 4/3
Ammon. Carb.	... 5 grs.	
Vin. Ipecacuanhæ	... 5 minims	W.Qt.
Syr. Pruni Virg.	... 30 ,,	
Infus. Senegæ	ad 1 ounce	4/-

63. **Mist. Quininæ** (Conc 1–7)—

Quininæ Sulph.	... 1 gr.	lb 3/3
Acid. Sulph. Dil.	... 5 minims	
Tinct. Aurantii	... 10 ,,	W.Qt.
Syr. Simplex ...	... 30 ,,	3/-

(In each fluid ounce)

64. **Mist. Quininæ c. Ferro** (Conc. 1–7)—

Quininæ Sulph.	... 1 gr.	lb 2/-
Ferri Sulphas ..	... 2 grs.	W.Qt.
Acid. Sulph. Dil.	... 5 minims	1/9

(In each fluid ounce)

65. **Mist. Quininæ Cathartica** (Conc. 1–7)—

Quininæ Sulph.	... 1 gr.	lb 2/-
Acid. Sulph. Dil.	... 5 minims	
Ferri Sulphas ...	... 2 grs.	W.Qt.
Magnesii Sulphas	... 30 ,,	1/10

(In each fluid ounce)

No.

66. **Mist. Quininæ Ammon.** (Conc. 1–7)—

Tinct. Quin. Ammon.	20 minims	lb 2/6
Tinct. Nucis Vomicæ	4 ,,	W.Qt.
Syr. Limonis ...	... 30 ,,	2/3

(In each fluid ounce)

67. **Mist. Rhei Ammoniata c. Soda**
(Conc. 1–3)—

Rad. Rhei Pulv.	... 4 grs.	lb 1/1
Ammon Carb. ...	... 3 ,,	
Sodii Bicarb. ...	... 10 ,,	W.Qt.
Aq. Menth. Pip.	ad 1 ounce	11d.

68. **Mist. Rhei Ammon. et Sodii** (No. 2)
(Conc. 1–7)—

Ext. Rhei Liq.	... 4 minims	lb 1/6
Ammon. Carb.	... 3 grs.	
Ess. Menthæ Pip.	... 10 minims	W.Qt.
Sol. Sodii Bicarbonatis	ad 1 ounce	1/4

S1 69. **Mist. Rheumatica** (Conc. 1–7)—

Sodii Salicylatis	... 10 grs.	lb 2/4
Sodii Bicarbonatis	... 5 ,,	
Liq. Arsenicalis	... 4 minims	W.Qt.
Spt. Ammon. Aromat.	15 ,,	2/2
Infus. Calumbæ	ad 1 ounce	

P1 70. **Mist. Salina Comp.** (Conc. 1–7)—

Liq. Ammonii Acetatis	2 drachms	lb 2/9
Sp. Etheris Nitrosi	... 30 minims	
Vini Ipecac. ...	... 8 ,,	W.Qt.
Tinct. Camph. Comp.	20 ,,	2/6
Oxymel Scillæ...	... 30 ,,	

(In each fluid ounce)

71. **Mist. Salina** (Conc. 1–7)—

Potass. Bicarb.	... 10 grs.	lb 1/-
,, Nitrat...	... 5 ,,	W.Qt.
Caramel ...	... q. s.	10d

(In each fluid ounce)

72. **Mist. Senegæ et Ammon.** (Conc. 1–7)—

Ammon. Carb.	... 4 grs.	lb 3/3
Vin. Ipecacuanhæ	... 5 minims	
Tinct. Scillæ ...	... 10 ,,	W.Qt.
Infus. Senegæ	... 4 drachms	3/-
Aquæ Chloroformi	ad 1 ounce	

P1 73. **Mist. Senegæ Co.** (Conc. 1–7)—

Ammon. Carb.	... 5 grs.	
Sp. Chloroformi	... 20 minims	
Tinct. Camph. Comp.	10 ,,	lb 3/-
Syr. Tolut. ...	. 30 ,,	
Vini Ipecac. ...	... 5 ,,	W.Qt.
Tinct. Scillæ ...	... 10 ,,	2/9
Inf. Senegæ ...	ad 1 ounce	

No.

74. **Mist. Stomachic.** (No. 2) (Conc. 1–7)—

Ammon. Carb.	... 3 grs.	lb 2/3
Sodii Bicarbonatis	... 5 ,,	
Tinct. Capsici	... 5 minims	W.Qt.
Spt. Menthæ Pip.	... 5 ,,	2/1
Decoct. Aloes Co.	ad 1 ounce	

75. **Mist. Stomachic.** (No. 1) (Conc. 1–7)—

Tinct. Nucis Vomicæ	5 min.	lb 2/9
Infus. Rhei ...	... 2 drachms	W.Qt.
Infus. Gentianæ	ad 1 ounce	2/6

76. **Mist. Stomachica** (Conc. 1–7)—

Pulv. Rhei ...	... 4 grs.	lb 4/3
,, Zingib. ...	... 1 gr.	
Sp. Ammon. Aromat.	20 minims	W.Qt.
Tinct. Gentian. Comp.	30 ,,	4/–
Aq. Menth. Pip.	ad 1 ounce	

77. **Mist. Tonic Acida** (Conc. 1–7)—

Acid. Nitro-Hydrochlor. Dil. ...	... 15 minims	lb 2/9
Sp. Chloroformi	... 10 ,,	
Tinct. Aurantii	... 10 ,,	W.Qt.
Inf. Gentian. Comp.	ad 1 ounce	2/6

No.

78. **Mist. Tonica Alkaline** (Conc. 1–7)—

Spt. Chloroformi	... 10 minims	lb 2/8
Spt. Ammon. Aromat.	10 ,,	
Tinct. Card. Co.	... 30 ,,	W.Qt
Infus. Chiratæ	... 2 drachms	2/6
Infus. Gentianæ Co.	ad 1 ounce	

79. **Mist. Tonica c. Ferro** (Conc. 1–7)—

Quininæ Sulph.	... 1 gr.	lb 4/3
Tinct. Ferri Perchlor	15 minims	
Sp. Chloroformi	... 10 ,,	W.Qt.
Syr. Aurant. ...	... 30 ,,	4/–

(In each fluid ounce)

S1 †80. **Mist. Tussi** (Conc. 1–7)—

Acetomorphin Hyd....	$\frac{1}{20}$ gr.	lb 1/9
Ac. Hydrobrom Dil....	10 minims	
Vin. Ipecac. ...	... 5 ,,	W.Qt,
Syr. Tolu ...	... 15 ,,	1/7

(In each fluid ounce)

81. **Mist. Valerianæ** (Conc. 1–7)—

Tinct. Valer. Ammon.	20 minims	lb 3/6
Ammonii Bromid.	... 10 grs.	
Sp. Chloroformi	... 10 minims	W.Qt.
Inf. Gentian Comp.	ad 1 fluid oz.	3/3

† Comes under regulations of D.D. Act.

We are pleased to announce that

Normo-Gastrine

and the following important medical specialities have been added to the "Chemists' Friends" list.

BENSUCCIN
CASCAROMAT "BURGOYNE"
CHAULGROL
CHLOROBROM
HEPATOL LIVER EXTRACT
KAOPLASMA
LAX-AGAR
LITHASAL "BURGOYNE"
METAPHOSPHATES
PARA-GASTRINE
RESORCINATE
SESIODOL
STIBOFORM
VIO-RAY CONCENTRATE
VIO-RAY PERLES
VIOSTOL
ZOTALENE ANTISEPTIC

Compressed Tablets.

ONLY the purest materials ground in our own mills, and prepared in our own Laboratories, are used in the manufacture of these tablets. Being manufacturers on a large scale we are in the unique position of tableting our own manufactures, which are under the control of experts from start to finish. For these reasons we are able to guarantee the absolute purity of all ingredients, and in addition can offer our products at exceptionally competitive prices.

Accuracy. This has our specially close attention, and clients may implicitly rely on the tablets containing the precise amount of ingredients specified.

Solubility, etc. The "soluble" tablets dissolve freely, and those usually crushed before administration are readily friable while being sufficiently cohesive to retain their shape in normal conditions.

Finish. Our tablets are distinctive because of their perfect "finish," a factor entering largely into the reason for the success these products have attained, and we specially invite comparison in this respect.

S.—Showcard and/or display outers or other advertising material is supplied with items marked *S.*

Reductions below listed rates are made as follow :—

1 gross	25s	2/- per gross.	1 gross	50s	4/- per gross.
2 ,,	,,	3/- ,, ,,	2 ,,	,,	6/- ,, ,,
3 ,,	,,	4/- ,, ,,	1 ,,	100s	6/- ,, ,,
5 ,,	,,	6/- ,, ,,			

When 500 tablets are ordered, ½ 1,000 rate is charged plus 4d.
When 250 tablets are ordered, ¼ 1,000 rate is charged plus 4d.

Tablets to customers' own formulæ are charged at the following minimum rates, in addition to the charge for materials used in compounding :—

	Plain	Coated
50 (minimum charge)	1/9	2/3
Over 50 up to 100	2/9	3/3
,, 100 ,, ,, 250	3/9	4/3
,, 250 ,, ,, 500	4/9	5/3
,, 500 ,, ,, 1000	5/9	6/6

The letters in the marginal column refer to the style of coating as follows :—

W = WHITE SUGAR COATED. *R* = RED SUGAR COATED. *C* = CHOCOLATE SUGAR COATED.
P = PINK ,, ,, *Y* = YELLOW ,, ,, ✶ = NOT COATED.

	DRUG.		Per Dozen Bottles of 25	50	100	Per 1000
	Absorbent Dyspeptic	—	5/9	9/3	15/9	10/-
	℞ Pepsin Aseptic ...	gr. 1				
	P. Carbo. Lig.	,, 2				
	Sodii Bicarb.	,, 2½				
P1	**Acetanilide (Antifebrin)**	gr. 2	3/6	5/-	7/3	3/3
	,, ,, **N.F.**	gr. 3	3/9	5/6	8/3	3/9
	,, ,, ...	gr. 5	3/9	5/9	9/-	4/6
P1	,, **Comp. B.P.C.**	—	3/9	5/9	9/-	4/6
P1	,, **& Caffeine**	—	4/3	6/6	10/-	5/6
	℞ Acetanilide ...	gr. 5				
	Caffein Citrate...	,, 1				
	,, **Comp. c Codeia B.P.C.** ...		8/6	15/-	27/3	20/-
P1	**Acetanilide Co.** (Headache)		4/6	7/-	11/3	6/9
	℞ Acetanilide	gr. 3½				
	Caffein Citrate	,, ½				
	Sodii Bicarb.	,, $\frac{9}{10}$				
	Sodii Bromid	,, $\frac{1}{10}$				
	Acid Acetylsalicylic (*see Aspirin*)					
S1	¶ ,, **Arsenious**	gr. $\frac{1}{20}$, $\frac{1}{50}$ or $\frac{1}{100}$	4/-	6/-	9/3	5/-

† Comes under regulations of D.D. Act.

Compressed Tablets.

	DRUG.		Per dozen Bottles of 25	50	100	Per 1000
	Acid Benzoic (*see Benzoic Acid*)					
	,, **Salicylic** ...	gr. 3	3/9	5/9	8/6	4/6
	,, ,, ...	,, 5	4/3	6/3	9/9	5/-
W	**Aloes et Ferri** ...	,, 4	4/6	6/9	10/6	6/-
W	,, ,, **Myrrh** ...	,, 5	4/9	7/3	11/9	7/-
* or W	**Aloin** ...	gr. $\frac{1}{10}$, $\frac{1}{4}$, $\frac{1}{2}$ and 1	4/6	6/9	10/6	6/-
* or W	**Aloin Comp.** ...	—	3/9	5/9	8/6	4/6
	℞ Aloin ... gr. $\frac{1}{5}$					
S1	Strychnin Sulph. ... ,, $\frac{1}{60}$					
	Ext. Bellad. Virid ... ,, $\frac{1}{8}$					
	Pulv. Ipecac ... ,, $\frac{1}{16}$					
S1	**Aloin Comp., B.P.C.** ...	—	—	—	—	5/6
S1	**Amidopyrin** ...	gr. 5	8/6	15/-	27/3	20/-
C or P	**Ammoniated Quinine** (approx. equivalent to $\frac{1}{2}$ dr. Liquor)		4/6	6/6	10/6	6/-
C or P	,, ,, ,, ,, 1 ,, ,,		5/6	9/-	15/3	10/-
	,, ,, (dr. i) c. **Cinnamon** ...	—	5/6	9/-	15/3	10/-
	,, ,, (approx. equivalent to 1 dr. Liquor with **Cinnamon**)					
	Ammonium Bromide ...	gr. 5	3/9	5/9	8/6	4/6
	,, ,, ...	,, 10	5/-	8/-	13/-	8/-
	,, **Chloride** ...	,, 5	3/9	5/3	7/6	3/6
	,, ,, **& Borax** ...	gr. 5	3/9	5/3	7/6	3/6
	Antacid ...	,, 7	4/-	6/-	9/3	5/-
*	**Anti-Asthmatic** ...	—	7/9	13/3	23/9	17/-
	℞ Potass Iodid ... gr. 2					
	Ammon. Bromid ... ,, 2					
P1	Fl. Ext. Euphorb Pilulif. ... m. 3					
	Glonoin (Nitro-Glycerin) ... gr. $\frac{1}{200}$					
	Tr. Lobeliæ ... m. 2					
	Antifat (*see Fucus*).					
P1	**Antifebrin** (*see Acetanilide*)					
	Anti-Malarial ...	—	8/6	15/-	27/3	20/-
	℞ Quinine Sulph. ... gr. 1					
	Cinchonid Sulph. ... ,, 1					
S1	Acid Arsen. ... ,, $\frac{1}{40}$					
	Phenol ... ,, $\frac{1}{8}$					
	Menthol ... ,, $\frac{1}{8}$					
	P. Capsici ... ,, $\frac{1}{4}$					
* or W	**Antipyrine** (*Phenazone*) ...	gr. 5	5/6	9/-	15/3	10/-
	Aperient, No.9, boxes of 20's 4/9, 30's 5/6, 40's 6/3 doz.					
	Aspirin ...	gr. 5	3/4	5/3	7/6	3/-
	,, ...	,, 10	5/3	8/3	13/6	6/-
	,, ... Tubes of 12, on display cards of 36.					
	3 doz. ... 1/2 doz. 5 gross... 11/9 gross					
	6 ,, ... 1/1 ,, 10 ,, ... 11/6 ,,					
	1 gross ... 12/- gross 20 ,, ... 11/- ,,					

Compressed Tablets.

	DRUG.			Per Dozen Bottles of			Per
				25	50	100	1000
	Aspirin Co. (A.P.C.)		—	4/3	6/3	9/6	5/3
	℞ Aspirin	gr. 2					
	Phenacetin	,, 2					
	Caffein	,, 1					
	,, **Comp. B.P.C.**		—	4/9	7/6	12/3	7/6
	℞ Aspirin	gr. 3½					
	Phenacetin	,, 2½					
	Caffein Pur.	,, ½					
	,, **Comp. N.F.**			4/9	7/6	12/3	7/6
C	℞ Aspirin	gr. 6					
	Pulv. Ipecac Co.	,, 2					
P1	Phenacetin	,, 2½					
	,, **& Phenacetin**		aa gr. 2½	4/-	6/-	9/3	5/-
	,, **& Phenacetin N.F.**		—	4/3	6/3	10/-	5/6
	℞ Acid Acetylsal	gr 2½					
	Phenacetin	,, 2½					
	Caffein	,, 1					
	Asthma		—	7/-	12/-	21/3	15/-
	Fluorescin	0.5%					
	Calc. Gluconate	3.0					
P1	Ephedrin Hyd.	0.99					
	Theobromine	16.5					
	Phenazone	32.0					
	Carbohydrates	47.01					
	Backache and Kidney		—	4/6	6/9	10/6	6/-
	℞ Ext. Uvæ Ursi						
	P. Scillæ						
	P. Capsici						
	Ext. Buchu	aa. gr. ¼					
	Pot. Nitras	,, 1					
	Podophyllin						
	Tereb Venet.	aa. gr. ⅛					
*	Ol. Junip	m. ¼					
*	**Bath Tablets** (*see Foot Tablets*).						
S1	**Barbitone**		gr. 5	7/3	12/3	21/9	15/6
S1	,,		,, 7½	9/3	16/6	31/-	22/6
S1	,, **Solubile**		,, 5	7/6	13/-	23/-	16/6
S1	,, ,,		,, 7½	9/6	17/6	33/-	24/6
	Benzoic Acid Compound		—	9/-	15/6	28/-	20/6
	℞ Acid Benzoic	gr. ½					
	Codeia	,, $\frac{1}{10}$					
	Menthol	,, $\frac{1}{10}$					
P1	Pulv. Ipecac	,, $\frac{1}{10}$					
*	Cocain Mur.	,, $\frac{1}{100}$					
	Gummi Rubri	q.s.					
	Beta-Naphthol		gr. 3	4/9	7/-	11/6	6/9
	,, ,,		,, 5	5/3	8/3	14/-	8/9
	Beta-Naphthol Co.		—	5/6	9/-	15/3	10/-
	℞ Beta-Naphthol	gr. 1					
	Pulv. Carbo Lig.	,, 4					
	Ol. Menth. Pip	min. ½					
	Bismuth Carbonate		gr. 5	6/-	10/-	17/6	11/6
	,, ,,		,, 10	8/6	16/-	27/-	20/-
	,, **& Charcoal**		—	5/3	8/6	14/3	9/-
	℞ Bismuth Carb.	—					
	Carbo Lign.	aa gr. 2½					
	Bismuthated Magnesia	lb. 2/3	—	—	6/6	—	5/6
		4 lb. 2/2	—				
		7 lb. 2/1	—	12 doz. 6/3			
		14 lb. 2/-	—				
		28 lb. 1/11	—				

Compressed Tablets.

	DRUG		Per Dozen Bottles of			Per
			25	50	100	1000
	Bismuth Pepsin & Charcoal	—	6/-	9/6	17/-	11/-
	℞ Bismuth Carb.	gr. 2				
	Pepsin	,, 1				
	Carbo Lign.	,, 2				
	Bismuth, Rhubarb & Soda	—	4/9	7/6	12/3	7/6
	℞ Bismuth Carb.	gr. 3				
	Pulv. Rhei.	,, 1				
	Sodii Bicarb.	,, 2				
	Bismuth & Soda	—	5/3	8/6	14/3	9/-
	℞ Bismuth Carb.	gr. 2½				
	Sodii Bicarb.	,, 2½				
	,, **Indigestion Tablets** (*see Indigestion Tablets*)					
	,, **Soda & Ginger**	—	4/9	7/3	11/9	7/-
	℞ Bismuth Carb.	gr. 2				
	Sodii Bicarb.	,, 2				
	Pulv. Zingib	,, ½				
	,, **Salicylate**	gr. 5	6/3	10/3	17/9	12/-
	,, **& Magnesia** (*see Bismuthated Magnesia*). —					
	,, **Mint,** boxes of 40's 4/6, 50's 4/9, 60's 5/- doz.					
	,, **Subnitrate**	gr. 5	6/-	9/9	16/6	11/-
	,, ,,	,, 10	7/9	13/3	23/9	17/-
W	**Blaud Pill**	,, 5	3/6	5/6	8/-	3/9
W	,, ,,	,, 10	4/-	6/-	9/3	5/-
W	,, ,, **& Aloin**	—	3/9	5/6	8/3	4/-
	℞ Blaud Pill	gr. 4				
	Aloin	,, 1/20				
W S1	,, ,, **& Arsenic**	—	3/9	5/6	8/3	4/-
	℞ Blauds Pill	gr. 5				
	Ac. Arsenious	gr. 1/64				
W S1	,, ,, **Arsenic and Strychnine**	—	4/-	6/-	9/3	5/-
	℞ Blaud Pill	gr. 5				
	Acid. Arsenios	,, 1/100				
	Strychnin.	,, 1/100				
W	,, ,, **& Cascara**	—	4/-	5/9	8/9	4/6
	℞ Blaud Pill	gr. 5				
	Ext. Cascara Sagrada	,, ½				
W S1	**Blaud Compound**	—	4/9	7/3	11/9	7/-
	℞ Blaud Pill	gr. 10				
	Pulv. Capsici	,, ¼				
	Aloin	,, 1/30				
	Strychnin.	,, 1/30				
	Acid Arsen.	,, 1/30				
W S1	**Blaud Compound** (*half strength of above*)	—	4/6	6/9	10/6	6/-
	Caffeine Citrate (Still)	gr. 1	4/6	6/9	10/6	6/-
	,, ,, ,,	,, 2	5/-	8/-	13/-	8/-
	,, ,, ,,	,, 5	6/3	10/3	17/9	12/-
	Caffeine & Antipyrine	—	5/9	9/6	16/-	10/6
	℞ Caffeine	gr. 1				
	Phenazone	,, 3				
	,, **& Phenacetine** (*see Phenacetine Comp.*)					

Compressed Tablets.

	DRUG.		Per Dozen Bottles of			Per
			25	50	100	1000
	Calcium Aspirin	gr. 5	6/3	10/3	17/9	12/-
	,, ,, ...	,, 7½	7/6	12/6	22/3	16/-
	,, **Gluconate**	,, 5	4/6	6/9	10/6	6/-
	,, **Lactate**	,, 5	3/6	5/-	7/-	3/-
	,, ,, ...	,, 10	4/6	6/9	10/6	6/-
	,, **Soda Lactate**. NF (grs. 7½ in 9½)	...	4/6	7/-	11/-	6/6
	,, ,, ,, Large flavoured (grs. 7½ in 20)		5/-	8/-	13/3	8/6
	,, ,, ,, gr. 5 (gr. 5 in 6) ...	...	4/6	7/-	11/-	6/6
	,, ,, ,, grs. 5 large flavoured (gr. 5 in 13½)		4/6	7/-	11/-	6/6
W	,, **Sulphide**	gr. ⅒, ¼, ½ or 1	3/9	5/6	8/-	4/-
	Calomel	gr. ⅒, ⅛, ⅙, ¼ or ½	3/3	4/3	6/-	2/3
	,, ...	gr. 1	3/6	4/9	6/9	2/9
	,, *These are supplied either plain or with Chocolate base, the former always being supplied unless ordered to the contrary.* ...	,, 2	3/9	5/-	7/6	3/6
	,, ...	,, 3	4/-	6/-	9/-	4/9
	,, ...	,, 4	4/6	6/6	10/6	6/-
	,, ...	,, 5	5/-	8/-	12/6	8/3
	,, **B.P.C. 1923**	,, 1	3/9	5/6	8/3	4/-
	,, ,, ,, ...	,, 2	4/3	6/6	10/-	5/6
	,, **& Soda**	—	4/-	6/-	9/3	5/-
	℞ Hydrarg Subchlor ... gr. 1					
	Sodii Bicarb ... ... ,, 2½					
	Carbromalum		—	—	—	—
	Bottle of 25 2/6 each					
W	,, ,, 50 4/10 ,,					
	,, ,, 100 9/3 ,,					
	Cascara Compound, No. 1	—	5/3	8/6	14/3	9/-
P1	℞ Ext. Cascara Sag. ... gr. 1					
	Ext. Euonym Sicc. ... ,, ½					
	Iridin ... ... ,, ½					
	Ext. Nucis Vom. ... ,, $\frac{1}{16}$					
W	Ext. Hyoscyam ... ,, ⅛					
	Cascara Compound, No. 2	—	4/6	6/9	10/6	6/-
	℞ Ext. Cascara Sag. ... gr. 1					
P1	Ext. Aloes Socot ... ,, ½					
	Pulv. Rhei ... ... ,, ½					
	Ext. Nucis Vom. ... ,, ⅛					
	Podophyllin ... ... ,, ⅛					
W	Ext. Belladonna ... ,, ⅛					
P1	**Cascara & Gentian Compound**	—	4/6	6/9	10/6	6/-
	℞ Ext. Cascara Sag. ... gr. 2					
	Ext. Nucis Vom. ... ,, ⅕					
	Ext. Bellad. Vir. ... ,, ⅒					
	Ext. Gentianæ... ... ,, 1					
C or W	Capsicini ... ... ,, ⅒					
C or W	**Cascara Sagrada Ext.**	gr. 2	3/-	5/-	7/-	3/-
W	,, ,, ,, ...	,, 3	4/-	5/6	8/6	4/6
W	,, ,, ,, ...	,, 4	4/6	6/6	10/-	6/-
	,, ,, ,, ...	,, 5	4/9	7/6	12/-	7/3
	Cathartic Compound...	—	5/3	8/6	14/-	9/-
	℞ Ext. Coloc. Co.... ... gr. 1⅓					
	Hydrarg Subchlor ... ,, 1					
	Ext. Jalap ... ... ,, 1					
	Pulv. Gambogiæ ... ,, ¼					

Compressed Tablets.

	DRUG.		Per Dozen Bottles of			Per
			25	50	100	1000
	Charcoal	gr. 5	3/9	5/6	8/3	4/-
	Chemical Food (Phosphates Compound)	dr. ½	4/-	5/9	9/-	4/9
	containing the combined Phosphates of Iron, Calcium, Sodium and Potassium, equivalent to drachm ½ of Comp. Syrup of Phosphates	dr. 1	4/6	6/9	10/6	6/-
	Chest and Lung	per lb 1/10				
	,, ,, ...	14 lb ,, 1/8				
	,, ,, ...	28 lb ,, 1/7				
	,, ,, ...	½ cwt. ,, 1/6				
	,, ,, ...	1 ,, ,, 1/4				
	Chilblain (*prices as for Calcium Lactate Tablets*).					
	,, **with Parathyroid**	—	7/6	12/9	23/-	16/-
P1	**Chloral Formamide**	gr. 5	8/9	15/3	27/9	20/-
P1	**Chloral Hydrate**	,, 5	5/6	9/-	15/3	10/-
	Chloramine-T (*see Solvellæ*).					
	Chlorophyll (*see also Radiophyll*, p. 105) ...	—	—	5/6	8/6	5/-
S1	**Cinchophenum B.P.** (see *Quinophan*).					
	Cinnamon (*Influenza Tablets*)	—	—	6/-	—	5/-
	,, **& Quinine**	—	—	8/6	—	9/-
S1	†**Cocain Hydrochlor**	gr. 1/10	7/-	12/-	21/3	15/-
S1	† ,, ,, ...	,, ⅛	7/9	13/3	23/9	17/-
S1	† ,, ,, ...	,, ¼	11/-	19/9	36/9	28/-
	Cod Liver Oil Extract 1/- ... ... 24's 6/6 doz.					
	,, ,, ,, ,, 2/- ... ... 60's 12/6 ,,					
S1	**Codeine**	gr. ⅛	7/9	13/6	24/-	17/-
S1	,, ...	,, ¼	11/-	20/-	36/6	27/6
S1	,, ...	,, ½	18/3	34/-	66/-	52/-
S1	,, ...	,, 1	33/-	64/-	123/-	100/-
S1	,, **Phosph.**	,, ¼	10/-	18/-	30/-	23/-
S1	,, ,, ...	,, ½	17/-	30/-	55/-	40/-
S1	,, ,, ...	,, 1	30/-	47/-	100/-	75/-
	Coffee Mint	,, 4	3/9	5/-	7/3	3/-
S1	**Colchicine Salicylate**	,, 1/32	14/9	27/3	51/9	40/-
P1	**Cold Cure**	—	6/-	—	18/6	12/6
	Boxes of 16's 3/-, 20's 3/6, 24's 3/9, 32's 4/3 doz.					
W	**Colocynth Comp.** (B.P. Pill)	gr. 4	5/3	8/6	14/3	9/-
P1 * or *W*	**Colocynth & Hyoscyamus** (B.P. Pill) ...	,, 4	6/3	10/-	17/6	9/6
	Complexion (*see Calcium Sulphide*)					
	,, Boxes of 20's 4/6, 40's 4/9, 60's 5/- doz.					
	Cough (*see Pectorine Tablets*).					
C	**Cubeb Compound**	—	5/6	8/6	14/-	8/9
	℞ Powd. Cubeb ... ... gr ¾					
	Ferri Sulph. Exsic ... ,, ⅛					
	Copaibæ Res. ... ... ,, ½					
	Tereb Venet. ... ... ,, ¼					
	Ol. Santal ... ... *M* 1/10					
	Ol. Gaultheriæ ... ... ,, 1/20					

† Comes under regulations of D.D. Act

Compressed Tablets.

	DRUG,	Per Dozen Bottles of			Per
		25	50	100	1000
S1	†**Diamorphin Hydrochlor** ... ... gr. 1/24	6/6	10/9	18/9	13/-
S1	† ,, ,, ... ,, 1/12	7/9	13/6	24/-	17/-
	Digestive (*P.J.F. 64/21*).	4/9	7/6	12/-	7/-
	Boxes of 25's 5/-, 40's 6/3, 60's 7/6 doz.				
S1	**Digitalis Tincture** ... ... min. 5	4/-	6/-	9/3	5/-
S1	,, **Leaves Standardised**				
	gr. ½ (each tablet represents ⅓ cat unit)	4/-	6/-	9/-	4/9
	gr. 1 (,, ,, ,, ,, ⅔ ,, ,,)	4/-	6/-	9/3	5/-
S1	**Diuretic** ... ... —	4/9	7/3	11/9	7/-
	℞ Pulv. Digitalis ... ... gr. 1				
	Potass Nitras ... ... ,, 1				
	Ext. Buchu ... ... ,, 1				
	Pulv. Scillæ ... ... ,, 1				
S1	**Dover's Powder** ... ... gr. 1	3/9	5/6	8/3	4/-
S1	,, ,, ... ,, 3	4/9	7/3	11/9	7/-
S1	,, ,, ... ,, 5	5/-	8/-	13/-	7/9
W P1	**Easton's Syrup** (appx. equivalent to min. 30 of Syrup)	4/6	7/-	11/3	6/6
W	,, ,, (,, ,, ,, ,, 60 ,, ,,)	5/9	9/6	16/-	10/6
* or W S1	**Emmenagogue, Improved** ... ... —	9/3	16/3	29/9	22/-
	℞ Ext. Gossypii Rad. Cort. gr. 1				
	Ergotin ... ... ,, 1				
	Ferri Sulph. Exsic. ... ,, 1				
	Ext. Hellebori Nig. ... ,, 1				
	Aloes Socotrin ... ... ,, 1				
	Ol. Sabin ... ... m. ¼				
P1	**Ephedrine Hydrochlor** .. .. gr. ¼	5/-	8/3	13/9	8/9
P1	,, ,, ... ,, ½	7/3	12/6	22/6	16/-
P1	,, ,, ... ,, ¾	9/6	17/-	31/6	23/6
P1	,, ,, ... ,, 1	11/6	21/-	39/-	30/-
W S1	**Ergotin** ... ... gr. 1	7/-	12/-	21/3	15/-
W S1	,, ... ,, 2	9/6	17/-	31/-	23/-
W S1	,, ... ,, 3	12/-	21/9	40/6	31/-
C S1	**Ergotine Compound** ... ... —	9/6	17/-	31/-	23/-
	℞ Ergotin ... ... gr. 1½				
	Quin. Sulph. ... ... ,, ½				
	Tr. Digital. ... ... m. ½				
P1	**Extract Suprarenal** (*see Suprarenal*).				
	Euonymin ... ... gr. ⅛ & ¼	3/-	5/6	8/3	3/9
	,, ... ,, ½	4/-	5/9	8/6	4/3
	,, ... ,, 1	4/3	6/3	9/9	5/3
	Flatulence (*P.J.F. 12/13*) ... ... —	5/-	8/3	13/-	8/9
	℞ Aloin ... ... gr. 1/10				
	Ferrous Carb. ... ... ,, ½				
	Pepsin ... ... ,, 1				
	Diastase ... ... ,, 1/10				
	Charcoal ... ... ,, 1				
	Capsicin ... ... ,, 1/10				
	Amyli ... ... q.s.				
	P.J.F. 64/21 vide Digestive.				

Compressed Tablets.

	DRUG	Per Dozen Bottles of			Per 1000
		25	50	100	
	Formaldehyde, B.P.C. per lb. 2/- ... ... —	4/-	5/9	8/9	4/6
	Formalin Throat (Cinnamon, Mint, Menthol or Rose flavoured), per lb. 2/- —				
	14 lbs. 1/11 lb. —				
	28 ,, 1/10 ,, —				
	56 ,, 1/9 ,, —				
	112 ,, 1/8 ,, —	—	5/9	8/9	4/6
	6 doz. 50's	—	5/6	—	—
	12 ,, 50's	—	5/3	—	—
	Formalin Disinfectors... ... ... gr. 15	6/6	11/3	19/6	12/6
	,, ,, in bulk 1-lb. 6/- —				
	,, ,, ,, 4-lbs. 5/9 —				
	,, ,, ,, 7-lbs. 5/6 —				
	Formamine (*see Hexamine*).				
	Formamint, P.J.F., No. 46 (20) Bots. of 50 5/9 doz.				
C	**Fucus** (Fuci Vesiculosi Ext.) (Antifat Tablet) gr. 3	4/9	7/3	11/9	7/-
	,, **Comp.** (Slimming Tablets)	—	—	—	5/6
	Gentian & Soda (*see Soda & Gentian*).				
	Ginger & Soda (*see Soda & Ginger*).				
	Ginger Mint, B.P.C. ... ... —	3/6	5/-	7/3	3/3
	Mixed Gland				
	(Tetra Gland)	11/6	21/-	39/-	30/-
	(Male)	7/3	12/3	21/9	15/-
	(Female)	7/3	12/3	21/9	15/-
P1	**Glycerophos. Co. Syrup** ... ... ½ drm.	5/6	9/-	15/3	10/-
	,, ,, ,, ... 1 drm.	7/-	12/-	21/3	15/-
P1	**Glycerylis Trinitratis, B.P.** (*see Nitro-Glycerine*)				
	Gregory Powder ... ... gr. 5	4/-	5/9	8/9	4/6
	Grey Powder ... ... gr. ⅛, ¼, ½ or 1	3/3	4/6	6/-	2/3
	,, ,, ... ,, 2	3/6	5/-	7/3	3/3
	,, ,, ... ,, 3	4/-	5/9	8/9	4/6
	,, ,, ... ,, 4	4/3	6/6	10/3	5/9
	,, ,, ... ,, 5	4/9	7/3	11/6	7/-
	,, ,, **B.P.C.** (*strength and prices as above*).				
S1	**Grey Powder & Dover's Powder** ... (aa gr. 1)	5/-	7/9	12/9	8/-
S1	† ,, **& Opium** ... ... —	5/-	7/9	13/-	8/-
	℞ Hyd. c. Creta ... ... gr. 1				
	Pulv. Opii ... ... ,, ⅛				
	Grey Powder & Soda Bicarb ... ... —	3/9	4/6	7/3	4/-
	℞ Hyd. c. Creta ... ... gr. ½				
	Sodii Bicarb ... ... ,, 2½				
	Guaiacol Carbonate ... ... gr. 5	6/9	11/3	20/-	13/9
	Guaiacum & Sulphur, B.P.C. ... (aa gr. 3)	4/6	6/9	10/6	6/-
P1	**Headache & Neuralgia**, boxes of 20's, 5/-, 30's 6/-, 40's 7/- doz.				
S1	†**Heroin Hydrochlor** (*vide Diamorphin Hydrochlor.*)				
	Hexamine .. .. gr. 5	4/-	5/6	8/6	4/3
	,, **Sodio-Acetate** ... ... ,, 10	6/6	11/3	19/6	12/6

† Comes under regulations of D.D. Act.

Compressed Tablets.

	DRUG.	Per Dozen Bottles of			Per
		25	50	100	1000
	Hydrarg c. Creta (*see Grey Powder*).				
S1	,, **Iodid Rub.** ... ... gr. $\frac{1}{16}$ & $\frac{1}{20}$	2/6	4/-	6/8	3/6
	,, ,, **Virid** ... ... gr. $\frac{1}{8}$ & $\frac{1}{4}$	2/6	4/-	6/8	3/6
S1	,, **Perchlor.** ... ... ,, $\frac{1}{100}$ & $\frac{1}{16}$	3/-	4/10	8/6	5/-
	,, ,, (*see also Solvellæ, page* 108).				
	,, **Subchlor.** (*see Calomel*).				
W	**Hypophosph Comp., B.P.C.** ... ... min. 30	4/6	6/9	10/6	6/-
P1	,, ,, ... 60	5/3	8/6	14/3	9/-
W	**Ichthammol B.P.** ... ... gr. 2½	5/3	8/6	14/3	9/-
	Indigestion Tablets—				
	Heart Shape, lb. 2/-, 14lb. 1/11, 28lb. 1/10, 56lb. 1/9				
	,, ,, ,, ,, 2oz. cartons per doz. 3/6				
	(*Reductions for quantities as for Chest & Lung Tablets.*)				
	Window display matter, showcards and cartons supplied.				
	Iodised Throat ... ... —	—	5/9	—	4/6
	,, ,, ,, ... 12 doz. —	—	5/3	—	—
	,, ,, ,, Tins of 24 4/3 doz. 48/- gross				
	Ipecacuanha Powder ... ... gr. 5	6/9	11/-	18/3	14/-
	,, ,, (*without Emetine*) ... ,, 5	7/3	12/-	23/-	17/-
S1	,, **Comp** (*see Dover's Powder*) ... —				
* *or W*	**Iron & Arsenic Compound** ... ... —	9/3	16/3	29/6	21/9
S1	℞ Ferri Hypophosph .. gr. 2				
	Quinin. Bisulphat. ... ,, 1				
	Acid Arsenios ... ... ,, $\frac{1}{50}$				
	Strychnin. Sulphat ... ,, $\frac{1}{50}$				
* *or W*	**Iron & Quinine** ... ... —	5/3	8/6	14/-	9/-
	℞ Quinine Sulph ... ... gr. ½				
	Ferri Phosphas ... ... ,, 1				
* *or W*	**Iron & Quinine Citrate** ... ... gr. 3	4/6	9/-	14/6	10/-
	,, ,, ,, ... ,, 5	6/3	10/6	18/3	14/6
	,, **Reduced** ... ... ,, 1	3/9	5/3	7/6	3/6
* *or W*	,, ,, ... ,, 2	4/-	5/9	8/9	4/6
* *or W*	,, ,, ... ,, 3	4/3	6/6	10/-	5/6
	Supplied with Chocolate base if required.				
	Jalap ... ... gr. 5	5/3	8/-	13/3	8/-
P1	**Krameria and Cocain** ... ... —	6/-	10/-	17/-	—
	℞ Ext. Krameria ... gr. 1				
	Cocain Hydrochlor ... ,, $\frac{1}{200}$				
	Lactated Pepsin (*see Pepsin Lactated*)				
P1	**Laxative** (*see Vegetable Laxative*).				

Compressed Tablets.

	DRUG.		Per Dozen Bottles of			Per
			25	50	100	1000
P1	**Laxative Quinine Bromide...** ...	16's, 3/9 doz.				
P1	**LeptandræCo. B.P.C.** (*see Vegetable Laxative*)					
S1	**Lead & Opium Pill**	gr. 4	5/3	8/-	13/3	8/-
	Liquorice Powder Compound	—	4/3	6/3	9/9	5/-
	Lithium Carbonate	gr. 2	5/3	8/-	13/3	8/-
	,, ,, ...	,, 5	6/9	11/6	20/3	14/-
	,, **Citrate** (Still)...	,, 2	4/6	6/9	11/-	6/-
	,, ,, ,, ...	,, 5	6/3	10/3	17/9	12/-
	Livingstone Rousers	—	7/3	12/6	22/-	15/3
	℞ Pulv. Jalapæ ... ... gr. 1½					
	Hyd. Subchlor ... ... ,, 1					
	Pulv. Rhei. E.I. ... ,, 1½					
	Quininæ Bisulph ... ,, 1					
S1	**Luminal** (*see page* 137).					
	MacLean's formula Powder	—	—	5/9	—	4/6
	Magnesia, Cream of	—	—	5/9	—	4/6
S1	**Malourea** (*see Barbitone*)					
S1	**Mercuric Potass. Iodid** (*see Solvellæ, page* 109).					
	Mercury with Chalk (*see Grey Powder*).					
	,, **Subchloride** (*see Calomel*).					
W	**Methylene Blue**	gr. 2	7/-	12/-	21/3	15/-
P1	**Methyl Sulphonal** (*Trional*)	,, 5	10/9	19/6	36/-	27/3
C S1	**Mixed Treatment**	—	7/3	12/3	22/-	15/6
	℞ Potass. Iodid ... ... gr. 2					
	Syr. Ferri. Iodid ... m. 5					
	Hyd. Perchlor ... ... gr. $\frac{1}{64}$					
	Sol. Arsen. et Hyd. Iodid ... ... m. 2					
	Tr. Nucis. Vom. ... ,, 2					
S1	†**Morphia Hydrochlor** (or **Sulphate**) ...	gr. ⅛	7/3	12/3	21/9	15/6
S1	† ,, ,, ...	,, ¼	9/3	16/6	31/-	23/-
S1	† ,, ,, ...	,, ½	16/-	30/-	57/-	44/6
S1	† ,, ,, ...	,, 1	28/-	54/6	106/-	85/6
	Naso-Pharyngeal (*see Solvellæ, page* 109).					
	Neutramyne (*see page* 141).					
P1	**Nitro-Glycerin**	gr. $\frac{1}{200}$ $\frac{1}{100}$ $\frac{1}{50}$	4/-	6/-	9/3	5/-
P1	,, ,, (Glycerylis Trinitrat, B.P.)	gr. $\frac{1}{130}$	4/-	6/-	9/3	5/-
	Normo-Gastrine (*see page* 141)					
P1	**Nux Vomica (Tincture)**	Min. 1	3/3	4/9	7/3	3/3
P1	,, ,, ,, ...	,, 5	3/9	5/3	8/3	4/-
P1	,, ,, ,, ...	,, 10	4/3	6/3	9/9	5/-

† Comes under regulations of D.D. Act.

Compressed Tablets.

	DRUG.		Per Dozen Bottles of			Per
			25	50	100	1000
S1	†**Opium**	gr. ¼	5/3	8/9	14/6	9/6
S1	† ,,	,, ½	5/9	9/3	16/-	10/6
S1	† ,,	,, 1	6/6	11/-	19/6	13/3
S1	† ,, **Tincture**	min. 5	6/3	10/3	18/-	12/3
	Ovarian (Fresh)	gr. 1	5/3	8/6	14/3	9/-
	,, ,,	,, 2	6/6	10/9	18/9	13/6
	,, ,,	,, 3	8/-	14/-	25/-	18/-
	,, ,,	,, 4	9/-	16/3	30/-	22/-
	,, ,,	,, 5	10/6	19/-	34/9	26/-
	Pancreatin	gr. 5	7/6	12/9	22/6	16/-
	Papain	,, 2	6/3	11/9	22/3	16/6
	,,	,, 3	9/3	16/6	30/3	22/6
	,,	,, 5	12/3	22/3	41/9	32/-
	Para-Thyroid	gr. 1/40	7/3	12/6	22/6	16/-
	,, ,,	,, 1/20	10/9	19/6	36/3	27/6
	,, ,,	,, 1/10	14/9	27/9	52/9	41/-
	Pectorine Cough ... 2/- per lb ,, ,, 7 lb 1/10 per lb. 28 lb 1/8 ,, ,, ,, 56 lb 1/7 ,, 112 lb 1/6 ,, 2 oz. Cartons 3/6 doz. 39/- gross.					
	Peptonising (in tubes of 12) ... 3/9 per doz.					
∗or W	**Pepsin** Guaranteed B.P. 2500 test	gr. 1	4/6	7/-	11/-	6/6
∗or W	,, ,, ,, ,,	,, 2	5/3	8/3	14/-	9/-
∗or W	,, ,, ,, ,,	,, 3	6/3	10/3	17/9	12/-
∗	,, ,, ,, ,,	,, 5	8/-	14/-	25/-	18/-
	,, **Comp.** (*see Bismuth Pepsin & Charcoal*).					
	,, **Lactated** ...	,, 5	7/9	13/3	23/9	17/-
P or W	**Peppermint** (curiously strong) boxes, 4/3 per doz. 12 doz. 4/- per doz.					
	Phenacetin	gr. 5	4/3	6/6	10/6	6/-
	,, **Comp. B.P.C.** ℞ Phenacetin ... gr. 4 Caffein pur. ... ,, 1	—	4/6	7/3	11/9	7/-
	,, **Comp. et Caffein Citras, B.P.C.** ℞ Phenacetin ... gr. 4 Caffein Cit. ... ,, 1	—	4/3	6/6	10/6	6/-
	,, **& Quinine Comp.** ℞ Phenacetin ... gr. 3 Quin. Hydrobrom ... ,, ½ Caffein ... ,, ⅜	—	5/9	9/6	16/6	11/-
	Phenazone (*see Antipyrine*)					
S1	**Phenobarbitonum** (or Phenobarbitonum solubile)	gr. ¼	3/6	4/9	6/9	3/-
S1	,,	,, ½	3/9	5/3	7/9	3/9
S1	,,	,, 1	4/6	7/6	12/-	7/6
S1	,,	,, 1½	5/9	9/6	16/3	10/9
S1	,,	,, 2	6/9	11/6	20/-	14/-
S1	,,	,, 3	8/6	15/-	27/3	20/-
S1	,,	,, 5	11/6	21/-	39/3	30/-

† Comes under regulations of D.D Act.

Compressed Tablets.

	DRUG.		Per Dozen Bottles of 25	50	100	Per 1000
S1	**Phenobarbiton et Theobromin, B.P.C.**		—	—	—	16/-
	Phenolphthalein	gr. ¾	3/3	4/9	7/-	3/-
	,,	,, 1	3/6	5/-	7/6	3/6
	,,	,, 1½	3/9	5/6	8/-	4/-
	,,	,, 2	3/9	5/6	8/3	4/3
	,,	,, 2½	4/-	6/-	8/9	4/6
	,,	,, 3	4/-	6/-	9/-	4/9
	,,	,, 4	4/3	6/3	9/9	5/6
	,,	,, 5	4/6	6/9	10/9	6/3
	,,	,, 7½	5/-	7/9	12/9	8/-
P1	,, **Comp. B.P.C.**		4/6	7/-	11/3	6/9
	Phosph. Tonic (*see Quinine & Phosphorous*)					
	Pile Cure P.J.F. 11/13		5/6	—	—	—
		gross lots	5/-			
	Pine Pellets	tins, 5/6 doz.	—	—	—	5/6
	,, ,,	gross lots 5/3 ,,				
	,, ,,	5 ,, ,, 5/2 ,,				
	In bulk	per lb. 2/-				
* *P1*	**Pituitary Gland, Fresh**	gr. ¼	5/3	8/3	13/9	8/9
	,, ,, ,,	,, ½	6/3	10/6	18/3	12/6
	,, ,, ,,	,, 1	9/9	15/6	28/6	21/-
	,, ,, ,,	,, 2	14/-	22/-	48/9	38/-
	,, ,, **Siccum**	,, ¼	9/9	15/6	28/6	21/-
	,, ,, ,,	,, ½	14/-	22/-	48/9	38/-
	,, ,, ,,	,, 1	23/6	44/6	86/6	70/-
	,, ,,	,, 2	43/-	84/-	165/-	135/-
	Podophyllin	gr. ¼	3/9	5/3	7/9	3/6
	,,	,, ½	4/6	7/-	11/6	6/-
	,, **Compound**	—	6/-	9/9	16/6	11/-
	,, **& Euonymin**	—	5/3	8/3	13/9	8/-
	℞ Podophylli Resin	gr. ¼				
	Ext. Euonym. Sicc.	,, 1				
	Potassium Bicarbonate	gr. 5	3/9	5/3	8/-	3/9
	,, **Bromid.**	,, 5	3/9	4/9	6/6	3/3
	,, ,,	,, 10	4/6	6/6	10/6	6/-
	,, **Chlorate**	,, 5	3/-	3/9	4/9	1/3
	,, ,, in bulk	1/8 lb.				
	,, ,, ,, ,, 7 lbs.	1/6 lb.				
	,, ,, ,, ,, 28 lbs	1/2 lb.				
	,, ,, ,, ,, 112 lbs.	-/11 lb.				
	,, **Chlorate & Borax**	gr. 5	3/-	3/9	4/9	1/3
	,, ,, ,, in metal boxes of 30,		3/- doz.			
	,, ,, ,, boxes of 100, 5/6 doz.					

Prices in bulk as those for Potass. Chlorate.

Compressed Tablets.

	DRUG.	Per Dozen Bottles of			Per
		25	50	100	1000
P1	**Potassium Chlorate Borax & Cocain, No. 1** — ℞ Pulv. Pot. Chlor.... gr. 2½ Pulv. Boracis ... ,, 2½ Cocain Hydrochlor ,, 1/200	4/-	5/9	8/9	4/6
P1	,, **Chlorate Borax & Cocain, No. 2** — ℞ Pulv. Pot. Chlor. gr. 4 Pulv. Boracis ... ,, 1 Cocain Hydrochlor ,, 1/200	4/-	5/9	8/9	4/6
S1	† ,, **Chlorate Borax & Cocain,** ... —	5/3	8/3	13/3	8/3
* *or C*	,, **Citrate** ... ... gr. 5	3/9	4/6	6/-	3/-
	,, **Iodide** ... ... ,, 3	4/3	6/-	9/3	5/-
	,, ,, ... ,, 5	4/9	7/6	12/3	7/6
	,, **Permang** (*see Solvellæ, page* 109)				
S1	**Pulv. Ipecac Co.** (*see Dover's Powder*).				
	Pulv. Sodium Nitrite Co. ... ... — ℞ Sodium Nitrite ... gr. ½ Potass Nitrate ... ,, 10 ,, Bicarb. ... ,, 10	6/3	10/6	18/3	—
	Quinidin Sulphate ... ... gr. 5	16/-	30/-	57/6	45/-
	Quinine Ammoniated (*see Ammoniated Quinine*)				
W	,, **Sulphate** *&/or* **Bisulphate** ... gr. 1	5/3	8/-	13/-	8/-
W	,, ,, ... ,, 2	7/6	13/-	23/6	17/-
W	,, ,, ... ,, 3	9/6	17/-	31/6	23/6
W	,, ,, ... ,, 4	11/6	20/-	39/-	29/6
W	,, ,, ... ,, 5	13/6	25/-	48/6	36/6
W	,, **Hydrobrom, Hydrochlor** *or* **Salicylate** ... ,, 1	5/6	9/-	15/3	10/-
W	,, ,, ... ,, 2	8/6	15/-	27/-	19/9
W	,, ,, ... ,, 3	11/-	20/-	37/6	28/6
*	,, ,, ... ,, 4	13/6	25/-	47/-	36/6
*	,, ,, ... ,, 5	15/6	28/-	55/6	43/6
*	,, **Dihydrochlor** ... ... ,, 1	5/9	9/3	16/-	10/6
*	,, ,, ... ,, 2	9/-	16/-	29/-	21/6
*	,, ,, ... ,, 3	11/6	21/-	39/3	30/-
*	,, ,, ... ,, 4	14/3	26/6	50/-	39/-
*	,, ,, ... ,, 5	16/9	31/6	60/3	47/6

† Comes under regulations of D.D. Act.

Compressed Tablets.

	DRUG.	Per Dozen Bottles of			Per
		25	50	100	1000
	Quinine & Phosphorus—				
	36's .. 5/- doz.				
	48's .. 6/3 ,,				
	72's ... 8/6 ,,				
S1	**Quinophan** ... gr. 5	7/9	13/6	24/3	17/6
	,, ... ,, 7½	10/-	18/-	33/3	25/-
S	**Radiophyll Brand** (Chlorophyll) Tablets. Mental, Nerve and Body Restorative.				
	Bots (72) ...doz. 7/6				
	Bots (144) ... ,, 12/6				
	Regulators—				
	15's ... doz. 3/6				
	,, 3 doz. and over ... ,, 3/3				
	45's ... ,, 6/9				
	,, 3 doz. and over .. ,, 6/6				
* *or W*	**Rhubarb** ... gr. 3	4/9	7/3	11/9	7/-
* *or W*	,, **Compound** (*see Gregory Powder*)				
W	,, ,, **Pill** ... gr. 4	4/9	7/3	11/6	6/6
*	,, **& Gentian Comp.** ... ,, 5	4/-	6/-	9/3	5/-
*	,, **Soda & Ginger B.P.C.** ... —	4/9	7/3	11/9	7/-
	℞ Pulv. Rhei ... gr. 3				
	Sodii Bicarb ... ,, 1½				
	Pulv. Zingib ... ,, ½				
	Saccharin 550—				
	Full strength gr. ·3 100's tins 5/6 envelopes 5/- doz.	—	—	—	3/6
	,, ,, ,, 200's ,, 9/6 ,, 9/- ,,				per lb 27/-
*	**Salicin** ... gr. 5	9/-	15/9	29/-	21/-
*	**Salol** ... ,, 5	4/6	6/6	10/6	6/-
*	**Santonine** ... ,, ½	5/9	9/6	16/6	11/-
*	,, ... ,, 1	8/9	15/6	28/6	21/-
*	,, ... ,, 2	14/9	27/6	52/6	41/-
*	,, **Comp. B.P.C.** ... aa ,, ½	5/9	9/6	16/6	11/-
	,, ,, ... aa ,, 1	8/9	15/6	28/6	21/-
	,, ,, ... gr. 2 & ,, 1	14/9	27/6	52/6	41/-
	Slimming (*See also Nymfa preparations, p.* 152.)		50s.	144s.	
	,, "Red Diamond" ...	—	7/6	15/-	—
	,, ... 6 doz.	—	7/3	14/6	—
	,, ... 12 doz.	—	7/-	14/-	—
*	**Soda & Gentian** ... —				
*	℞ Sodii Bicarb ... gr. 3				
	{ Ammon. Carb. / Sp. Ammon. Co. } ... ,, 3				
	Inf. Gentian Co. ... dr. 2½	3/6	5/10	10/3	6/6

Compressed Tablets.

	DRUG.	Per Dozen Bottles of			Per
		25	50	100	1000
	Soda and Ginger ... ... gr. 5	3/9	5/-	8/-	4/-
	,, **Mint** ... ... ,, 5	3/-	3/9	4/6	1/-
	,, ,, ... lb. 1/3				
	,, ,, 7-lb ... ... ,, 1/2				
	,, ,, 14-lb ... ... ,, 1/1				
	,, ,, B.P.C. (*see Sodium Bicarb. Co. B.P.C.*)				
	Sodium Bicarbonate ... ... ,, 5	2/6	3/-	4/-	1/-
	,, ,, ... ,, 10	3/-	4/-	5/-	1/9
	,, ,, **Comp.** B.P.C. ... 2/6 per lb				
	7 lb... 2/3 ,,				
	14 lb... 2/1 ,,				
	,, **Bromide** ... ... gr. 5	4/-	5/9	8/9	4/6
	,, ,, ... ,, 10	5/-	7/6	12/3	7/6
	,, **Citrate** ... ... ,, 2	3/3	4/3	5/6	2/-
	,, ,, ... ,, 5	3/9	5/-	8/-	3/9
	,, **Iodide** ... ... ,, 5	5/3	8/6	14/-	9/-
	,, **Nitrite** ... ... ,, 1	3/3	4/3	5/6	2/-
	,, ,, ... ,, 2	3/6	4/9	6/9	2/9
	,, ,, ... ,, 3	3/9	5/6	8/3	3/9
	,, ,, **Co.** (*see Pulv. Sodium Nitrite Co.*)				
	,, **Salicylate** Ph. Pure ... ... gr. 5	3/9	5/6	8/6	4/9
	,, **Sulphocarbolate** ... ... ,, 5	5/3	8/3	13/9	8/6
	Sore Throat (*see Iodised Throat*).				
	Stann. Co. N.F.	4/6	7/-	11/3	6/6
	℞ Stannum ... ... gr. 1·7				
	Stannic Oxid. ... ... gr. 0·3				
	Strontium Bromide ... ... gr. 5	4/6	6/9	10/6	6/-
S1	**Strophanthus Tincture** (appx. equivalent to m. 2) ...	3/9	5/6	8/-	4/-
P1	,, ,, ,, ,, ,, 5) ...	4/3	6/6	10/6	6/-
P1	**Sulphonal** ... ... gr. 5	8/6	15/-	27/3	20/-
	,, ... ,, 10	14/6	25/9	49/-	38/-
	Sulphur Compound, Diamond Brand 1/4 lb.				
	(*Pleasantly flavoured with* 14 lb. 1/3 ,,				
	Orange, extra quality.) 28 ,, 1/2 ,,				
	56 ,, 1/1 ,,				
	112 ,, 1/- ,,				
	Sulphur Compound, super quality 1/2 lb.	Orange or Lime Flavoured, also "one-bar" oblong tablets lime flavoured only. Window display matter and cartons supplied.			
	14 lb. 1/1 lb.				
	28 ,, 1/- ,,				
	56 ,, 11d. ,,				
	112 ,, 10d. ,,				
*	¼ lb. Cellophane bags 48/- gross				
W P1	**Suprarenal Gland**, Fresh .. .. gr. 5	9/3	16/3	29/9	22/-
W P1	**Syrup Hypophosph Co.** (*see Hypophosph Co., B.P.C*)				
	Theobrom. Sodio Salicylate ... ... gr. 5	7/-	12/-	21/-	15/-
	Throat Tablets (*see Iodised Throat Tablets*).				
	,, ,, (*see Formalin Throat Tablets*)				
	Three Bromides...	5/-	8/-	13/-	8/-
	℞ Potass. Bromid ... ... gr. 6				
	Sodii Bromid ... ... ,, 6				
	Ammon. Bromid ... ... ,, 3				
W P1	**Three Syrups** ... ... 1 fl. drachm	6/-	9/6	16/9	11/3
	℞ Syr. Ferri Phosphat c. Quinin				
	et Strych. (*Easton*) ... ... m. 15				
	Syr. Hypophosph Co. ... ... ,, 15				
	Syr. Ferri Phosphatum Co. (*Parrish*) ,, 30				
	each contains Strychnin gr. $\frac{1}{170}$				

Compressed Tablets.

	DRUG.		Per Dozen Bottles of			Per
			25	50	100	1000
	Three Valerianates		10/-	18/-	33/3	25/-
	℞ Quin. Valer.	gr. 1				
	Ferri Valer.	,, 1				
	Zinci Valer.	,, 1				
*	**Thymus Gland**	gr. 5	9/-	15/9	28/6	21/-
*	**Thyroid (fresh) Gland** Each tablet represents the equivalent of the weight stated of the fresh gland.	,, ¼	3/-	3/6	4/6	2/6
*	,, ,, ,,	,, ½	3/3	3/9	5/-	3/-
*	,, ,, ,,	,, 1	3/6	4/-	5/6	3/6
*	,, ,, ,,	,, 1½	3/9	4/3	6/-	4/-
*	,, ,, ,,	,, 2	3/9	4/6	6/6	4/6
*	,, ,, ,,	,, 2½	4/-	4/9	7/-	5/-
*	,, ,, ,,	,, 3	4/-	5/6	9/-	6/-
	,, ,, ,,	,, 5	4/6	6/-	10/-	7/-
P1	**Thyroid B.P. (Thyroid Siccum)**	gr. ¼	3/-	3/6	4/6	2/6
	,, ,, ,, ...	,, ½	3/3	3/9	5/-	3/-
	,, ,, ,, ...	,, 1	3/6	4/3	6/6	4/6
	,, ,, ,, ...	,, 1½	3/9	5/-	8/3	5/6
	,, ,, ,, ...	,, 2	4/-	5/6	9/-	6/-
	,, ,, ,, ...	,, 2½	4/6	6/6	11/-	7/6
	,, ,, ,, ...	,, 3	5/-	7/6	13/6	9/-
	,, ,, ,, ...	,, 4	5/9	8/6	17/-	12/-
	,, ,, ,, ...	,, 5	7/-	12/-	20/-	15/-
	Tin & Tin Oxide		6/3	10/6	18/3	12/-
	℞ Stannum					
	Stannic Oxide	āā gr. 2½				
S1	**Tonic Compound**		6/-	10/3	17/6	12/-
	℞ Ferri Pyrophosph ...	gr. 2				
	Quinin Bisulph. ...	,, 1				
	Strychnine Sulph. ...	,, $\frac{1}{100}$				
C	**Tonic Laxative**		4/9	7/6	12/3	7/-
	℞ Ferri Phosph.	gr. ⅛				
	Aloin	,, ⅛				
	Capsicin	q.s.				
P1	**Trinitrin** (*see Nitro-Glycerin*).					
P1	**Trional** (*see Methyl Sulphonal*).					
	Urotropine (*see Hexamine*).					
P1	**Vegetable Laxative (Laxative Co. N.F.)**		4/-	6/-	9/6	5/-
W P1	,, ,, **(Leptandræ Co. B.P.C.)**		4/-	6/-	9/6	5/-
	℞ Ext. Coloc Co.	gr. 1				
	Jalap Resin	,, ¼				
	Resin Podoph	,, ¼				
	Ext. Leptandræ ...	,, ¼				
	Ext. Hyos. ...	,, ¼				
	Ext. Tarax	,, ¼				
	Ol. Menth. pip.... ...	q.s.				
	Vegetable Laxative (*sine Ext. Hyos*)		4/-	6/-	9/6	5/-
	Voice (*see Pot. Chlor. Borax and Cocain*).					
* P1	**Warburg's Tincture**	min. 30	5/6	8/9	14/-	9/6
	Yeast	gr. 5	3/9	5/6	8/-	4/-
	,, **Compound**		4/9	7/6	12/3	7/-

SOLVELLÆ.

For quickly preparing solutions of definite strength for Antiseptic Lotions, Douches, Sprays, Gargles, &c.

	Tubes or Bottles. POISONS in Blue Bottles.			
DRUG.	Per Dozen Bottles of 25	50	100	Per 1000
S1 **Acid Tannic Co., B.P.C.**	6/3	10/-	18/-	12/6
S1 ,, ,, ,, **(Burn. Tablets)**	7/9	13/3	23/9	17/-
℞ Ac. Tannic ... gr. 17½				
Hydrarg. Perchlor. ... ,, ½				
Ac. Boric ... ,, 1				
Acriflavine ... gr. ½	13/9	25/6	48/6	37/6
... ,, 1	22/-	42/-	81/6	65/-
... ,, 1·75	40/-	78/-	153/6	125/-
Alum Compound	8/-	13/3	23/-	15/-
℞ Alumen Pulv. ... gr. 30				
Zinc Sulphate ... ,, 30				
Potass. Permang. ... ,, 2½				
Alum & Zinc Sulphate	7/6	12/6	21/-	14/-
℞ Alumen Pulv. ... gr. 30				
Zinc Sulphate ... ,, 15				
Antiseptic, B.P.C. (*Eff. Mouth Wash Tablets, B.P.C.*)	4/-	7/-	12/-	8/-
Boracic Acid ... gr. 15	4/6	6/9	11/3	7/6
,, ,, (Rose Scented) ... ,, 6	5/9	9/-	14/3	8/-
Boracis et Benzamin Co. (vide *Naso-pharyngeal Co., B.P.C.*)				
Carbolic Acid ... ,, 5	5/3	7/9	11/9	6/-
,, ,, ... ,, 20	7/-	11/3	19/-	12/-
,, ,, ... ,, 60	11/6	21/-	39/-	26/-
Chinosol ... ,, 7½	11/6	21/-	39/-	26/-
,, ... ,, 15	17/6	33/-	62/9	49/6
Chloramina "B.P." ... gr. 4·375 (1 in 10 ozs. water = 1 in 1,000.)	5/9	9/6	16/3	9/6
,, "B.P." ... gr. 8·75 (1 in 20 ozs. water = 1 in 1,000.)	8/6	15/-	27/-	18/6
S1†**Cocain Hydrochlor** ... gr. ½	19/6			
S1† ,, ,, ... ,, 1	36/-			
P1 **Corrosive Sublimate** (*see Mercury Perchloride.*)				
P1 **Hydrarg. Perchlor** (*see Mercury Perchloride.*)				
S1 ,, **Oxycyanide** ... gr. 8.75	13/9			
Iodic Hydrarg. (*see Mercuric Potass. Iodid.*)				
S1†**Lead & Opium Lotion**	14/-	25/-	47/-	—
℞ Plumbi Acet ... gr. 2				
Tinct. Opii ... min. 20				
P1 **Lead Subacetate** ... gr. 10	4/-	7/-	12/-	8/-
S1 **Mercury Perchloride** (1 in 4oz. water = 1 in 1000) gr. 1·75	3/9	5/-	7/5	3/6
S1 ,, ,, (1 in 10 oz. water = 1 in 1000) ,, 4·375	4/6	6/9	10/6	6/-
S1 ,, ,, (1 in 20 oz. water = 1 in 1000) ,, 8·75	6/-	9/9	16/6	11/-
S1 ,, ,, (1 in 40 oz. water = 1 in 1000) ,, 17·5	8/9	15/9	28/6	21/-

† Comes under regulations of D.D. Act.

SOLVELLÆ.

DRUG.		Tubes or Bottles. POISONS in Blue Bottles, Per Dozen Bottles of 25	50	100	Per 1000
S1 **Mercuric Potass. Iodid** ... ... (1 in 10 oz. water = 1 in 1000)	gr 4·375	5/6	9/-	15/3	10/-
S1 **Mercuric Potass. Iodid** ... ... (1 in 20 oz. water = 1 in 1000)	„ 8·75	8/3	14/9	26/3	19/-
Mouth Wash, Antiseptic	„ 12	5/-	9/-	16/9	10/6
„ „ „ Tubes of 12 ... 2/6 doz. 27/- gross.					
„ „ „ „ 8 ... 2/3 „ 24/- „					
„ „ „ **Half-size.**					
„ „ „ Tubes of 8 . 1 gross 18/6 gross.					
5 „ 18/- „					
„ „ „ „ 6 ... 1 „ 18/- „					
5 „ 17/6 „					

PERFECTED NON-DELIQUESCENT MOUTH WASH TABLETS.

		gr. 6	gr. 12
1,000	per 1,000	3/-	4/6
25,000	„ „	2/9	4/3
100,000	„ „	2/6	4/-

DRUG.		25	50	100	Per 1000
Nasal Alkaline Comp.		5/-	7/9	12/-	6/3
℞ Boracis	gr. 5				
Sodii Chlorid	„ 5				
Nasal Alkaline N.F.		3/6	5/-	7/-	3/-
Nasal Eucalyptus Comp.		5/6	8/6	13/6	7/9
℞ Sodii Bicarb.	gr. 8				
Pulv. Boracis	„ 8				
Sodii Benzoas	„ $\frac{1}{8}$				
Sodii Salicyl	„ $\frac{1}{3}$				
Eucalyptol	min. $\frac{1}{6}$				
Thymol	gr. $\frac{1}{6}$				
Menthol	„ $\frac{1}{12}$				
Ol Gaultheria	min. $\frac{1}{12}$				
Naso-Pharyngeal Comp. B.P.C.		7/-	11/6	19/6	12/6
℞ Sodii Chlorid	gr. 5				
Pulv. Boracis	„ 3				
Acid Boric	„ 1				
Sodii Benz.	„ $\frac{1}{2}$				
Benzamin Hydrochlor	„ $\frac{1}{4}$				
Menthol	„ $\frac{1}{100}$				
Thymol	„ $\frac{1}{100}$				
Ol Gaultheria	min. $\frac{1}{20}$				
Paraform (*see Formalin*).					
Potassium Permanganate	gr. 1	3/3	4/6	6/-	2/3
„ „	„ 2	3/6	5/-	7/6	3/6
„ „	„ 5	4/9	7/3	11/9	6/-
„ „	„ 8·75	5/9	9/-	14/3	8/-
Red Lotion		4/6	6/9	10/6	6/-
℞ Zinc Sulphate	gr. 20				
Tinct. Lavand. Co.	q.s.				
(*Dissolve 1 tablet in ½ pint water*)					
Sodium Chloride	gr. 40	5/9	9/-	14/3	6/9
„ „	„ 30	5/3	7/9	11/9	6/3
Zinc Sulphate	gr. 1 or 2	2/-	2/9	5/3	2/-
„ **Sulphocarbolate**	gr. 2	2/9	4/6	8/-	4/6
„ „	„ 10	5/-	9/3	17/-	12/-

HYPODERMIC TABLETS.

These "Hypodermics" disintegrate rapidly in the barrel of the syringe, and accurately represent the dosage specified.

	DRUG.		Tubes of 20 per doz.	Per Bottle of 100.	Per 1000
P1	**Adrenine**	gr. $\frac{1}{200}$	9/-	3/-	—
S1	,, (gr. $\frac{1}{500}$) **and Cocaine** (gr. $\frac{1}{2}$)		14/6	5/3	—
S1	**Apomorphine Hydrochlor**	gr. $\frac{1}{20}$	9/6	3/-	—
S1	,, ,,	gr. $\frac{1}{15}$	10/-	3/3	—
S1	,, ,,	gr. $\frac{1}{10}$	10/6	3/6	—
S1	**Atropine Sulphate**	gr. $\frac{1}{150}$	5/6	1/9	7/6
S1	,, ,,	gr. $\frac{1}{100}$	5/6	1/9	8/-
S1	,, ,,	gr. $\frac{1}{60}$	5/6	1/9	8/3
S1	,, **and Morphia** (*see Morphine and Atropine*).				
	Benzamin Hydrochloride	gr. $\frac{1}{3}$	10/6	3/6	30/-
	,, ,,	gr. $\frac{1}{2}$	13/-	5/-	42/6
	,, ,,	gr. 1	19/6	8/6	75/-
	,, **Lactate**	gr. $\frac{1}{3}$	10/6	3/6	30/-
	,, ,,	gr. $\frac{1}{2}$	13/-	5/-	42/6
	,, ,,	gr. 1	19/6	8/6	75/-
	Caffeine Sodio Salicylate	gr. $\frac{1}{2}$	10/-	3/3	—
S1 †	**Cocaine Hydrochloride**	gr. $\frac{1}{32}$	8/-	2/6	—
S1 †	,, ,,	gr. $\frac{1}{10}$	8/6	2/9	—
S1 †	,, ,,	gr. $\frac{1}{6}$	10/6	3/6	—
S1 †	,, ,,	gr. $\frac{1}{4}$	12/6	4/3	—
S1 †	,, ,,	gr. $\frac{1}{2}$	16/6	6/-	—
S1 †	**Diamorphin Hydrochloride**	gr. $\frac{1}{12}$	7/-		
S1 †	,, ,,	gr. $\frac{1}{8}$	7/-		
S1 †	,, ,,	gr. $\frac{1}{6}$	8/6		
S1	**Digitalin Amorph**	gr. $\frac{1}{100}$	6/-	2/-	—
S1	,, ,,	gr. $\frac{1}{50}$	6/6	2/3	—
S1	,, (gr. $\frac{1}{100}$) **and Strychnin Sulphate** (gr. $\frac{1}{100}$)		6/-	2/-	—
S1	**Emetine Hydrochloride**	gr. $\frac{1}{6}$	10/-		
S1	,, ,,	gr. $\frac{1}{4}$	14/-		
S1	,, ,,	gr. $\frac{1}{3}$	17/6		
S1	,, ,,	gr. $\frac{1}{2}$	21/-		
S1	,, ,,	gr. 1	39/-		
S1	**Ergotinine Citrate**	gr. $\frac{1}{200}$	14/-	5/-	—
S1	,, ,,	gr. $\frac{1}{100}$	21/6	8/-	—
S1	,, (gr. $\frac{1}{100}$) **and Strychnin Sulphate** (gr. $\frac{1}{20}$)		21/6	8/-	—
S1	**Eserine** (*see Physostigmine*).				
S1	**Homatropine Hydrochloride**	gr. $\frac{1}{250}$	7/-	2/3	15/6
S1	**Hydrarg Perchloride**	gr. $\frac{1}{100}$	3/-	1/1	8/-
S1	,, ,,	gr. $\frac{1}{60}$	3/-	1/1	8/-
S1	,, ,,	gr. $\frac{1}{30}$	3/	1/1	8/-

† Comes under regulations of D.D. Act.

HYPODERMIC TABLETS.

	DRUG.		Tubes of 20 per doz.	Per Bottle of 100.	Per 1000
S1	**Hyoscine Hydrobromide**	gr. $\frac{1}{200}$	7/-	2/3	—
S1	,, ,, ...	gr. $\frac{1}{100}$	7/-	2/3	—
S1	,, ,, ...	gr. $\frac{1}{75}$	7/-	2/3	—
S1 †	,, **Compound No. 1.**				
	Hyoscine Hydrobrom	gr. $\frac{1}{100}$	9/3	3/-	—
	Morphine Sulphate	gr. $\frac{1}{4}$			
	Atropin Sulphate	gr. $\frac{1}{150}$			
S1 †	,, **Compound No. 2.**				
	Hyoscine Hydrobrom	gr. $\frac{1}{100}$	9/3	3/-	—
	Morphine Sulphate	gr. $\frac{1}{6}$			
	Atropin Sulphate	gr. $\frac{1}{180}$			
S1	**Mercuric Chloride** (*see Hydrarg Perchloride*).				
S1 †	**Morphine Bimeconate**	gr. $\frac{1}{6}$	10/-	3/3	—
S1 †	,, ,, ...	gr. $\frac{1}{4}$	10/6	3/6	—
S1 †	,, ,, ...	gr. $\frac{1}{8}$	11/-	3/9	—
S1 †	,, **Hydrochlor or Acetate**	gr. $\frac{1}{6}$	9/-	3/-	—
S1 †	,, ,, ,, ,, ...	gr. $\frac{1}{4}$	9/-	3/-	—
S1 †	,, ,, ,, ,, ...	gr. $\frac{1}{3}$	9/-	3/-	—
S1 †	,, ,, ,, ,, ...	gr. $\frac{1}{2}$	13/6	4/6	—
S1 †	,, ,, (gr. $\frac{1}{6}$) **and Atropin Sulph.** (gr. $\frac{1}{70}$)		9/-	3/-	—
S1 †	,, **Sulphate**	gr. $\frac{1}{12}$	9/-	3/-	—
S1 †	,, ,, ...	gr. $\frac{1}{8}$	9/-	3/-	—
S1 †	,, ,, ...	gr. $\frac{1}{6}$	9/-	3/-	—
S1 †	,, ,, ...	gr. $\frac{1}{4}$	9/-	3/-	—
S1 †	,, ,, ...	gr. $\frac{1}{3}$	9/-	3/-	—
S1 †	,, ,, in tubes of 10, 7/- doz. ...	gr. $\frac{1}{2}$	13/6	4/6	—
S1 †	,, ,, (gr. $\frac{1}{6}$) **and Atropin Sulph.** (gr. $\frac{1}{200}$)		9/-	3/-	—
S1 †	, ,, (gr. $\frac{1}{4}$) **and** ,, ,, (gr. $\frac{1}{150}$)		9/-	3/-	—
S1 †	,, ,, (gr. $\frac{1}{6}$) **and** ,, ,, (gr. $\frac{1}{180}$)		9/-	3/-	—
S1 †	,, **Tartrate**	gr. $\frac{1}{12}$	10/6	3/6	—
S1 †	,, ,, ...	gr. $\frac{1}{8}$	11/6	3/9	—
S1 †	,, ,, ...	gr. $\frac{1}{6}$	11/6	3/9	—
S1 †	,, ,, ...	gr. $\frac{1}{4}$	12/-	4/-	—
S1 †	,, ,, ...	gr. $\frac{1}{3}$	13/-	4/3	—
S1 †	,, ,, ...	gr. $\frac{1}{2}$	18/-	6/-	—
P1	**Nitroglycerin**	gr. $\frac{1}{250}$	4/9		
	,, ...	gr. $\frac{1}{100}$	4/9		
S1	**Physostigmine Salicylate**	gr. $\frac{1}{100}$	5/6	2/-	16/-
S1	,, **Sulphate**	gr. $\frac{1}{100}$	5/6	2/-	16/-
S1	**Pilocarpine Nitrate**	gr. $\frac{1}{10}$	10d.	each tube	
S1	,, ,, ...	gr. $\frac{1}{6}$	1/1		
S1	,, ,, ...	gr. $\frac{1}{4}$	1/2		
S1	,, ,, ...	gr. $\frac{1}{3}$	1/4		
S1	,, ,, ...	gr. $\frac{1}{2}$	1/6		
S1	**Strophanthin**	gr. $\frac{1}{500}$	5/6	2/-	15/-
S1	**Strychnine Hydrochlor**...	gr. $\frac{1}{200}$, $\frac{1}{100}$, $\frac{1}{60}$, $\frac{1}{30}$	5/-	1/6	10/-
S1	,, **Sulphate**	gr. $\frac{1}{150}$, $\frac{1}{100}$, $\frac{1}{60}$, $\frac{1}{50}$, $\frac{1}{40}$, $\frac{1}{30}$	5/6	1/9	10/-
S1	,, ,, ...	gr. $\frac{1}{20}$	5/6	1/9	12/6

† Comes under regulations of D.D. Act.

INDEX OF PILLS.

Common Names.	*Vide.*	*Page.*	*Col.*
Anti-constipation (Sir Andrew Clarke's)	Aloin, etc., No. 302	114	1
Backache and Kidney	Uva Ursi, etc.	123	2
Baird's	Aloes Co. B.P.C.	113	2
Baly's	Digitalis, etc	117	2
Burney Yeo's Dinner	Aloes et Ipecac Co. B P.C.	115	2
Castor Oil	Rhei Co. Pil.	123	1
,, ,,	Pot. Sulph., etc.	122	1
Cathartic and Liver	Podophyllin, etc., No. 373	121	2
Chapman s Dinner	Aloes et Ipecac, B.P.C.	113	2
Cough	Scillæ Co., No. 153	123	1
Dandelion	Rhei Co. Pil., etc., No. 147	123	1
Digestive	Bismuth Subnit, No. 318	115	1
,,	Pepsin, etc.	120	2
,,	Tarax Ext. etc.	123	2
,, and Wind	Prandii, No. 127	122	1
Dinner Pills	Aloes et Mastic, B.P.C.	113	2
Dysentery	Ipecac Pulv., etc.	119	2
Dr. Clay's	Terebinth Chia, No. 394	123	2
Dr. Fordyce Barker's Pill	Coloc. Co. Ext., etc.	116	2
Dr. Goodell	Sumbul Co	123	1
Female	Ferri Sulph., No. 346	118	2
,, Corrective	Caulophyllion, etc.	116	1
Gout (Brodies)	Colchici et Hydrarg Co. B.P.C.	116	1
,, (Dr. Luff s)	Colchicin, etc.	116	1
,, and Rheumatic	Hydrarg., etc.	118	2
Gregory's Dinner	Aloes Ipecac et Rhei, B.P.C.	113	2
Guy's	Digitalis, etc.	117	2
Hamilton's	Coloc. Co. Ex.	116	2
Heim's	Digitalis et Opii Co., B.P.C.	117	2
Hooper's	Aloes, etc.	113	1
Hutchinson's	Hydrarg. c. Creta et Opio, No. 78	119	1
Kidney	Potass Nit., etc.	121	2
,, and Bladder	Uva Ursi Co.	123	2
Little Antibilious	Jalapin, No. 360	119	2
,, Cough	Morphia Hyd., etc., No. 362	120	1
,, Cascara	Aloin, etc., No. 33	114	1
,, Digestive	Aloes Socot Ext. etc.	114	1
,, Female	...	118	2
,, Liver	Aloin, etc., No. 301	114	1
,, Laxative Tonic	Aloin, etc., No. 303	114	1
,, Nerve	Ferri Redact, etc., No. 66	118	1
,, Neuralgia	Gelsem, No. 349	118	2
,, Rhubarb	Rhei Ext., etc.	122	2
Liver (Sir Andrew Clarke's)	Aloin Co. B.P.C.	114	1
Marshall Hall's	Aloes Dil, B.P.C.	113	2
Monckton's	Ferri et Arsen., etc.	118	1
Morrell Mackenzie	Zinci Valer, etc., No. 398	123	2
Neuralgia	Quinine, etc., No. 384	122	1
,, (Brown Sequard)	Morphia Hyd., No. 363	120	1
Pile and Gravel	Cascara Sagrada, etc.	115	2
Poore's	Podophyllin et Quinin	121	2
Plummers	...	118	2
Spender's	Ferri Sulph, No. 347	118	2
Stricture	Potass Nit., etc., No. 375	121	2
Tic	Quinine, etc., No. 385	122	2
Warburg	Quinine, etc., No 386	122	2
Zittmaas	Ext. Coloc. Co., etc., No. 30	116	2

Burgoyne's "Perfected" Pills.

These Pills are covered with a thin pearly, easily soluble non-metallic coating, which is effected by the most perfect machinery, the result being that they are rendered quite tasteless, and preserve their properties unaltered for a great length of time.

The prices quoted herein are for 10 gross lots. Smaller or larger quantities are charged as follows:—

One gross lots are charged at 3d. per gross on the 10 gross price.
Five gross ,, ,, ,, 1d. ,, ,, ,, ,,
Less than five gross ,, 2d. ,, ,, ,, ,,
Twenty-five gross ,, ½d. ,, less than the ,,
Fifty gross ,, 1d. ,, ,, ,, ,,

PILLS to customers' own formulæ, are charged at the following minimum rates, in addition to the charge for materials used in compounding:—

	Uncoated.	Varnished.	Pearl coated, * Sugar coated, or Gelatinoid.
Less than 1 gross	**1/3**	**1/6**	**2/-**
1 gross per gross	**1/6**	**1/9**	**2/3**
2 ,, ,, ,,	**1/3**	**1/5**	**2/-**
3 ,, ,, ,,	**1/-**	**1/2**	**1/9**
5 ,, ,, ,,	**10d.**	**1/-**	**1/3**
10 ,, ,, ,,	**9d.**	**10d.**	**1/-**
25 ,, ,, ,,	**8d.**	**9d.**	**10d.**
50 ,, ,, ,,	**6d.**	**7d.**	**9d.**
100 ,, ,, ,,	**4d.**	**4d.**	**7d.**

* Minimum quantity for sugar coating 50 gross.

	No.			Per gross 10 gross lots.
S1	278	**Acid Arsenios** ...	gr. $\frac{1}{20}$, $\frac{1}{50}$, $\frac{1}{100}$	1/-
S1	279	,, **Arsenios** ...	... gr. $\frac{1}{36}$	10d.
		Ferri Redact ...	... gr. 1	
S1	280	,, **Arsenios** ...	... gr. $\frac{1}{20}$	10d.
		Ferri Sulph. Ex.	... gr. 2	
S1	281	,, **Arsenios** ...	... gr. $\frac{1}{32}$	1/2
		Ext. Nucis Vom.	... gr. ⅛	
		Ext. Bellad. Vir.	... gr. ¼	
		Ext. Gentian...	... gr. 1	
S1	†282	,, **Carbolic** ...	... gr. 1	1/2
		Pulv. Opii ...	... gr ¼	
S1	†283	,, **Gallic**	... gr. 3	1/4
		Pulv. Opii ...	... gr. ¼	
S1	†284	,, **Tannic**	... gr. 4	1/8
		Morph. Hydrochlor ...	gr. ⅛	
S1	285	**Aconiti (Ext).** ...	... gr. ¼	1/2
S1	286	**Aconiti (Ext).** ...	... gr. ⅛	1/6
		Pulv. Ipecac. ...	... gr. ½	
		Ext. Glycyrrh ...	... gr. 2	
S1	287	**Aconiti (Ext).** ...	... gr. ½	3/6
		Quinin. Sulph. ...	.. gr. 2	
S1	288	**Aconiti (Ext).** ...	... gr. ½	5/-
		Zinc. Valer. ...	... gr. 2	
		Ferri Sulph. ...	... gr. 1	
		Quin. Sulph. ...	... gr. 1	
	B	**Aloes Barb. B.P.** ...	... gr. 4	8d.
		Aloes	... gr. 1	7½d.
		Ferri Sulph. Ex. ...	... gr. ½	
		Ext. Helleb. Nig.	... gr. ¼	
		P. Zingib. Jam. ...	... gr. ¼	
		Saponis	... gr. ⅛	
		Pulv Canellæ ...	... gr. ⅛	
		Pulv. Myrrh ...	... gr. ¼	
		(*Hooper's Pill*)		

	No.			Per gross 10 gross lots.
P1	232	**Aloes Co. B.P.C. '23** (*Baird's*)		1/3
	233	,, **Dil. B.P.C. '23** (*Marshall Hall*)		1/-
	A	,, **et Asafoetidæ B.P.**	... gr. 4	9d.
		,, ,, ,, ,,	... gr. 5	10d.
	C	,, **et Ferri, B.P.** ...	... gr. 4	7d.
		,, ,, ,, ,, ...	... gr. 5	8d.
	293	,, **et Ferri Pil. B.P.**	... gr. 3½	10d.
		Pulv. Colocynth	... gr. ½	
		Ol. Pulegii ...	... ♏ ¼	
		,, **et Ferri B.P.** ...	... gr. 4	8d.
		Ol. Pulegii ...	... q.s.	
S1	294	,, **et Ferri Pil. B.P.**	... gr. 4	1/-
		Ext. Nucis Vom.	... gr. ¼	
		,, **et Ipecac, B.P.C. '23** ... (*Chapman's Dinner Pill*).		1/5
S1		,, **et Ipecac Co. B.P.C. '23** (*Burney Yeo's Dinner Pill*).		3/3
		,, **Ipecac. et Rhei B.P.C. '23** (*Gregory's Dinner Pill*).		1/-
	234	,, **et Mastic B.P.C. '23** ... (*Dinner Pill*)		10d.
	D	,, **et Myrrh, B.P.C.**	... gr. 4	8d.
		,, ,, ...	... gr. 5	9d.
	295	,, **et Myrrh Pil.** ...		9d.
		Pil. Ferri Co. P.L.	aa. gr. 2	
		Pulv. Saponis ...	... gr. 1	
	1	,, **et Myrrh Pil.** ...	... gr. 3	8d.
		Pil. Hydrarg. ...	... gr. 1	
S1	235	,, **et Nucis Vom. B.P.C.**...		9d.
		,, **Socot. B.P.**		8d.
S1	289	,, **Aquos (Ext.)** ...	.. gr. 1	1/3
		Ext. Nucis Vom.	... gr. ¼	
		Pulv. Capsici ...	... gr. ¼	
		Ext Hyoscyam	... gr 2	

† Comes under regulations of D.D. Act.

Burgoyne's "Perfected" Pills.

No.			Price per gross 10 gross lots.
S1 290	**Aloes Aquos (Ext.)**		1/3
	Ext. Rhei		
	Pulv. Zingib.	aa. gr. 1	
	Ext. Nucis Vom.	gr. ¼	
233	,, **Barb. Ext.**		
	(*Vide Pil. Aloes Dil.*)		
291	,, **Socot. Ext.**	gr. 1	10d.
	Gum Mastic	gr. ½	
	Gingerin	q.s.	
	(*Little Digestive Pills*).		
296	**Aloin**	gr. ½	1/-
297	,,	gr. 1	1/2
298	,,	gr. 2	1/4
299	,,		1/2
	Calomel	aa. gr. ½	
300	,,		11d.
	Ext. Cascara Sagrada		
	Podophyllin	aa. gr. ¼	
	(*Little Cascara Pills*).		
S1 301	**Aloin**	gr. ⅒	8d.
	Podophyllin	gr. ⅕	
	Ext. Hyos Sicc.	gr. $\frac{1}{20}$	
	Jalapin	gr. ⅒	
	Ext. Nucis Vom.	gr. $\frac{1}{20}$	
	Capsicin	♏ $\frac{1}{20}$	
	(*Little Liver Pills*)		
450	**Aloin**	gr. ⅒	7d.
	Podophyllin Res.	gr. ⅒	
	Scammon Res.	gr. ⅒	
	Jalapin	gr. ⅒	
	Capsicin	q.s.	
	Tubes of 40, 1 doz. 3/3 doz.		
	12 ,, 36/- gross		
	36 ,, 35/- ,,		
	60 ,, 34/- ,,		
S1 302	**Aloin**		10d.
	Ferri Sulph		
	Ext. Nucis Vom.		
	Pulv. Saponis	aa. gr. ½	
	(*Sir Andrew Clark's Anti-constipation*)		
S1 303	**Aloin**	gr. ¼	11d.
	Strychnin	gr. $\frac{1}{80}$	
	Ext. Bellad Sicc	gr. ⅛	
	Pulv. Ipecac	gr. $\frac{1}{16}$	
	(*Little Laxative Tonic Pills*)		
S1 236	**Aloin Co. B.P.C.**		10d.
	(*Sir Andrew Clark's Liver Pills*)		
P1 237	**Aloin et Podoph. Co. B.P.C.**		9d.
S1 238	,, ,, **Strychnin. Co. B.P.C.**		8d.
S1 †304	**Ammon. Carb.**	gr. 1½	2/-
	Morph. Hyd.	gr. ⅛	
	Pulv. Ipecac	gr. ½	
	Gum Ammon.	gr. 1½	

No.			Price per gross 10 gross lots.
410	**Aperiens**		
	Ext. Aloes Aquos	gr. 20	8d.
	Pulv. Cambog.	gr. 4	
	Pulv. Jalapæ	gr. 8	
	Pulv. Coloc	gr. 6	
	Sapo	gr. 4	
	Gingerin	gr. 2	
	Fiat Pil. 12		
	Also with ⅓ gr. Calomel in each pill		9d.
	,, ,, ½ ,, ,, ,, ,,		10d.
2	**Aperiens Fort.** (*Burgoyne*).		1/-
	℞ Ext. Coloc Co.	gr. 2	
	Jalapine	gr. ⅓	
	Ext. Aloes Socot		
	Calomel		
	Gingerine	aa. gr. ½	
	Sapo Mollis	q.s.	
	Ft. Pil.		
	Aperiens (Parv.)		9d.
	℞ Pulv. Aloes	gr. 1	
	Pulv. Cambog	gr. ¼	
	Pulv. Zingib	gr. ½	
	Sapo Dur	gr.	
	Ol Carui	♏ ½	
411	**Aperiens, Vegetable**		4d.
	℞ Aloes	gr. ½	
	P. Zingib	gr. ½	
	P. Saponis	gr. ⅕	
	Excip. ad.	gr. 1¼	
	(*rolled in Licorice Powder*)		
	lb. 6/-		
	7 lb. 5/6		
	14 lb. 5/-		
	28 lb. 4/9		
305	**Aperiens** (*Royal N. Hospital*)		9d.
	℞ Pulv. Aloes		
	Pulv. Jalap	aa. gr. 1½	
	Pulv. Coloc	gr. ½	
	Pulv. Cambog	gr. ¼	
	Pulv. Zingib	gr. ¼	
	Sapo Dur	gr. ½	
	Ol. Caryoph	♏ ¼	
306	**Aperiens c Calomel** (*Royal N.H.*)		
		gr. 4	9d.
		gr. 5	10d.
	Aperiens N.F.		
	(*see Coloc et Hyos. No. 40*)		
S1 308	**Arsenii Iodid.**		1/1
	Hydrarg Iod. Rub	aa. gr. $\frac{1}{12}$	
	(*Pil. Donovan*)		
239	**Asafetidæ B.P.C.**		1/2
S1 240	**Asiaticæ B.P.C.**		8d.
S1 312	**Bellad Siccum Ext.**	gr. ¼, or ⅓	1/-
P1 313	**Bellad Siccum Ext.**	gr. ¼	1/-
	Aloes Socot	gr. 1	
	Pil. Rhei Co.	gr. 2	

† Comes under regulations of D.D. Act.

Burgoyne's "Perfected" Pills.

No.			Price per gross 10 gross lots.
P1 314	**Bellad Siccum Ext.**	gr. ¼	1/-
	Ferri Sulphas Exsicc.	gr. 2	
S1 315	**Bellad Siccum Ext.**	gr. ¼	2/-
	Ext. Nucis Vom.	gr. ½	
	Ext. Coloc Co.	gr. 3	
	Ext. Aloes Aq.	gr. 1	
S1	**†Bellad Siccum Ext.**		3/6
	Morph. Hyd.	aa. gr. ¼	
316	**Bismuth Salicyl**	gr. 5	2/9
8	**Bismuth Subnit**	gr. 3	2/3
	Ext. Anthem	gr. 2	
9	**Bismuth Subnit**	gr. 2	1/6
	Pil. Hydrarg	gr. ½	
	Pulv. Capsici	gr. ¼	
317	**Bismuth Subnit**		1/3
	Sodii Carb Exsicc	aa. gr. 2	
	Gingerin	gr. ⅛	
S1 318	**Bismuth Subnit**	gr. 2	1/6
	Pepsin B.P.	gr. 1	
	Ferrum Redact.	gr. 1	
	Strychnin	gr. 1/24	
	(*Pil. Digestive*)		
	Blaud (*see Ferri Carb., B.P.*)		
P1 48	**Butyl Chloral Hyd.**	gr. 1	1/3
P1	,, ,, ,,	gr. 2	1/9
P1	,, ,, ,,	gr. 3	2/3
319	**Calcii Sulphid**	gr. ¼, ⅓, ½	8d.
320	,, ,,	gr. 1, 1½ or 2	
11	**Calomel**	gr. ¼ or ½	7d.
10	,,	gr. 1	9d.
	,,	gr. 2	11d.
	,,	gr. 3	1/1
	,,	gr. 4	1/3
	,,	gr. 5	1/5
S1†12	**Calomel**	gr. 1	1/9
	Pulv. Opii	gr. ¼	
S1†13	**Calomel**	gr. 2	1/10
	Pulv. Opii	gr. ¼	
S1†14	**Calomel**	gr. 1	1/10
	Pulv. Opii	gr. ½	
S1†15	**Calomel**	gr. 2	2/3
	Pulv. Opii	gr. 1	
S1†16	**Calomel**		1/10
	Pulv. Opii	aa. gr. ½	

No.			Price per gross 10 gross lots.
242	**Calomel et Colocynth, B.P.C.**		1/3
243	**Calomel Coloc et Hyos. B.P.C.**		1/4
	Calomel		
	Pil. Rhei. Co.		
	Pil. Coloc Co.	aa. gr. 2	1/3
	(Army No. 9.)		
	Camboge Co.	gr. 4	8d.
	,, ,,	gr. 5	9d.
S1†321	**Camphor**	gr. 1	1/9
	Pulv. Opii		
	Pulv. Saponis	aa. gr. ½	
18	**Camphor Monobrom**	gr. 1	1/3
	,, ,,	gr. 2	1/6
S1†19	**Cannab. Ind. Ext.**	gr. ¼	2/6
322	**Cascara Sagrada Ext.**	gr. 1	9d.
323	,, ,, ,,	gr. 2	11d.
323A	,, ,, ,,	gr. 3	1/1
324	,, ,, ,,	gr. 4	1/3
325	,, ,, ,,	gr. 5	1/5
*P1*244	**Cascara Bellad et Nuc Vom, B.P.C.**		9d.
326	**Cascara Sagrada Ext.**		1/2
	Ext. Aloes Barb.	aa. gr. 2	
	Pulv. Capsici	gr. 1	
658	**Cascara Sag. Ext.**		1/1
	Rhei. Co. Pil.	aa. gr. 2½	
S1 327	**Cascara Sagrada Ext.**	gr. 2	1/-
	Ext. Nucis Vom	gr. ¼	
	Ext. Bellad Sicc	gr. ¼	
	Pulv. Zingib	gr. 1	
	Cascara Sag. Ext.		1/2
	Ext. Pichi		
	Ext. Triticum		
	Ext. Zea.	aa. gr. 1	
	(*Pile and Gravel Pill*).		
328	**Cathartic Co. U.S.P.**		1/1
	℞ Hyd. Subchlor	gr. 1	
	Ext. Coloc. Co.	gr. 1⅓	
	Jalap Resin	gr. ⅓	
	Cambogiæ	gr. ¼	
20	**Cathartic Fort.**		11d.
	℞ Pil. Cambogiæ Co.	gr. 4	
	Hyd. Subchlor	gr. 1	

† Comes under regulations of D.D. Act.

Burgoyne's "Perfected" Pills.

No.			Price per gross 10 gross lots.
	Caulophyllin ...	... gr. 1	1/3
	Cimicifugin ...	... gr. ¾	
	P. Aloes Barb. ...	... gr. ½	
	P. Tanaceti ...	... gr. 1¼	
	Ext. Hellebor ...	... gr. ½	
	(*Female Corrective*).		
21	**Cerii Oxalas**	... gr. 1	1/-
P1 329	**Chloral Hydras** ...	... gr. 5	2/6
22	**Cinchonin. Hyd.** ...	... gr. 2	1/6
23	**Cinchonidin. Sulph.**	.. gr. 1	1/6
	Cochiæ (vide *Coloc. Co.*)		
S1 330	**Codeinæ**	... gr. ⅛	2/3
S1 331	,, ...	... gr. ¼	3/6
S1 332	,, ...	... gr. ½	6/-
S1 25	,, ...	... gr. 1	11/-
	Codeine Phosph. ..	... gr. ¼	3/3
S1	**Codeinæ**	... gr. 1	13/6
	Ext. Nucis Vom.	... gr. ½	
	Ext. Cascara Sag.	... gr. 1¼	
S1	**Codeinæ**	... gr. ¼	4/-
	Ext. Nucis Vom.	... gr. ½	
	Ext. Lactucæ q.s.	...	
S1	**Codeinæ**	... gr. ½	7/-
	Ext. Nucis Vom.	... gr. ½	
	Ext. Lactucæ q.s.	...	
S1 26	**Colchici Acet. Ext.**	... gr. 1	1/9
P1 27	**Colchici Acet. Ext.**	... gr. ¼	1/8
	Pil. Hydrarg ...	... gr. 1½	
	Pulv. Ipecac ...	... gr. ¼	
	Pil. Coloc et Hyos.	... gr. 3	
P1	**Colchici Acet. Ext.**	... gr. ½	1/4
	Pulv. Aloes Barb.	... gr. 1	
	Ext. Hyos. Sicc.	... gr. 1	
	Pulv. Glycyrrh.	... q.s.	
	Ft. Pil. (*violet coated*).		
P1 333	**Colchici Acet. Ext.**	... gr. 1	2/6
	Potass Iodid ...	... gr. 3	
P1 247	**Colchici et Aloes, B.P.C.**		10d.
P1 248	**Colchici et Hydrarg, B.P.C.**		10d.
P1 249	**Colchici et Hydrarg Co. B.P.C.**		1/9
	(*Brodie's Gout Pills*)		
S1	**Colchicin**	... gr. $\frac{1}{70}$	1/9
	Sacchar. Alb. ...	... gr. ½	
	Ext. Nucis Vom.	... gr. ¼	
	Ext. Hyos. Sicc.	... gr. ½	
	Ext. Gentian ...	... q.s.	
	(*Dr. Luff's Gout Pills*)		

No.			Price per gross 10 gross lots.
28	**Coloc. Co., B.P.C.** ...	gr. 3 or 4	10d.
	,, ,, ,, ...	... gr. 5	11d.
	Colocynth et Hydrarg. B.P.C.		1/2
	,, ,, ,, **Co. B.P.C.**		10d.
29	**Coloc. Co. Ext.** ...	... gr. 4	1/3
	Hyd. Subchlor.	... gr. 1	
P1 30	**Coloc. Co. Ext.** ...	... gr. 2½	1/3
	Hyd. Subchlor.	... gr. 1	
	Ext. Hyos. Sicc.	... gr. 1	
	(*Zittmann's Pills*)		
P1	**Coloc. Co. Ext.**		1/3
	Calomel	aa gr. 1½	
	Ext. Hyos. ...	... gr. ⅓	
	Ext. Nuc. Vom.	... gr. ⅙	
	P. Aloes B.P. ...	... gr. ⅙	
	P. Ipecac. ...	... gr. ⅙	
	(*Dr. Fordyce-Barker's*)		
31	**Coloc. Co. Ext.** ...	... gr. 4	1/5
	Podophyllin ...	... gr. ¼	
32	**Coloc. Co. Ext.** ...	... gr. 3	1/3
	Pil. Hydrarg ...	... gr. 2	
P1 33	**Coloc. Co. Ext.** ...	... gr. 2	1/6
	Pil. Hydrarg ...	... gr. 1	
	Ext. Hyos. Sicc.	... gr. 2	
34	**Coloc. Co. Ext.**		1/-
	Pil. Hydrarg ...	aa gr. 2	
P1 35	**Coloc. Co. Ext.** ...	... gr. 2½	1/3
	Ext. Hyos. Sicc.	... gr. ½	
	Pil. Hydrarg ...	... gr. 1½	
	Hyd. Subchlor.	... gr. ½	
P1 36	**Coloc. Co. Ext.** ...	... gr. 2¼	2/3
	Pulv. Scammon. Virg.		
	Ext. Rhei		
	Ext. Hyos. Sicc.	aa gr. ¾	
	Ol. Cinnam. ...	gut. ⅛	
37	**Coloc. Co. Pil.**		1/1
	Pil. Hydrarg ...	aa gr. 2½	
38	**Coloc. Co. Pil.**		1/-
	Pil. Hyd. Subchlor. Co.	aa gr. 2	
P1 39	**Coloc. Co. Pil.**		1/-
	Ext. Hyos. Sicc	aa gr. 2	
P1 470	**Coloc. Co. Ex.** ...	... gr. 2⅔	1/3
	Ext. Hyos, Virid	... gr. 1⅓	
	(*Hamilton's, junr.*)		
P1 471	**Coloc. Co. Ex.** ...	... gr. 3⅓	1/5
	Ext. Hyos. Virid	... gr. 1⅔	
	(*Hamilton's.*)		
P1 H	**Colocynth et Hyoscy B.P.**	gr. 3	8d.
	,, ,, ,,	... gr. 4	9d.
	,, ,, ,,	... gr. 5	10d.
P1 40	**Coloc. et Hyos. Pil.**	... gr. 4	1/2
	Pil. Hydrarg. ...	... gr. 1	
	(*Pil Aperiens, N.F.*)		

Burgoyne's "Perfected" Pills.

No.			Price per gross 10 gross lots.
P1 41	**Coloc. et Hyos. Pil.**	... gr. 4	1/6
	Podophyllin ...	... gr. ¼	
S1 42	**Conii Ext.**	... gr. 3	1/9
	Pulv. Ipecac. ...	... gr. ½	
S1 †43	**Conii Ext.**	... gr. 4	2/6
	Pulv. Ipecac. ...	... gr. ½	
	Morphia Hyd. ...	... gr. ⅛	
44	**Copaibæ Resin** ...	... gr. 4	1/6
334	**Copaibæ Co.**		1/7
	℞ Copaibæ Resin ...	... gr. 3	
	Ext. Cubebæ Alc.	... gr. 1	
	Ext. Buchu ...	... gr. ½	
45	**Creosoti**	... ♏ 1	1/4
	,, ...	... ♏ 2	1/8
	,, ...	... ♏ 3	2/-
	,, B.P.C. (Gelat Coated)		1/7
335	**Creosoti**	... ♏ 1	1/6
	Ext. Aloes Soc. ...	... gr. 1	
	Pulv. Zingib. ...	... gr. ½	
P1 46	**Crotonis, Ol.**	gtt. 1	1/6
	Pulv. Sapo ...	... gr. 3	
P1 47	**Crotonis, Ol.**	gtt. 1	1/9
	Pil. Coloc et Hyos.	... gr. 4	
P1 399	**Crotonis, Ol.** ...	... ♏ $\frac{1}{16}$	1/9
	Ol. Ricini... ...	... ♏ ½	
	Pulv. Rhei ...	... gr. 1½	
	Pot. Sulphas ...	... gr. 1½	
	Pulv. Saponis ..	... gr. ½	
S1 †49	**Cupri Sulph.** ...	... gr. ¼	1/6
	Pulv. Opii ...	... gr. ½	
S1 †336	**Cupri Sulph.**		1/6
	Pulv. Opii		
	Pulv. Ipecac. ...	aa. gr. ¼	
P1 253	**Damiana Co. B.P.C.** ...		1/4
S1	**Digitalin** ...	gr. $\frac{1}{60}$ or $\frac{1}{100}$	3/-
S1 50	**Digitalis (Pulv.)** ...	gr. ½ or 1	1/-
S1 51	**Digitalis(Pulv.)**		1/1
	Pulv. Scillæ		
	Pil. Hydrarg.		
	Ext. Hyos. Sicc.	aa. gr. 1	

No.			Price per gross 10 gross lots.
S1	**Digitalis (Pulv.)**		1/-
	Pulv. Scillæ ..	aa. gr. 1	
S1	**Digitalis (Pulv.)** ...	... gr. ½	1/-
	Pulv. Scillæ ...	... gr. 1	
	Pil. Hydrarg. ...	... gr. 1½	
	(*St. George's Hospital*).		
S1 254	**Digitalis Co. B.P.C.**		9d.
	Digitalis Pulv.		
	Pulv. Scillæ		
	Pil. Hydrarg. ...	aa. gr. 1	
	(*Guy's or Baly's Pill*).		
S1 255	**Digitalis et Opii Co.** ...		2/6
	(*Heim's Pills*).		
P1 52	**Elaterii**	... gr. ⅛	2/-
	Ext. Hyos. Sicc.	... gr. 1	
	Ext. Gentian ...	... gr. 1	
P1 53	**Elaterii**	... gr. ⅛	2/-
	Pil. Coloc et Hyos.	... gr. 3	
S1 54	**Ergotæ (Ext.) B.P.'14**	... gr. ½	1/9
S1	,, ,,	... gr. 1	2/4
S1 337	,, ,,	... gr. 2	3/9
S1 338	,, ,,	... gr. 3	4/9
S1 339	**Ergotæ (Ext.)**		3/6
	Ferri Sulph. Ex.		
	Ext. Hellebor		
	Ext. Aloes Socot. aa.	... gr. 1	
	Ol. Sabinæ ...	... ♏ ½	
55	**Euonymin (Ext.) Sicc.**	... gr. 1	1/4
	,, ,, ,,	... gr. 2	1/10
P1 340	**Euonymin (Ext.) Sicc.** ...		1/6
	Pil. Hydrarg. aa....	... gr. 1	
	Pil. Coloc et Hyos.	... gr. 3	
56	**Euonymin (Ext.) Sicc.**	... gr. 1	1/7
	Pil. Rhei Co. ..	... gr. 3	
P1 57	**Euonymin (Ext.) Sicc.**	... gr. 1½	2/-
	Pil. Rhei Co. ...	... gr. 2	
	Ex. Hyos. Sicc. ...	... gr. 1	
58	**Fel. Bovis Pur.** ...	... gr. 4	1/10
V	**Ferri Carb. B.P. (Blaud)** ...	gr. 5	6d.
	100 gross, 4½d.		
	Bottles of 1 gross, per doz. 6/6		
	per gross 72/-		
	Bottles of 100, per doz. 5/9		
	,, ,, per gross 60/-		

Sugar and Pearl (oval and round) Pink, White, Chocolate Black Gelatinoid (oval and round), Green Gelatinoid (oval and round).

† Comes under regulations of D.D. Act.

Burgoyne's "Perfected" Pills.

	No.		Price per gross 10 gross lots.
		Ferri (Blaud) B.P. ... ... gr. 4	8d.
		Ext. Cascara Sagrada ... gr. $\frac{1}{4}$	
		Ferri (Blaud) B.P. ... ... gr. 4	8d.
		Ext. Cascara Sagrada ... gr. $\frac{1}{8}$	
S1	341	**Ferri (Blaud) B.P.** ... gr. 4	8d.
		Acid Arsenios	
		gr. $\frac{1}{30}$, $\frac{1}{50}$, $\frac{1}{60}$ or $\frac{1}{100}$	
S1	342	**Ferri (Blaud) B.P.** ... gr. iv	8d.
		Acid Arsenios ... ... gr. $\frac{1}{50}$	
		Strychninæ ... ... gr. $\frac{1}{60}$	
S1	60	**Ferri Arsenat.** gr. $\frac{1}{16}$, $\frac{1}{12}$, $\frac{1}{8}$ or $\frac{1}{4}$	1/-
S1	258	**Ferri et Arseni, B.P.C.**	8d.
S1	59	**Ferri et Arsen.** (*Monckton*)	1/-
		℞ Acid Arseniosi ... ... gr. 4	
		Ferri Redact. ... ... gr. 144	
		Sacchar. Alb. ... ... gr. 100	
		Ft. Pil. 144	
	343	**Ferri Pil. (Blaud) B.P.** ... gr. iv.	8d.
		Aloin ... ... gr. $\frac{1}{16}$	
		Botts. of 100, 7/6 doz.	
	256	**Ferri Carb. Sacch. B.P.C.** } oval gelat. gr. $2\frac{1}{2}$	8d.
		,, ,, ,, ,, gr. 5	9d.
		,, ,, ,, ,, gr. $7\frac{1}{2}$	11d.
		Ferri Carb. Co. B.P.C. ...	10d.
S1	62	**Ferri Hypophosphitis** ... gr. iii.	2/6
		Quinine Sulph. ... ... gr. i.	
		Ext. Nuc. Vom. ... ... gr. $\frac{1}{3}$	
	344	**Ferri Iodid. Pil.** ... gr. iv. or v.	1/7
	63	**Ferri Phosphate** ... ... gr. iv	2/-
	64	**Ferri Phosph. Co. Pil.** ...	11d.
		(1 pill = 1 drm. Syrup Parrish)	
		℞ Ferri Phosph. ... ... gr. i.	
		Calcii ,, ... gr. ijss.	
		Sodii ,, ... gr. $\frac{1}{12}$	
		Potassii ,, ... gr. $\frac{1}{5}$	
S1	65	**Ferri Phosph. c. Quininæ et Strychninæ. B.P.C.**	1/8
		(1 pill = 1 drm. Syrup Easton)	
		℞ Ferri Phosph. Sacch. ... gr. $2\frac{1}{2}$	
		Quininæ Sulph. ... gr. $\frac{4}{5}$	
		Strychnin Hydrochlor. gr. $\frac{1}{60}$	
	61	**Ferri et Quininæ Cit.** ... gr. iii.	1/6
		,, ,, ,, ... gr. iv.	1/9
		,, ,, ,, ... gr. v.	2/-
	66	**Ferri Redact.** ... ... gr. 1 and 2	8d.
		,, ,, ... gr. 3	9d.
		,, ,, ... gr. 4	10d.
		,, ,, ... gr. 5	11d.
	345	**Ferri Redact.** ... ... gr. $\frac{1}{4}$	11d.
		Quinin. Sulph.	
		Ext. Gentian ... aa. gr. $\frac{1}{8}$	
		(*Little Nerve Pills.*)	
	67	**Ferri Sulph. Exsic.** gr. i, ij or iii.	7d.
	346	**Ferri Sulph. Exsic.** ... ... gr. i.	9d.
		Pil. Aloes et Myrrh. ... gr. ii.	
		Pulv. Saponis ... ... gr. i.	
		Ol. Pulegii ... ... q.s.	
		(*Female Pills.*)	
P1	347	**Ferri Sulph. Exsic.** ... gr. ii.	11d.
		Ext. Aloes Soc. ... ... gr. i.	
		Ext. Bellad. Sicc. ... gr. $\frac{1}{8}$	
		(*Pil. Spender*)	
		Ferri Sulph. ... ... gr. 1	7d.
		Ext. Aloes B.P. ... ... gr. $\frac{1}{4}$	
		Ol. Res. Caps. ... ... gr. $\frac{1}{10}$	
		(*Little Female Pills.*)	
	69	**Ferri Sulph.** ... ... gr. i.	1/1
		Pil. Galbani Co.	
		Pil. Aloes Soc. ... aa. gr. ii.	
		(*Harvey's Pills*)	
	70	**Ferri Valer** ... ... gr. ii.	2/-
	260	,, ,, **Co. B.P.C.** ...	3/6
		(*Trium Valerian*)	
	348	**Fuci Vesicul Ext.** ... ... gr. iv.	1/2
	F	**Galbani Co., B.P.C.** ... gr. v.	1/1
		,, ,, ,, ... gr. iv.	1/-
P1	349	**Gelsem Alc. Ext.** ... gr. $\frac{1}{8}$	11d.
		Ferri Carb. Sacch. ... gr. $\frac{7}{8}$	
		(*Little Neuralgia Pills.*)	
P1	350	**Gelsem Hydrochlor.** ... gr. $\frac{1}{200}$	4/-
		Butyl Chloral Hyd. ... gr. iii.	
		Guaiacum Co. Pil. (*P.J.F. No. 193*)	10d.
		(*Containing no Poison*).	
		Hæmoglobin ... ... gr. $2\frac{1}{2}$	1/2
		(*Gelatine-coated, Oval or Round*)	
	71	**Hiera Picra** ... ... gr. iv. or v.	8d.
	M	**Hydrarg B.P.** ... ... gr. i.	7d.
		,, ,, ... gr. ii.	7d.
		,, ,, ... gr. iii.	9d.
		,, ,, ... gr. iv.	1/-
		,, ,, ... gr. v.	1/1
S1	Q	,, **Subchlor. Co. B.P.C.** gr. iv.	1/2
S1		,, ,, ,, ,, gr. v.	1/4
		(*Plummers Pill*)	
	263	,, **c. Rheo, B.P.C.** ...	1/-
P1		**Hydrarg. Pil.** ... ... gr. $1\frac{1}{2}$	1/3
		P. Aloes, B.P ... ... gr. 1	
		Ext. Hyos. B.P. ... ... gr. 1	
		Ext. Colchici Acet. .. gr. $\frac{1}{3}$	
		(*Gout and Rheumatic*).	

Burgoyne's "Perfected" Pills.

No.			Price per gross 10 gross lots.
S1 †72	**Hydrarg Pil.** ...	... gr. ii.	1/9
	Opii Pulv.... ...	... gr. ¼	
S1 †73	**Hydrarg Pil.** ...	... gr. iii.	2/2
	Opii Pulv.... ...	... gr. ss.	
P1 74	**Hydrarg Pil.** ...	... gr. iv.	1/6
	Ext. Hyos. ...	... gr. i.	
P1 75	**Hydrarg Pil.**		1/6
	Ext. Colchici Acet.		
	,, Hyos. Sicc.		
	Pulv. Pil. Rhei Co., B.P.	aa gr. i.	
P1 76	**Hydrarg Pil.** ...	...gr. iss.	1/3
	Ext. Coloc. Co.		
	Pil. Rhei Co. ...	aa gr. ss.	
	Pulv. Capsici ...	... gr. ⅛	
	,, Ipecac. ...	... gr. ¼	
	Ext. Hyos. Sicc....	... gr. i.	
	Ol. Caryoph. ...	... gtt. ⅛	
77	**Hyd. c. Creta**... ...	gr. ½ and 1	8d.
	,, ,, ...	gr. 2	9d.
	,, ,, ...	... gr. iii.	10d.
S1 78	**Hyd. c. Creta et Opio, B.P.C.** (*Hutchinson's Pill*).		1/-
S1 †400	**Hyd. c. Creta**		1/3
	Pulv. Ipecac. Co.	aa. gr. 1½	
S1 †401	**Hyd. c. Creta**		1/4
	Pulv. Ipecac. Co.	aa. gr. 2	
S1 †402	**Hyd. c. Creta**		1/6
	Pulv. Ipecac. Co.	aa. gr. 2½	
S1 79	**Hyd. Iodid. Rub.** ...	gr. ⅛ or 1/12	1/3
S1 †351	**Hyd. Iodid. Rub.**	... gr. ⅕	1/3
	Opii Pulv.	... gr. ¼	
80	**Hyd. Iodid. Vir.** ...	.. gr. ¼	1/3
	,, ,, ,, ...	... gr. ½	1/4
	,, ,, ,, ...	.. gr. 1	1/6
S1 †352	**Hyd. Iodid. Vir.**	... gr. ss.	2/-
	Opii Pulv.	... gr. ¼	
S1 †353	**Hyd. Perchlor** ...	... gr. 1/12	1/9
	Opii Pulv.... ...	... gr. ⅛	
354	**Hydrastin (Extract)**	... gr. i.	3/-
S1 355	**Hyoscinæ Hydrobrom** ...	gr. 1/100	1/6
S1 81	**Hyoscy. Sicc. Ext.**	... gr. iv.	3/9

No.			Price per gross 10 gross lots.
P1 356	**Hypophosph. Co. Pil.** ... (*Each pill equal 1 drm. Syr. Hypophosph. Co., B.P.C.*)		1/4
	℞ Calcii Hypophosph.		
	Ferri ,,	aa. gr. ss.	
	Manganese ,,		
	Potass. ,,	aa. gr. ¼	
	Quinin. ,,	... gr. ⅛	
	Strychnin. ,,	... gr. 1/160	
357	**Ichthammol**	... gr. iss.	1/1
82	**Iodoform**	... gr. ss.	1/3
	,, ...	... gr. i.	1/9
S1 N	**Ipecac c̄ Scillæ Pil., B.P.C.**	gr. iv.	1/2
S1	,, ,, ,, ,,	gr. v.	1/4
P1 83	**Ipecac Pulv.** ...	... gr. ⅛	1/5
	Ex. Coloc Co. ...	... gr. ii.	
	Pil. Hydrarg. ...	... gr. iss.	
	Ext. Hyos. Sicc. ...	... gr. i.	
S1	**†Ipecac. Pulv.**	... gr. 4	2/10
	Pulv. Opii ...	... gr. ½	
	(*Dysentery*).		
S1 †358	**Ipecac Pulv.** ...	... gr. ¼	2/6
	Pulv. Opii... ...	... gr. ss.	
	Camphor ...	... gr. i.	
S1 84	**Ipecac Co. Pulv.**	... gr. iv.	1/7
S1	,, ,, ,,	... gr. v.	1/8
S1 85	**Ipecac Co. Pulv.**		1/9
	Pil. Scillæ Co.		
	Ext. Conii	aa gr. i.	
86	**Iridin**	... gr. i.	1/3
P1 359	**Iridin**	... gr. i.	2/6
	Ext. Euonymi Sicc.	... gr. ii.	
	Ext. Hyoscyam Sicc.	... gr. ss.	
	Saponis	... gr. i.	
87	**Jalap Res.**	... gr. iii.	2/-
88	**Jalapin**...	... gr. iii.	2/6
P1 360	**Jalapin**	... gr. 1/16	9½d.
	Aloin	... gr. ⅛	
	Leptandrin ..	... gr. 1/16	
	Podophyllin ...	... gr. ⅛	
	Cambog.	... gr. 1/32	
	Ext. Hyoscy. Sicc	... gr. ⅛	
	Ol. Res. Capsici ...	... ♏ 1/64	
	(*Little Antibilious Pills*).		

† Comes under regulations of D.D. Act.

Burgoyne's "Perfected" Pills.

No.			Price per gross 10 gross lots.
89	**Leptandrin**	gr. ii.	1/5
P1 1	**Leptandrin** Ext. Coloc. Co. ,, Hyoscy. Sicc.	gr. ii. gr. iss. gr. ss.	1/6
90	**Lupulin**	gr. iii.	1/6
	Methylene Blue	gr. i.	1/6
	,, ,,	gr. ii.	2/3
	,, ,,	gr.iii.	3/-
S1 †91	**Morph. Acet.**	gr. $\frac{1}{4}$	4/-
S1 †92	**Morph. Hydroch.**	gr. $\frac{1}{10}$	3/-
S1 †	,, ,,	gr. $\frac{1}{8}$	3/3
S1 †	,, ,,	gr. $\frac{1}{6}$	3/9
S1 †	,, ,,	gr. $\frac{1}{4}$	4/-
S1 †	,, ,,	gr. $\frac{1}{2}$	7/-
S1 †362	**Morph. Hydroch.** Pulv. Scillæ ,, Ipecac. Bals. Tolu (*Little Cough Pills*).	gr. $\frac{1}{36}$ aa. gr. $\frac{1}{12}$ gr. $\frac{1}{4}$	2/-
S1 †363	**Neuralgic Pills** ℞ Ext. Hyoscy. Sicc. ,, Conii ,, Ignat. Amar. ,, Opii ,, Aconiti ,, Cannab. Ind. ,, Stramonii ,, Bellad. Sicc. (*Brown-Sequard*).	 aa. gr. $\frac{2}{3}$ aa. gr. $\frac{1}{2}$ gr. $\frac{1}{3}$ gr. $\frac{1}{4}$ gr. $\frac{1}{5}$ gr. $\frac{1}{6}$	5/-
S1 94	**Nuc. Vom. Ext.**	gr. $\frac{1}{4}$, gr. ss., or gr. i.	1/1
S1 96	**Nuc. Vom. Ext.** Ferri Sulph. Ex. Ext. Aloes Barb. B.P.'14	gr. ss. gr. iss. gr. i.	11d.
S1 95	**Nuc. Vom. Ext.** Pulv. Ipecac Pil. Coloc Co. B.P.	gr. $\frac{1}{4}$ gr. ss. gr.iiss.	1/4
S1 97	**Nuc. Vom. Ext.** Pil. Coloc Co. Ext. Hyos. Sicc. Ext. Aloes Aq.	gr. $\frac{1}{4}$ gr. ii. gr. i. gr. i.	1/6

No.			Price per gross 10 gross lots.
P1 364	**Nuc. Vom. Ext.** Sodii Carb. Ex. Ext. Gentian Pulv. Zingib. Pulv. Capsici	gr. $\frac{1}{4}$ gr. 2 gr. 1 gr. 1 gr. $\frac{1}{4}$	1/3
S1 †365	**Opii Ext.**	gr. $\frac{1}{4}$	2/3
S1 †	,, ,,	gr. ss.	2/10
S1 †	,, ,,	gr. i.	3/9
S1 †366	**Opii Ext.** Ext. Bellad. Sicc.	 aa. gr. ss.	3/3
S1 † 98	**Opii Pulv.**	gr. $\frac{1}{4}$	1/8
S1 †	,, ,,	gr. ss.	1/11
S1 †	,, ,,	gr. 1	2/4
S1 †367	**Opii Pulv.** Camphor Acid Benzoic	gr. $\frac{1}{8}$ gr. $\frac{1}{8}$ gr. $\frac{1}{8}$	1/9
S1	**Ovolecithin B.P.C.**		3/-
99	**Pepsin B.P.**	gr. iii.	2/-
S1 368	**Pepsin B.P.** Ext. Aloes Soc. ,, Nucis Vom. Ferri Redact.	gr. i. gr. ss. gr. $\frac{1}{4}$ gr. iss.	1/6
369	**Pepsin B.P.** Ext. Anthem. Ext. Rhei aa. (*Digestive Pills.*)	gr. ii. gr. i.	2/6
S1	**Phenaloin N.F.**		10d.
P1 101	**Phosphori**	gr. $\frac{1}{50}$ or $\frac{1}{32}$	1/-
P1 102	,,	gr. $\frac{1}{24}$ or $\frac{1}{16}$	1/-
S1 110	**Phosphori** Ext. Cannab. Ind.	gr. $\frac{1}{25}$ gr. $\frac{1}{4}$	1/5
S1 370	**Phosphori** P. Canthar. Ext. Nucis Vom. Ext. Damianæ	gr. $\frac{1}{50}$ gr. ss. gr. $\frac{1}{4}$ gr. i.	1/8
S1 †111	**Phosphori** Morph. Mur. Zinci Valer.	gr. $\frac{1}{24}$ gr. $\frac{1}{12}$ gr. i.	2/6
P1 106	**Phosphori** Quininæ Sulph.	gr. $\frac{1}{50}$ gr. i.	2/-

† Comes under regulations of D.D. Act.

Burgoyne's "Perfected" Pills.

No.			Price per gross 10 gross lots.
S1 104	**Phosphori**	... gr. $\frac{1}{50}$	2/-
	Quininæ Sulph.	... gr. i.	
	Ext. Nucis Vom.	... gr. $\frac{1}{4}$	
S1 107	**Phosphori**	... gr. $\frac{1}{32}$	2/3
	Quininæ Sulph.	... gr. i.	
	Ferri Sulph. ...	... gr. i.	
	Ext. Nucis Vom.	... gr. $\frac{1}{4}$	
S1 103	**Phosphori**	... gr. $\frac{1}{100}$	2/-
	Strychninæ ...	... gr. $\frac{1}{100}$	
	Ext. Cannab. Ind.	... gr. $\frac{1}{16}$	
P1 108	**Phosphori**	... gr. $\frac{1}{60}$	1/10
	Zinci Valer. ...	... gr. i.	
P1 109	**Phosphori**	... gr. $\frac{1}{50}$	2/-
	Zinci Valer.		
	Ferri Sulph. ...	aa gr. i.	
	Quininæ Sulph.	... gr. ss.	
P1 O	**Phosphori** ...	... gr. i. or ii.	2/-
S1 105	**Phosphori Co. Pil.**		1/9
	℞ Phosphori ...	... gr. $\frac{1}{50}$	
	Ferri Redact ...	... gr. iii.	
	Quininæ Sulph.	... gr. ss.	
	Strychninæ ...	... gr. $\frac{1}{40}$	
S1 113	**Physostigmatis, Ext.**	... gr. $\frac{1}{16}$	1/-
271	**Phytolaccin**	... gr. $\frac{1}{4}$	2/-
372	**Picis Pil**	gr. 2 & 3	10d.
S1	**Plummeri Pil., B.P.** (*vide Pil. Hyd. Subchlor. Co.*)		
S1 P	**Plumbi c. Opio, B.P.C.**	.. gr. iv.	1/5
S1	,, ,, ,,	... gr. v.	1/7
P1 114	**Plumbi Acet.** ...	... gr. iiss	10d.
S1 †115	**Plumbi Acet.** ...	... gr. iii.	1/3
	Pulv. Opii ...	... gr. $\frac{1}{4}$	
116	**Podophyllin**	... gr.	1/-
	,, ...	... gr.	1/4
P1 117	**Podophyllin** ...	... gr. $\frac{1}{4}$	1/2
	Ext. Coloc. Co.	... gr. iss.	
	Ext. Hyos. Vir.	... gr. ii.	

No.			Price per gross 10 gross lots.
P1 373	**Podophyllin** ...	... gr. $\frac{1}{4}$	-/11
	Ext. Coloc. Co.	... gr. ss.	
	Aloes Soc. ...	... gr. i.	
	Scammon ...	... gr. $\frac{1}{4}$	
	Saponis ...	... gr. $\frac{1}{8}$	
	Ext. Hyoscy ...	... gr. $\frac{1}{8}$	
	Gingerin ...	... gr. $\frac{1}{8}$	
	Excipient ...	ad gr. iv.	
	(*Cathartic and Liver*)		
P1 373a	**Podophyllin** &c., half strength (*Bile Ovals*)		9d.
P1 120	**Podophyllin** ...	... gr. $\frac{1}{4}$	1/3
	Pil. Hydrarg....	... gr. ii.	
	Ext. Hyos. Sicc.	... gr. ii.	
P1 122	**Podophyllin** ...	... gr. $\frac{1}{6}$	1/1
	Ext. Hyos. Sicc.	... gr. $\frac{1}{4}$	
	Ext. Tarax ...	... gr. ii.	
	P. Pil. Rhei Co.	... gr. ii.	
P1 119	**Podophyllin** ...	... gr. $\frac{1}{8}$	1/3
	Ext. Nucis Vom.	... gr. $\frac{1}{4}$	
	Pil. Rhei Co. ..	... gr. iv.	
P1 118	**Podophyllin** ...	... gr. $\frac{1}{4}$	1/3
	Pil. Rhei Co. B.P.	... gr. iii	
	Ext. Hyos. Sicc.	... gr. i.	
121	**Podophyllin**	... gr. $\frac{1}{4}$	1/-
	Ext. Tarax ...	... gr. ii.	
P1 270	**Podoph. Co. B.P.C.** ...		1/2
S1 269	**Podoph Bellad et Nucis Vom. B.P.C.**... ...		1/3
	Podoph et Quin. Pil. B.P.C. (*Poore's Pills*).		2/-
123	**Potass. Bromid.** ...	... gr. v.	1/2
125	**Potass. Iodid.** ...	... gr. ii.	2/-
	,, ,, ...	... gr. iii.	2/8
374	,, ,, ...	... gr. iv.	3/4
	,, ,, ...	... gr. v.	4/-
S1 †124	**Potass. Iodid.**		2/9
	Pulv. Colchici...	aa. gr. ii.	
	Pulv. Opii ...	... gr. $\frac{1}{4}$	
	Potass Nit.	... gr. 2½	9d.
	Pulv. Gum Asafœtidæ	gr. 2	
	Capsicum ...	... ♏ $\frac{1}{4}$	
	Ol. Junip. ...	... ♏ $\frac{1}{4}$	
	(*Kidney Pills*).		
P1 75	**Potass. Nit** ...	... gr. iii.	1/7
	Camphor ...	... gr. i.	
	Ext. Hyoscy. ...	... gr. i.	
	(*Stricture Pills.*)		

† Comes under regulations of D.D. Act.

Burgoyne's "Perfected" Pills.

No.			Price per gross 10 gross lots.
376	**Potass. Permang.** ...	... gr. ss.	6d.
	,, ,, ...	... gr. i.	6d.
	,, ,, ...	... gr. ii.	8d.
P1 50	**Pot Sulph.**		9d.
	Pulv. Rhei ...	aa gr. 1½	
	Pulv. Saponis	... gr. ½	
	Ol. Ricini ...	... ♏ ½	
	Ol. Croton ...	... ♏ 1/16	
	(*Castor Oil Pills*).		
127	**Prandii Pil.**		8d.
	℞ Pulv. Rhei ...	... gr. i.	
	Aloes Soc. ...	... gr. i.	
	Saponis ...	... gr. ss.	
	Capsici	... gr. ss.	
	Ext. Gent. ...	... gr. i.	
	(*Digestive & Wind Pills.*)		
S1 129	**Quininæ Arsenat**	... gr. ⅛	1/9
377	,, **Salicyl** ...	... gr. i.	2/-
	,, ,, ...	... gr. ii.	3/3
	,, ,, ...	... gr. iii.	4/6
130	**Quininæ Sulph**	... gr. i.	1/6
378	,, ,,	... gr. ii.	2/8
379	,, ,,	... gr. iii.	3/8
380	,, ,,	... gr. iv.	4/6
381	,, ,,	.. gr. v.	5/6
131	**Quininæ Sulph**		2/3
	Ferri Sulph. Ex.	aa. gr. i.	
132	**Quininæ Sulph**		1/9
	Ferri Sulph		
	Zinci Sulph ...	aa. gr. ss.	
S1†382	**Quininæ Sulph**		2/6
	Pulv. Digitalis	aa. gr. ss.	
	Pulv. Opii ...	... gr. ¼	
S1 383	**Quininæ Sulph**	... gr. ss.	1/9
	Ferri Redact ...	... gr. ii.	
	Ext. Nucis Vom.	... gr. ¼	
P1 384	**Quininæ Sulph**		2/2
	Ferri Sulph ...	aa. gr. ss.	
	Ext. Bellad. Sicc.	... gr. ¼	
	Ext. Colchici Acet.	... gr. ss.	
	Ext. Hyoscy. Sicc.	... gr. i.	
	Camphor ...	... gr. i.	
	(*Neuralgic*).		
S1†134	**Quininæ Sulph.** ...		4/6
	Morphia Mur.	aa. gr. ¼	

No.			Price per gross 10 gross lots
S1†385	**Quininæ Sulph.**	... gr. iss.	5/-
	Morphia Hyd.	... gr. ⅛	
	Ext. Bellad Sicc.	... gr. ⅛	
	Zinci Valer. ...	... gr. i.	
	(*Tic Pills*).		
S1†133	**Quininæ Sulph.**	... gr. i.	3/-
	Pulv. Opii. ...	... gr. ss.	
S1 386	**Quininæ Sulph.**	... gr. iiss.	3/9
	Pulv. Opii. ...	... gr. 1/32	
	Pulv Rhei. ...	... gr. i.	
	Camphor	... gr. ¼	
	(*Pil. Warburg*)		
135	**Quininæ Valer.** ...	... gr. i.	3/3
P1	**Rhei Ext.**	... gr. 1/20	1/-
	Aloin	... gr. 1/10	
	Podoph Res. ...	... gr. ⅕	
	Ext. Hyos. ...	... gr. 1/20	
	Jalapin... ...	... gr. 1/10	
	Ol. Res. Caps.	... q.s.	
	(*Little Rhubarb Pills*).		
136	**Rhei Pulv.** ...	... gr. iii. or v.	1/2
273	**Rhei et Coloc et Hyd.** ...		1/-
P1 274	**Rhei et Nucis Vom.** ...		11d.
388	**Rhei Pulv.**		1/4
	Sod. Carb. Exsicc.		
	Ext. Gentian ...	aa. gr. iss.	
146	**Rhei Pulv.**	... gr. ii.	1/3
	Ext. Anthem ...	... gr. i.	
	Ext. Tarax ...	... gr. i.	
R	**Rhei Co. Pil. B.P.** ...	... gr. ii.	7d.
	,, ,, ,, ...	... gr. iii.	8d.
	,, ,, ,, ...	.. gr. iv.	8d.
	,, ,, ,, ...	... gr. v.	9d.
141	**Rhei Co. Pil.**	... gr. iii.	1/2
	Calomel ...	... gr. i.	
145	**Rhei Co. Pil.**	... gr. iii.	1/3
	Calomel ...	... gr. ii.	
137	**Rhei Co. Pil.**		1/-
	Ext. Coloc Co.	aa. gr. ii.	
138	**Rhei Co. Pil.**		1/-
	Ext. Coloc Co.		
	Pil. Hydrarg. ...	aa. gr. iss.	
	Rhei Co. Pil. ...	... gr. 4	10d.
	Ol. Ricini ...	... q.s.	
	(*Castor Oil Pills*).		

† Comes under regulations of D.D. Act.

Burgoyne's "Perfected" Pills.

No.			Price per gross 10 gross lots.
142	**Rhei Co. Pil.**		1/-
	Pil. Hydrarg.	aa. gr. ii	
139	**Rhei Co. Pil.**	gr. iii.	1/2
	Pil. Hydrarg.	gr. ii.	
P1 143	**Rhei Co. Pil. B.P.**	gr. iii.	1/3
	Pil. Hydrarg.	gr. i.	
	Ext. Hyos. Vir.	gr. i.	
144	**Rhei Co. Pil.**	gr. iv.	1/2
	Podophyllin	gr. $\frac{1}{4}$	
147	**Rhei Co. Pil.**		11d.
	Ext. Taraxaci...	aa. gr. ii.	
	(*Dandelion Pills.*)		
389	**Salicin.**	gr. ii.	2/9
390	**Salol.**	gr. iiss	1/6
149	**Santonin.**	gr. $\frac{1}{2}$	2/9
	,,	gr. i.	4/6
391	,,	gr. ii.	8/6
	,,	gr. iii.	13/-
S1 †S	**Saponis cum Opio., B.P.C.**		
	,, ,,	gr. iv.	1/11
	,, ,,	gr. v.	2/1
T	**Scammon. Co., B.P.C.**	gr. iv.	2/-
	,, ,, ,,	gr. v.	2/3
U	**Scillæ Co., B.P.C.**	gr. iv.	1/-
	,, ,, ,,	gr. v.	1/2
S1 †55	**Scillæ Co. Pil.**	gr. iii.	2/6
	Ext. Conii	gr. i.	
	Morph. Acet.	gr. $\frac{1}{8}$	
P1 152	**Scillæ Co. Pil.**	gr. ii.	1/9
	Pulv. Ipecac Co. B.P. 14	gr. i.	
P1 151	**Scillæ Co. Pil.**	gr. iv.	2/-
	Pulv. Ipecac	gr. $\frac{1}{6}$	
	Pulv. Opii	gr. $\frac{1}{12}$	
S1 †153	**Scillæ Co. Pil.**	gr. iiss.	2/6
	Morph. Acet.	gr. $\frac{1}{16}$	
	Pulv. Ipecac	gr. ss.	
	Camphor	gr. i.	
	(*Cough Pills.*)		
S1 †154	**Scillæ Co. Pil.**	gr. iv.	4/-
	Morph. Hydroch.	gr. $\frac{1}{4}$	
150	**Scillæ Pulv.**	gr. ii.	1/2
S1 392	**Sodii. Arsenate**	gr. $\frac{1}{20}$, $\frac{1}{16}$ or $\frac{1}{10}$	1/3
	Stramonii Ext.	gr. i.	1/9
	,, ,,	gr. ii.	2/-
	,, ,,	gm. $\frac{1}{4}$	2/9
S1 156	**Strychninæ**	gr. $\frac{1}{30}$ or $\frac{1}{50}$	1/3
S1 393	**Strychninæ**	gr. $\frac{1}{30}$	1/3
	Ferri Sulph.	gr. i.	
S1	**Sumbul Co. Pil.**		1/5
	℞ Ext. Sumbul	gr. 1	
	P. Asafœtidæ	gr. 2	
	Ferri Sulph. Ex.	gr. 1	
	Acid Arsen.	gr. $\frac{1}{30}$	
	(*Dr. Goodell*).		

No.			Price per gross 10 gross lots.
	Tarax Ext.		9d.
	Ext. Anthem		
	P. Rhei	aa. gr. i.	
	P. Zingib.		
	Pulv. Aloes, Barb.	aa. gr. $\frac{1}{2}$	
	Ol. Carui	♏ $\frac{1}{4}$	
	(*Digestive Pills*)		
394	**Terebinth. Chiæ**	gr. iii.	1/7
	Sulph. Sub.	gr. ii.	
	(*Dr. Clay's Pills.*)		
	Triple Valerian (*vide* Ferri Valerian Co. B.P.C.)		
	Urgineæ Co.		8d.
	Uvæ Ursi Ext.		8d.
	Pulv. Scillæ		
	Pulv. Capsici		
	Ext. Buchu	aa. gr. $\frac{1}{4}$	
	Podophyllin	gr. $\frac{1}{8}$	
	Pot. Nit.	gr. 1	
	Tereb. Venet.	gr. $\frac{1}{8}$	
	Ol. Junip.	♏ $\frac{1}{4}$	
	(*Backache & Kidney Pills*)		
	(*Oval, Gelatinous or Sugar-coated*).		
	Uvæ Ursi Co.		10d.
	℞ P. Scillæ		
	P. Capsici		
	Ext. Buchu	aa. gr. $\frac{1}{4}$	
	Podophyllin	gr. $\frac{1}{8}$	
	Pot. Nit.	gr. 1	
	Ext. Uvæ Ursi	gr. $\frac{1}{4}$	
	Ol. Junip.	♏ $\frac{1}{4}$	
	Methylene Blue	q.s.	
	(*Kidney and Bladder Pills*).		
	(*Oval, Grey, Sugar coated*).		
395	**Viburni Prunif. Ext.**	gr. ii.	1/9
157	**Zinci Oxid.**	gr. i., ii. or iii.	10d.
P1 396	**Zinci Oxid.**	gr. ii.	1/-
	Ext. Bellad Sicc.	gr. $\frac{1}{4}$	
158	**Zinci Oxid.**	gr. ii.	2/-
	Quininæ Sulph.	gr. i.	
P1 276	**Zinci Oxid. c. Bellad Pil. B.P.C.**		1/-
397	**Zinci Phosphid.**	gr. $\frac{1}{6}$, $\frac{1}{3}$ or $\frac{1}{4}$	1/-
S1 112	**Zinci Phosphid.**	gr. $\frac{1}{6}$	1/2
	Ext. Nuc. Vom.	gr. $\frac{1}{4}$	
159	**Zinci Sulph.**	gr. ii.	10d.
160	**Zinci Sulph.**		1/-
	Ferri Sulph.	aa. gr. i.	
161	**Zinci Valer.**	gr. 1	1/6
	,, ,,	gr. 2	1/9
	,, ,,	gr. 3	2/2
162	**Zinci Valer.**	gr. ii.	2/9
	Quininæ Sulph.	gr. i.	
398	**Zinci Valer.**		2/2
	Pil. Galbani Co.	aa. gr. ii.	
	(*Morrell Mackenzie's Pill.*)		
277	**Zinci Valer. Co. Pil.**		1/7

---

† Comes under regulations of D.D. Act.

AMPOULES

This Schedule contains those Ampoules most in demand, but any medicament can be supplied to order.

The Ampoules used are blown from alkali free glass and are prepared under the strictest supervision in a laboratory specially designed and equipped for the preparation of sterile products.

Prices quoted are subject to :—

25% discount to Pharmacists.
10% ,, ,, Medical Profession.

	CONTENT PER AMPOULE.		Boxes of 6	Boxes of 12
Acriflavine	0.01 grm. (1/6 gr.)	in 10 ccs.	3/6	6/-
P1 **Adrenalin Hydrochloride**	1.1000	0.5 cc.	1/6	2/6
	1.1000	1 cc.	1/6	2/9
P1 **Adrenalin and Benzamine Hydrochloride**				
Adrenalin	0.00016 grm. (1/400 gr.)			
Benzamine Hydrochloride	0.02 grm. (1/3 gr.)	in 1 cc.	1/6	2/9
S1 †**Adrenalin and Cocaine Hydrochloride**				
Adrenalin	0.00003 grm. (1/2200 gr.)			
Cocaine Hydrochloride	0.02 grm. (1/3 gr.)	in 1 cc.	2/-	3/6
P1 **Adrenalin and Novocaine**				
Andrenalin	0.000065 grm. (1/1000 gr.)			
Novocaine	0.02 grm. (1/3 gr.)	in 1 cc.	2/-	3/6
S1 **Antimony Potassium Tartrate**	0.04 grm. (2/3 gr.)	in 2 ccs.	1/6	2/9
	0.065 grm. (1 gr.)	in 2 ccs.	1/6	2/9
	0.13 grm. (2 grs.)	in 2 ccs.	1/6	2/9
Antimony Sodium Tartrate. (See *Stiboform.*)				
S1 **Apomorphine Hydrochloride**	0.01 grm. (1/6 gr.)	in 1 cc.	1/6	2/9
S1 **Apomorphine Hydrochloride**	0.003 grm. (1/20 gr.)	in 1 cc.	1/6	2/9
Aqua Dest		10 ccs.	2/6	
		20 ccs.	4/6	
		50 ccs.	1/- each	
			Boxes of 6	Boxes of 12
S1 **Arrhenal.**—(Sodium Methylarsinate.)	0.05 grm. (¾ gr.)	in 1 cc.	2/3	4/-
S1 **Arsenic Iodide**	0.00065 grm. (1/100 gr.)	in 0.5 cc.	2/-	3/6
S1 **Atropine Sulphate** (Inject. Atrop. Hyp. B.P.C.)	0.0006 grm. (1/100 gr.)	in 0.5 cc.	1/6	2/9
	0.003 grm. (1/20 gr.)	in 1.0 cc.	1/6	2/9
S1 **Atropine Sulphate and Strychnine Sulphate**				
Atropine Sulphate ...	0.00065 grm. (1/100 gr.)			
Strychnine Sulphate ...	0.001 grm. (1/64 gr.)	in 0.5 cc.	1/6	2/9
Atropine Sulphate ...	0.00065 grm. (1/100 gr.)			
Strychnine Sulphate ...	0.0018 grm. (1/36 gr.)	in 0.5 cc.	1/6	2/9
Benzamine Lactate (β. Eucaine Lactate.)	0.016 grm. (¼ gr.)	in 1 cc.	1/6	2/9
	0.03 grm. (½ gr.)	in 1 cc.	1/9	3/-

† Comes under regulations of D.D Act.

AMPOULES

	CONTENT PER AMPOULE.		Boxes of 6	Boxes of 12
S1 **Cacodylate Compound**				
Sodium Cacodylate	0.05 grm. (¾ gr.)			
Iron Cacodylate	0.03 grm. (½ gr.)			
Strychnine Cacodylate	0.001 grm. (1/64 gr.)	in 1 cc.	1/9	3/-
Caffeine Sodium Benzoate				
Caffeine	0.25 grm. (3¾ grs.)	in 1.5 ccs.	1/9	3/-
Caffeine Sodium Salicylate				
Caffeine	0.1 grm. (1½ grs.)	in 1.5 ccs.	1/9	3/-
Calcium Chloride	0.06 grm. (1 gr.)	in 5 ccs.	1/9	3/-
Calcium Formate	0.05 grm. (¾ gr.)	in 1 cc.	1/9	3/-
Calcium Glycerophosphate	0.06 grm. (1 gr.)	in 3 ccs.	1/9	3/-
	0.12 grm. (2 grs.)	in 10 ccs.	1/9	3/-
Calomel (Fatty Suspension)	0.05 grm. (¾ gr.)	in 1 cc.	2/-	3/6
Camphor in Ether				
Camphor	0.2 grm.			
Ether	0.25 cc.			
Olive Oil ad	1.0 cc.		1/9	3/-
Camphor in Ether				
Camphor	2 grains			
Ether	3 min.			
Olive Oil ad	10 min.		1/9	3/-
Camphor in Oil 10%	0.1 grm. (1½ grs.)	in 1 cc.	1/9	3/-
	0.2 grm. (3 grs.)	in 2 ccs.	1/9	3/-
Camphor in Oil 20%	0.2 grm. (3 grs.)	in 1 cc.	1/9	3/-
Chaulgrol (Ethyl Chaulmoograte.)		1 cc.	2/3	4/3
		2 ccs.	3/-	5/6
		3 ccs.	3/6	6/6
Cinchonine Bi-hydrochloride	0.5 grm. (7½ gr.)	in 1.5 ccs.	2/-	3/6
S1 †**Cocaine Hydrochloride**	0.01 grm. (1/6 gr.)	in 1 cc.	1/9	3/-
	0.02 grm. (1/3 gr.)	in 1 cc.	1/9	3/-
S1 **Codeine Phosphate**	0.06 grm. (1 gr.)	in 1 cc.	2/-	3/6
Colloidal Iodine		5 cc.	3/-	
		10 cc.	3/9	
		20 cc.	6/4	
Creosote in Oil	0.05 grm. (¾ gr.)	in 1 cc.	2/-	3/6
Curschmann's Solution				
Camphor	3 grains			
Ether	4½ mins.			
Olive Oil	10 mins.	in 1 cc.	2/-	3/6
S1 †**Diamorphine Hydrochloride**	0.01 grm. (1/6 gr.)	in 1 cc.	2/-	3/6
S1 **Digitalin B.P.C.**	0.006 grm. (1/10 gr.)	in 1 cc.	2/3	4/-
S1 **Digitalin and Strychnine**				
Digitalin B.P.C.	0.006 grm. (1/10 gr.)			
Strychnine Hydrochloride	0.0006 grm. (1/100 gr.)	in 1 cc.	2/-	3/6

† Comes under regulations of D.D. Act.

AMPOULES

	CONTENT PER AMPOULE.		Boxes of 6	Boxes of 12
S1 **Emetine Hydrochloride** ...	0.02 grm. (1/3 gr.)	in 0.5 ccs.	2/-	3/6
S1	0.03 grm. (½ gr.)	in 1 cc.	2/3	4/-
S1	0.04 grm. (2/3 gr.)	in 1 cc.	2/6	4/6
S1	0.065 grm. (1 gr.)	in 2 ccs.	3/-	5/6
S1 **Ephedrine Hydrochloride**	0.03 grm. (½ gr.)	in 1 cc.	2/-	3/6
	0.05 grm. (¾ gr.)	in 1 cc.	2/3	4/-
S1 **Ergot** (Inject. Ergot. Hyp. B.P. '14)...		1 cc.	2/-	3/6
S1 **Ergotinine Citrate** (Inject. Ergotinine. Hyp. B.P.C.)		0.5 cc.	2/-	3/6
Ethyl Chaulmoograte (See *Chaulgrol*).				
Ethyl Hydnocarpate...		2 ccs.	3/-	5/6
Ethyl Morrhuate		1 cc.	2/6	4/6
		2 ccs.	4/-	7/6
Euflavine	1.1000	10 ccs.	3/-	5/6
Glucose Medicinal 1½ Fl. ozs. of solution, sufficient to prepare one pint of isotonic solution			1/6 each	
			Boxes of 6	Boxes of 12
Grey Oil 10% (Inj. Hydrargyri Intramuscularis)		1 cc.	1/9	3/-
Guaiacol in Oil	0.05 grm. (¾ gr.)	in 1 cc.	2/-	3/6
S1 **Guaiacol Cacodylate** ...	0.1 grm. (1½ grs.)	in 2 ccs.	2/-	3/6
Gum Acacia for Intravenous Injection One ampoule when diluted to 250 ccs. with sterile water, forms a 7% solution of Gum Acacia in Normal Saline			1/6 each	
			Boxes of 6	Boxes of 12
S1 **Homatropine Hydrobromide** (Inject. Homatrop. Hyp. B.P.C.)	0.003 grm. (1/20 gr.)	in 0.5 cc.	2/-	3/6
P1 **Hyoscine Hydrobromide** (Inject. Hyoscin. Hyp. B.P.C.)	0.0006 grm. (1/100 gr.)	in 0.5 cc.	1/9	3/-
P1 **Hyoscyamine Hydrobromide**	0.0012 grm. (1/50 gr.)	in 1 cc.	1/9	3/-
Indigo Carmine (0.4% for Kidney Test.)		10 cc.	3/3	6/-
S1 **Iron Arsenite** (with Ammonium Citrate)	0.065 grm. (1 gr.)	in 1 cc.	1/9	3/-
S1 **Iron Arsenite and Strychnine** (with Ammonium Citrate) Iron Arsenite ... ... Strychnine Nitrate ...	0.065 grm. (1 gr.) 0.001 grm. (1/60 gr.)	in 1 cc.	1/9	3/-
S1 **Iron Cacodylate**	0.065 grm. (1 gr.)	in 1 cc.	1/9	3/-
Iron Citrate	0.03 grm. (½ gr.)	in 1 cc.	1/9	3/-
	0.06 grm. (1 gr.)	in 1 cc.	1/9	3/-

AMPOULES

		CONTENT PER AMPOULE.		Boxes of 6	Boxes of 12
	Jecoform 3% Solution (Sodium Salt of Purified fatty acid of Cod Liver Oil, Sodium Morrhuate)				
		0.03 grm. (½ gr.)	in 1 cc.	2/3	4/-
		0.065 grm. (1 gr.)	in 2 ccs.	3/-	5/6
		0.16 grm. (2½ grs.)	in 5 ccs.	3/6	6/6
	3% Solution in 5 cc. Rubber capped bottles		... ...	1/- each	
	3% Solution in 10 cc. Rubber capped bottles		... ...	1/6 each	
	3% Solution in 30 cc. Rubber capped bottles		... ...	3/- each	
				Boxes of 6	Boxes of 12
	Jecoform 5% Solution ...	0.05 grm. (¾ gr.)	in 1 cc.	2/6	4/9
		0.10 grm. (1½ grs.)	in 2 ccs.	3/-	6/6
		0.25 grm. (3¾ grs.)	in 5 ccs.	3/9	7/-
	5% Solution in 5 cc. Rubber capped bottles		... ...	1/- each	
	5% Solution in 10 cc. Rubber capped bottles		... ...	1/6 each	
	5% Solution in 30 cc. Rubber capped bottles		... ...	3/- each	
				Boxes of 6	Boxes of 12
	Manganese Butyrate 1% Solution				
		0.01 grm. (1/6 gr.)	in 1 cc.	2/3	4/-
		0.015 grm. (¼ gr.)	in 1.5 ccs.	2/3	4/-
		30 cc. Rubber capped bottles	...	3/9 each	
				Boxes of 6	Boxes of 12
	Menthol in Liquid Paraffin	0.013 grm. (1/5 gr.)	in 2 ccs.	2/6	4/6
	Mercurial Cream (See *Grey Oil*)				
P1	**Mercuric Chloride**... ...	0.001 grm. (1/64 gr.)	in 1 cc.	1/9	3/-
P1		0.002 grm. (1/32 gr.)	in 1 cc.	1/9	3/-
S1		0.01 grm. (1/6 gr.)	in 1 cc.	1/9	3/-
S1	**Mercuric Cyanide**	0.01 grm. (1/6 gr.)	in 1 cc.	1/9	3/-
P1	**Mercuric Iodide**	0.01 grm. (1/6 gr.)	in 1 cc.	1/9	3/-
S1	**†Mercuric Succinimide and Cocaine**				
	Mercuric Succinimide ...	0.022 grm. (1/3 gr.)			
	Cocaine Nitrate... ...	0.016 grm. (¼ gr.)	in 1 cc.	2/-	3/6
S1	**Mercury Salicylate** ...	0.065 grm. (1 gr.)			
	Freshly precipitated mercury salicylate suspended in 1 cc. Liquid Paraffin			1/9	3/-
P1	**Mercurochrome ½% Solution**		10 ccs.	1/9	3/-
S1	**Mercurochrome 1% Solution**		10 ccs.	2/-	3/6
S1	**†Morphine Acetate and Hyoscine Hydrobromide**				
	Morphine Acetate ...	0.016 grm. (¼ gr.)			
	Hyoscine Hydrobromide	0.0006 grm. (1/100 gr.)	in 1 cc.	2/-	3/6
S1	**†Morphine Hydrochloride**	0.008 grm. (1/8 gr.)	in ½ cc.	1/9	3/-
		0.015 grm. (¼ gr.)	in 1 cc.	1/9	3/-
		0.03 grm. (½ gr.)	in 1 cc.	1/9	3/-
S1	**†Morphine Sulphate** ...	0.01 grm. (1/6 gr.)	in 1 cc.	1/9	3/-
		0.016 grm. (¼ gr.)	in 1 cc.	1/9	3/-
		0.02 grm. (1/3 gr.)	in 1 cc.	1/9	3/-
		0.03 grm. (½ gr.)	in 1 cc.	1/9	3/-

† Comes under regulations of D.D. Act

AMPOULES

	CONTENT PER AMPOULE.		Boxes of 6	Boxes of 12
S1 †**Morphine Sulphate and Atropine Sulphate**				
Morphine Sulphate ...	0.008 grm. (1/8 gr.)			
Atropine Sulphate ...	0.0003 grm. (1/200 gr.)	in 0.5 cc.	1/9	3/-
Morphine Sulphate ...	0.015 grm. (¼ gr.)			
Atropine Sulphate ...	0.0004 grm. (1/150 gr.)	in 1 cc.	1/9	3/-
Morphine Sulphate ...	0.02 grm. (1/3 gr.)			
Atropine Sulphate ...	0.0005 grm. (1/120 gr.)	in 1 cc.	1/9	3/-
Morphine Sulphate ...	0.03 grm. (½ gr.)			
Atropine Sulphate ...	0.00065 grm. (1/100 gr.)	in 1 cc.	1/9	3/-
S1 †**Morphine Tartrate** ...	0.025 grm. (3/8 gr.)	in 1 cc.	1/9	3/-
S1 †**Morphine Tartrate and Atropine Sulphate** (Inject. Morph. and Atrop. Hyp. B.P.C.)				
Morphine Tartrate ...	0.03 grm. (½ gr.)			
Atropine Sulphate ...	0.0006 grm. (1/100 gr.)	in 0.5 cc.	1/9	3/-
Morphine Tartrate ...	0.016 grm. (¼ gr.)			
Atropine Sulphate ...	0.0006 grm. (1/100 gr.)	in 1 cc.	1/9	3/-
P1 **Novocain and Adrenalin** (See *Adrenalin and Novocain.*)				
Nuclein 5%		1 cc.	2/3	4/-
S1 **Papaverine Sulphate** ...	0.03 grm. (½ gr.)	in 1 cc.	2/-	3/6
Phenol Red for Kidney Test	0.006 grm. (1/10 gr.)	in 1 cc.	3/-	5/6
Physiological Salt Solution Concentrated Each 40 cc. Ampoule makes 2 pints of normal Saline Solution ...			1/6 each	
			Boxes of 6	Boxes of 12
S1 **Physostigmine Salicylate**...	0.0006 (1/100 gr.)	in 0.5 cc.	2/-	3/6
S1 **Physostigmine Sulphate** ...	0.0006 (1/100 gr.)	in 0.5 cc.	2/-	3/6
S1 **Pilocarpine Nitrate** ...	0.0065 grm. (1/10 gr.)	in 1 cc.	2/-	3/6
	0.015 grm. (¼ gr.)	in 1 cc.	2/-	3/6
	0.02 grm. (1/3 gr.)	in 1 cc.	2/-	3/6
	0.03 grm. (½ gr.)	in 1 cc.	2/-	3/6
Potassium Iodide	0.325 grm. (5 grs.)	in 1 cc.	2/-	3/6
Quinine Acid Hydrobromide	0.13 grm. (2 grs.)	in 1 cc.	2/-	3/6
Quinine Acid Hydrochloride	0.2 grm. (3 grs.)	in 1 cc.	2/-	3/6
	0.25 grm. (3¾ grs.)	in 1 cc.	2/-	3/6
	0.33 grm. (5 grs.)	in 1 cc.	2/-	3/6
	0.5 grm. (7½ grs.)	in 2 ccs.	2/3	4/-
	0.66 grm. (10 grs.)	in 2 ccs.	2/6	4/6
	1.0 grm. (15 grs.)	in 3 ccs.	3/-	5/6
Quinine Formate	0.05 grm. (¾ gr.)	in 1 cc.	2/-	3/6
Quinine Urea Hydrochloride 1%	0.05 grm. (¾ gr.)	in 5 ccs.	2/6	4/6
Quinine Urethane				
Quinine Hcl.	0.13 grm. (2 grs.)			
Urethane	0.06 grm. (1 gr.)	in 1 cc.	2/6	4/6
Quinine Hcl.	0.26 grm. (4 grs.)			
Urethane	0.13 grm. (2 grs.)	in 2 ccs.	3/-	5/6
Quinine Hcl.	0.40 grm. (6 grs.)			
Urethane	0.20 grm. (3 grs.)	in 3 ccs.	3/-	5/6
	10 cc. Rubber capped bottles ...		1/9 each	
	20 cc. Rubber capped bottles ...		2/3 each	
	30 cc. Rubber capped bottles ...		3/- each	

† Comes under regulations of D.D. Act.

AMPOULES

		CONTENT PER AMPOULE.		Boxes of 6	Boxes of 12
	Ringers Solution Concentrated.	Each 30 cc. ampoule makes 1 litre		2/- each	
	Sesiodol (Iodised Sesame Oil 10%)				
	For administration of Iodine in organic combination		2 ccs.	2/6	4/6
	Sodium Arsenate and Strychnine				
S1	Sodium Arsenate ...	0.002 grm. (1/32 gr.)			
	Strychnine Hydrochloride	0.001 grm. (1/64 gr.)	in 1 cc.	2/-	3/6
	Sodium Arsenate, Strychnine and Quinine				
	Sodium Arsenate ...	0.002 grm. (1/32 gr.)			
S1	Strychnine Hydrochloride	0.001 grm. (1/64 gr.)			
	QuinineAcid Hydrochloride	0.065 grm. (1 gr.)	in 1 cc.	2/-	3/6
S1	**Sodium Cacodylate** ...	0.05 grm. (¾ gr.)	in 1 cc.	2/-	3/6
		0.10 grm. (1½ grs.)	in 1 cc.	2/-	3/6
		0.20 grm. (3 grs.)	in 1 cc.	2/-	3/6
	Sodium Chaulmoograte ...	0.065 grm. (1 gr.)	in 1 cc.	2/-	3/6
		0.13 grm. (2 grs.)	in 2 ccs.	2/-	3/6
		0.20 grm. (3 grs.)	in 3 ccs.	2/-	3/6
	Sodium Formate	0.008 grm. (⅛ gr.)	in 0.5 cc.	2/-	3/6
		0.03 grm. (½ gr.)	in 1 cc.	2/-	3/6
	Sodium Glycerophosphate ...	0.20 grm. (3 grs.)	in 1 cc.	2/-	3/6
		0.1 grm. (1½ grs.)	in 1 cc.	2/-	3/6
	Sodium Hydnocarpate ...	0.03 grm. (½ gr.)	in 1 cc.	2/-	3/6
		0.10 grm. (1½ grs.)	in 3 ccs.	2/3	4/-
		0.15 grm. (2½ grs.)	in 5 ccs.	2/6	4/6
	Sodium Morrhuate. (*See Jecoform.*)				
	Sodium Nitrite	0.01 grm. (1/6 gr.)	in 1 cc.	1/9	3/-
		0.03 grm. (½ gr.)	in 1 cc.	1/9	3/-
	Sodium Salicylate	20% solution ...	5 ccs.	2/3	4/-
		30% solution	5 ccs.	2/3	4/-
		40% solution	5 ccs.	2/3	4/-
	Sodium Thiosulphate ...	0.2 grm. (3 grs.)	in 5 ccs.	1/9	3/-
		0.45 grm. (6¾ grs.)	in 5 ccs.	1/9	3/-
		0.60 grm. (9 grs.)	in 5 ccs.	1/9	3/-
	Sparteine Sulphate	0.03 grm. (½ gr.)	in 1 cc.	1/9	3/-
		0.06 grm. (1 gr.)	in 1 cc.	1/9	3/-
S1	**Stiboform** (Sodium Antimony Tartrate)				
		0.03 grm. (½ gr.)	in 1.5 ccs.	1/9	3/-
		0.065 grm. (1 gr.)	in 3 ccs.	2/-	3/6
		0.13 grm. (2 grs.)	in 6 ccs.	2/3	4/-
S1	**Strophanthin**	0.00016 grm. (1/400 gr.)	in 1 cc.	1/9	3/-
		0.0003 grm. (1/200 gr.)	in 1 cc.	1/9	3/-
		0.0006 grm. (1/100 gr.)	in 1 cc.	1/9	3/-
S1	**Strychnine Hydrochloride**	0.0075 grm. (⅛ gr.)	in 1 cc.	1/9	3/-
P1	**Strychnine Nitrate** ...	0.00065 grm. (1/100 gr.)	in 0.5 cc.	1/9	3/-
S1		0.001 grm. (1/60 gr.)	in 0.5 cc.	1/9	3/-
P1	**Strychnine Sulphate** ...	0.00065 grm. (1/100 gr.)	in 0.5 cc.	1/9	3/-
S1		0.001 grm. (1/60 gr.)	in 0.5 cc.	1/9	3/-
S1		0.002 grm. (1/30 gr.)	in 0.5 cc.	1/9	3/-

LOZENGES AND PASTILLES.

Proprietary Lozenges carefully prepared and cut to any size and shape.

All Lozenges marked ✶ are compressed

Trochisci—

	Absorbentes	lb	2/6
	Acid Benzoici, B.P. 1914	,,	3/9
	,, Tannici, B.P.	,,	3/-
	,, ,, et Capsici	,,	3/3
	Ammonii Chloridi	,,	3/9
	Anisi	,,	2/-
	Antacidi	,,	3/-
✶	Aperientes	,,	2/9
✶	Balsamic	,,	2/6
✶	Bismuthi Comp., B.P. strength	,,	2/10
	,, ,, B.P.	,,	3/3
	Boracis, B.P.C.	,,	3/3
	Bronchial, *packed* (*see page* 132).		
✶	Calomelas (1 *grain*)	,,	3/9
✶	,, (2 *grains*)	,,	4/-
	Camphoræ	,,	3/3
	Capsici (*Cayenne*)	,,	2/9
	,, *extra strong*	,,	3/-
✶	Castor Oil	,,	2/6
	Catechu, B.P. 1914	,,	3/9
	Charcoal	,,	3/-
	Chlorodyni	,,	3/3
	Cinnamomi (*vide* Compressed Tablets).		
S1 †	Cocainæ $\frac{1}{12}$ gr.	,,	6/-
	Cough (*vide Tussi*)		
	Delectable (Jujubes)	,,	3/-
	Digestive	,,	2/9
	Eucalypti Gummi	,,	4/9
	Ferri Redacti, B.P. 1914	,,	3/6
	Fructi (*Black Currant*)	,,	4/6
	,, c. Ipecac.	,,	4/6
	Gelatini, No. 1	,,	2/3
	Glycerini (*vide Pastilles*).		
	Glycyrrhizæ (*Brompton Cough*)	,,	1/6
	,, ,, ,, B.P.C.	,,	2/3

Trochisci—

	Guaiaci Resinæ, B.P. 1914	lb	5/3
	Ipecacuanhæ, B.P. 1914	,,	3/-
	,, c. Scilla	,,	2/6
	Jalapæ	,,	3/-
	Krameriæ, B.P.	,,	3/-
S1 †	,, et Cocainæ, B.P.	,,	5/-
	Lavandulæ	,,	4/-
	Licorice and Menthol (*Pellets*)	,,	4/3
	,, ,, (*Globules*)	,,	2/9
	Limonis (*Tablets*)	,,	1/9
	Lini, Glycyrrhizæ et Chlorodyn.	,,	1/6
P1	,, ,, ,, B.P.C.	,,	2/9
	Magnesii	,,	3/6
	Menthæ Piperitæ (*Burgoyne's*) *curiously strong* (compressed)	,,	3/-
	,, ,, (Multum in parvo)	,,	3/6
	Mentholis $\frac{1}{16}$ gr.	,,	3/3
P1	Morphinæ, B.P. 1914	,,	4/3
P1	,, et. Ipecac, B.P.	,,	3/6
	Moschi	,,	3/-
✶	Paregorici	,,	3/-
	Pepsini	,,	3/6
P2	Phenolis, B.P.	,,	2/6
	Phenolphthalein, B.P.C.	,,	3/-
	,, ,, *strong* (special)	,,	3/6
	Potassii Bicarbonatis	,,	3/-
	,, Chloratis, P.B. 1914	,,	2/-
	Rosæ, *extra super*	,,	3/-
✶	Santonini 1 gr.	oz	1/-
	Scillæ	lb	2/6
	Sodii Bicarb., P.B. 1898	,,	3/-
	Sulphuris, P.B. 1914	,,	2/9
	,, (*Garrod's Form*)	,,	2/-
	Tolutani, *extra super*	,,	3/-
✶	Tussi, *Burgoyne's* (*Cough*)	,,	3/-
✶	,, (*2nd Quality*)	,,	2/6
✶	Zingiberis, *extra super*	,,	2/9

---

† Comes under regulations of D.D. Act.

Lozenges and Pastilles (continued).

THROAT HOSPITAL LOZENGES.

Prepared as directed in the Throat Hospital Pharmacopœia.

TROCHISCI—

	Acid Benzoici ...	B.A.	lb	3/6
S1 †	,, ,, Co. ...	C.B.A.	,,	6/6
P2	,, Carbolici ...	C.A.	,,	3/6
	,, Tannici ...	T.	,,	3/6
	Altheæ		,,	3/6
	Ammon. Chlor. ...	M.A.	,,	4/6
	,, ,, Co....	C.M.A	,,	4/6
	Boracis	B.O.	,,	3/-
	Catechu	C.T.	,,	4/3
S1	†Cocain Hydroch. gr. $\frac{1}{10}$	H.C.	,,	6/-
	Cubebæ	C.B.	,,	3/6
	Eucalypti Co. ...	C.E.	,,	3/6
	Guaiaci	G.	,,	3/9
	Hæmatoxyli	L.W.	,,	4/3
	Kino	K.	,,	3/6
	Krameriæ	R.	,,	3/6
	Lactucæ	L.	,,	3/6
	Potass. Chloras. ...	P.	,,	3/6
	,, ,, et Boracis	P.B.	,,	3/6
	,, Tartras Acid	T.P.	,,	3/6
	Pyrethri	P.V.	,,	4/-
	Sedativi	S.	,,	3/6

ANTISEPTIC THROAT PASTILLES.

7 or 14 lb. tins, per lb. 3/3.

CACHOUS

(*Floral*)

Fragrant and lasting
(*all perfumes or mixed*)

lb. 2/-. 7 lb. 1/9.

PASTILLES AND JUJUBES.

Pastilli—

S1	†Acetomorphinæ ...	B.P.C.	lb	4/-
S1 †	,, Co. ...	,,	,,	4/-
	Antiseptic (Burgoyne)	,,	,,	3/6
	,, Sec. ...	,,	,,	2/6
S1	†Cocainæ $\frac{1}{20}$th gr. ...	,,	,,	4/-
S1	Codeinæ gr. $\frac{1}{8}$ ...	,,	,,	3/6
	Eucalyptus	,,	,,	3/6
	,, et Cocain ...	,,	,,	4/6
	Glycerin	,,	,,	2/9
	,, & Black Currant	,,	,,	2/9
	,, & Thymol ...	,,	,,	2/-
	Mentholis gr. $\frac{1}{5}$... ...	,,	,,	4/-
S1 †	,, et Cocain ...	,,	,,	4/-
	,, et Eucalyptus	,,	,,	2/-
	Voice (Jujubes) ...	,,	,,	3/9

---

† Comes under regulations of D.D. Act.

GELATINE CAPSULES

(FLEXIBLE)

Our capsules contain only the purest ingredients, and combine accuracy of dosage with a high decree of solubility, perfection of shape and finish.

To ensure that they retain their high finish they should be stored in a cool place.

A small additional charge is made (calculated in the same way as for tablets, see page 92), for bulk quantities of less than 1000 capsules.

	Strength	Per 1000	Per Dozen Boxes of	
			24	36
Antipyrin	5 gr.	22/6	8/6	11/9
,,	10 gr.	37/6	12/9	18/3
Antipyrin **Caffeine**	4 gr. 1 gr.	27/-	10/-	14/-
Apiol	2 min.	13/-	6/6	8/9
,,	3 min.	18/-	7/-	9/6
,,	5 min.	23/-	8/3	12/-
S1 **Apiol** **Ergotin**	3 min. 2 gr.	25/-	13/3	19/6
S1 **Apiol** **Ergotin**	3 min. 1 gr.	22/-	9/3	12/6
S1 **Apiol** **Ergotin**	2 min. 1 gr.	20/-	8/6	11/6
Asthma (*see pages* 144).				
Blaud's Ferruginous	1 pill	7/-	3/9	5/-
,, ,,	2 pill	8/-	4/3	5/6
,, ,,	3 pill	10/-	4/9	6/3
S1 **Blaud** **Arsenic**	1 pill 1/100 gr.	10/-	4/9	6/3
S1 **Blaud** **Arsenic**	3 pill 1/50 gr.	12/-	5/3	7/3
S1 **Blaud** **Arsenic** **Strychnine**	1 pill 1/100 gr. 1/100 gr.	13/-	5/6	7/6
S1 **Blaud** **Arsenic** **Strychnine**	3 pill 1/50 gr. 1/50 gr.	14/-	5/9	8/-
Blaud **Cascara Fl. Ext.**	2 pill 10 min.	13/-	5/6	7/6
Cajuput Oil	3 min.	12/-	6/-	8/6
Carbolic Acid (in oil)	1 gr.	11/-	5/9	8/-
Cascara Fl. Ext.	15 min.	14/-	5/9	8/-
,, ,, ,,	20 min.	15/-	6/3	8/6
,, ,, ,,	30 min.	16/-	6/6	9/-
,, ,, ,,	60 min.	27/6	9/6	14/-

MEDICINAL CAPSULES.

	Strength.	Per 1000	Per Dozen Boxes of 24	36
Cascara Euonymin	30 min. 1 gr.	32/-	11/3	15/9
Castor Oil	5 min.	7/-	3/9	5/-
,,	10 min.	7/6	4/-	5/3
,,	15 min.	10/6	4/9	6/3
,,	20 min.	14/-	5/9	8/-
,,	30 min.	17/6	7/-	9/6
,,	60 min	32/-	12/6	17/6
Chaulmoogra Oil	5 min.	14/-	6/9	9/3
,, ,,	10 min.	20/-	8/3	11/9
Cod Liver Oil, finest non-congealing	10 min.	12/-	5/3	7/3
,, ,, ,, ,,	15 min.	15/6	6/3	8/9
,, ,, ,, ,,	20 min.	20/-	9/-	12/9
,, ,, ,, ,,	30 min.	23/-	10/6	15/-
,, ,, ,, ,,	60 min.	32/-	13/3	19/3
Cod Liver Oil Creosote	10 min. 1 min.	10/6	6/9	9/6
Cod Liver Oil Iodoform	10 min. ¼ gr.	10/6	5/6	7/-
Cod Liver Oil Creosote Iodoform	15 min. ¼ min. ¼ gr.	17/6	7/6	10/-
Cod Liver Oil Guaiacol	15 min. 1 min.	16/-	7/-	10/-
Cod Liver Oil Phosphorus	20 min. 1/120 gr.	18/-	7/9	10/3
Copaiba Balsam (finest filtered)	10 min.	12/6	6/3	8/9
,, ,, ,, ,,	5 min.	10/-	5/3	7/3
,, ,, and Cubeb Oil	10 min.	24/4	9/6	13/8
,, ,, (9) and Santal (1)	10 min.	18/-	8/3	11/3
,, ,, (9) Santal (1) and Buchu	10 min.	29/-	11/-	15/-
,, ,, ,, ,, Matico	10 min.	26/-	10/-	13/9
,, ,, Cubeb and Iron	10 min.	17/6	10/-	13/3
,, ,, ,, and Matico	10 min.	26/-	10/-	13/9
,, ,, (9) Cubeb (1) and Buchu ($\frac{1}{16}$)	10 min.	24/-	9/6	13/-

MEDICINAL CAPSULES.

	Strength	Per 1000	Per Dozen Boxes of 24	36
Copaiba Balsam (8½) Cubeb (1) and Santal (½)	10 min.	17/6	8/6	11/6
,, ,, ,, Santal and Buchu	10 min.	27/6	10/3	14/3
,, ,, ,, ,, ,, Juniper Oil	10 min.	26/-	10/-	13/9
,, ,, ,, ,, ,, Matico	10 min.	26/-	10/-	13/9
Copaiba Oil	5 min.	12/-	6/-	8/6
,,	10 min.	16/6	8/-	10/-
P1 Creosote	1 min.	8/6	4/3	5/9
P1 ,,	2 min.	9/-	4/6	6/-
P1 ,,	3 min.	12/6	5/6	7/6
P1 ,, (1 min.) and Iodoform (¼ grain)		12/6	6/3	8/-
Creosote Carbonate	1 min.	12/-	6/3	8/-
,, ,,	2 min.	13/6	6/6	8/6
,, ,,	3 min.	15/-	7/-	9/3
,, ,,	5 min.	18/6	7/9	11/3
,, ,,	10 min.	29/-	10/9	15/9
Croton Oil	1 min.	15/-	6/-	7/9
Cubeb Oil	5 min.	25/-	11/-	16/-
,, ,,	10 min.	40/-	18/6	27/3
,, and Buchu Oil	10 min.	65/-	29/9	43/3
,, ,, Santal ,,	5 min.	48/-	15/-	23/1
,, ,, ,, ,,	10 min.	99/-	29/-	41/-
,, (1) and Santal (9) and Buchu Oil (⅛)	10 min.	95/-	29/9	43/3
P1 Easton's Syrup	30 min.	17/6	7/9	11/3
P1 ,, ,,	60 min.	25/-	10/-	14/6
S1 Ergotæ Praep. N.F.	5 gr.	27/6	10/3	14/3
S1 Ergotin	2 gr.	27/6	10/3	14/3
S1 ,,	3 gr.	32/6	12/-	17/-
S1 ,,	5 gr.	37/6	12/9	18/3
Eucalyptus Oil	3 min.	12/-	5/6	7/-
,, ,,	5 min.	13/6	6/-	8/-
Female "L.R." (*see page* 144).				
Garlic Oil (Genuine)	½ min.	—	44/-	—
,, ,, ,,	1 min.	—	74/-	—
,, ,, ,,	2 min.	—	128/6	—
,, ,, (Allyl Sulphide)	½ min.	30/-	11/3	16/-
,, ,, ,, ,,	1 min.	50/-	17/-	24/9
,, ,, ,, ,,	2 min.	90/-	28/3	41/9
Guaiacol	1 min.	11/6	5/9	8/3
,,	2 min.	15/-	6/9	9/9

MEDICINAL CAPSULES.

	Strength	Per 1000	Per Dozen Boxes of 24	36
Guaiacol	3 min.	17/6	7/9	11/3
,, ...	5 min.	22/6	9/-	12/9
Guaiacol Carbonate	5 gr.	20/-	8/3	11/9
Guaiacol ... ... **Iodoform**	1 min. 1 gr.	20/-	8/3	11/3
Hæmoglobin	3 gr.	14/-	6/6	8/9
,, ...	5 gr.	17/-	7/3	10/6
,, **Compound**		15/-	7/-	9/6
Halibut Liver Oil *see also Halivamin Capsules (page 139)*		22/6		
,, ,, ,, *see also Halibut Oil preparations (page 146)*				
Ichthamol	3 min.	14/-	6/6	9/3
,, ...	5 min.	17/-	7/3	10/6
Influenza (Cinnamon and Quinine) *(vide Quinine and Cinnamon)*				
Influenza and Cold (*see page* 144).				
Iodoform	1 gr.	19/-	7/6	10/3
Male Fern Ext.	5 min.	16/9	7/6	10/6
,, ...	10 min.	24/9	9/9	14/-
,, ...	15 min.	33/6	12/3	17/9
,, ...	20 min.	39/3	14/3	20/9
,, ...	30 min.	54/-	18/6	27/-
,, ...	60 min.	90/-	28/9	42/3
Nisbet's Specific (= ½ drm. specific)	10 min.	65/-	21/3	30/6
Olive Oil (finest)	10 min.	12/6	6/9	9/6
,, ,, ...	15 min.	17/6	8/3	11/9
,, ,, ...	20 min.	20/-	9/6	13/6
,, ,, ...	30 min.	25/-	11/-	15/9
,, ,, ...	60 min.	40/-	14/6	21/-
Paraffin Medicinal	15 min.	13/3	6/3	9/-
,, ,, ...	20 min.	20/-	8/9	12/3
,, ,, ...	30 min.	24/6	10/3	14/3
Quinine Ammoniated	= 30 min. 18's 6/-	18/-	7/3	9/9
,, ,, ...	= 60 min. 18's 7/-	23/6	8/9	12/-
,, ,, **with Cinnamon Oil**	... 30 min. 18's 6/3	—	7/6	10/3
,, ,, ,, ,, ,,	... 60 min. 18's 7/6	—	9/3	12/9
Sandalwood Oil (Finest)	5 min.	34/-	11/6	16/9
,, ,, ,, ...	8 min.	50/-	16/6	22/-
,, ,, ,, ...	10 min	60/-	19/6	28/-
Santal Perles (Bottles)		—	—	17/6
Santal and Salol (Formula "A")		45/-	15/6	21/9
,, ,, (,, "B")		29/6	10/6	15/-
Terebene, Pure	5 min.	12/-	6/-	8/6
,, ,, ...	10 min.	16/-	7/-	10/-
Thymol	2 gr.	33/6	—	—
Turpentine, Rectified	5 min.	10/-	5/6	7/6
,, ,, ...	10 min.	11/6	6/6	9/-

MEDICATED SUPPOSITORIES, BOUGIES AND PESSARIES.

COCOA BUTTER BASIS, EXCEPT WHERE OTHERWISE MENTIONED.

SUPPOSITORIES.

	Strength.	Per Doz.	Per Gross.
Acid Boric ...	3 or 5 grains	-/8	5/9
,, Gallic	3 ,,	-/8	5/9
S1 † ,, ,, c Opio	3 & 1 ,,	-/10	7/9
,, Tannic, B.P. ...	3 ,,	-/8	5/9
,, ,, ,, c Ext. Belladonna	3&1 ,,	-/9	7/3
S1 † ,, ,, c Opio	3&1 ,,	-/10	7/9
Adrenalin	$\frac{1}{60}$,,	1/1	11/6
S1 † ,, c Cocain	$\frac{1}{60}$ & ¼ ,,	1/7	16/6
S1 Belladonna Extract, B.P. ($\frac{1}{60}$ gr. of Alkaloids)		-/9	6/9
S1 ,, Ext. Alch. B.P. 1898 gr. ⅛, ¼, ½, ¾, 1, 1½, 2		-/8	6/-
S1 † ,, Ext. (Alcoh.) B.P. 1898 et Morphine	1 & ½ grains	1/1	11/6
S1 ,, Ext. (Alcoh.) B.P. 1898 et Opii Pulv	¼ & ¼ grains	-/10	8/6
S1 † ,, Ext. (Alcoh.) B.P. 1898 et Opii Pulv	½ & ½ grains	1/-	10/6
Bismuthi Oxychlor ...	5 ,,	-/10	7/9
,, ,, ...	10 ,,	1/2	12/6
,, Subnitras ...	5 ,,	-/9	6/6
,, Subgallas ...	5 ,,	-/9	6/6
P1 Chloral Hydras ...	5 ,,	-/9	6/6
S1 † Cocain Hydroch ...	¼ ,,	1/-	13/6
S1 † ,, ,, ...	½ ,,	1/5	16/6
S1 Ergotin	3 ,,	-/9	7/3
Ferri Perchlor	2 ,,	-/8	5/9
Gallæ Pulvis	5 ,,	-/8	5/9
S1 † ,, ,, c. Opio ...	5&1 ,,	-/10	7/9
Hamamelin	1 grain	-/8	5/9
,, ...	2 ,,	-/9	6/9
,, ...	3 ,,	-/9	6/9
,, c Zinc Oxide (weight 30 grains)	3 & 10 grains	1/-	9/6
P1 Hydrarg. Oxid. ...	1 ,,	-/9	6/9
,, Unguent ...	5 ,,	-/9	6/9
Ichthammol	3 ,,	-/9	6/9
Iodoform, B.P. ...	3 ,,	-/10	7/9
,, ...	5 ,,	1/-	9/6
,, c. Ol. Eucalypti aa.	5 grains & 2 mins.	1/-	9/6
S1 † Morphin Hydroch.	⅛ grain	1/-	8/6
S1 † ,, ,, B.P.	¼ ,,	1/2	9/6
S1 † ,, ,,	½ ,,	1/4	11/6
S1 † ,, ,,	¾ ,,	1/6	13/6
S1 † ,, ,,	1 ,,	1/9	15/6
S1 † Opii Pulvis	1 ,,	-/10	7/6
S1 † ,, ,, ...	2 ,,	1/-	9/6
S1 † ,, ,, c Ext. Bellad. Alch. B.P. 1898	2 & ¼ ,,	1/-	9/6
Peptonata, B.P.C. ...	15 ,,	1/2	11/6
,, ,, ...	30 ,,	1/7	17/6
,, ,, ...	60 ,,	1/11	22/6
P2 Phenolis, B.P. ...	1 ,,	-/8	5/9
P1 Plumbi Acetas ...	3 ,,	-/8	5/9
S1 ,, c Opii Pulv. B.P.	3&1 ,,	-/9	6/9
Quinin Hydroch ...	2 & 3 ,,	1/2	11/6
,, ,, ...	5 ,,	1/6	14/6
Zinc Oxid (weight 30 grains)	8 & 10 ,,	-/9	7/6

GLYCERIN B.P. (Gelatin basis).

In lined metal boxes holding one dozen and a tube of Vaseline.

Infants (15 gr.)	5/- doz. boxes
Children (30 gr.)	5/9 ,, ,,
Adults (60 gr.)	7/- ,, ,,

PESSARIES (Cocoa Butter). Weight 2 Drachms.

	Strength.	Per Doz.
Acid Boric, B.P.C. ...	10 grains	1/8
P2 ,, Carbolic, B.P.C. ...	2 ,,	1/8
,, Gallic	10 ,,	1/10
,, Tannic	5 ,,	1/10
,, ,, ...	10 ,,	1/10
S1 † ,, ,, c Morph. Hyd.	10 & 1 ,,	2/6
,, ,, c. Pulv. Opii	10 & 2 ,,	2/3
Alumen, B.P.C.	15 ,,	1/8
Argent Proteinate	2%	1/8
,, ,, ...	5%	1/9
,, ,, ...	10%	1/11
,, ,, ...	15%	2/3
P1 Bellad. Ext. (Alch.) B.P. 1898	1 ,,	1/10
,, ,, ,, ,, ,,	2 ,,	1/10
S1 † ,, ,, c Morphin Hyd.	2 & ½ ,,	2/2
S1 † ,, ,, (Alch.) B.P. 1898 c P. Opii	2 & 1 ,,	1/10
Bismuth Oxid.	15 ,,	2/3
Borax...	15 ,,	1/8
S1 † Cocain Hydroch., B.P.C.	½ ,,	2/-
S1 † ,, ,, ...	1 ,,	2/10
Coninæ Hydrobrom, B.P.C.	½ min.	1/4
Ferri Perchlorid.	5 grains	1/3
Hydrastis (Liq. Extract), B.P.C. (*Gelatin Basis*) ...	12 min.	1/6
Ichthamolis	5%	1/6
,, ...	10%	1/10
Iodoform, B.P.C.	5 grains	1/9
,, ,, ...	10 ,,	2/-
,, et Ol. Eucalypti	Gr. 5 Min. 5	1/9
S1 † Morphinæ Hydrochlor ...	½ grain	1/8
S1 † ,, ,, ...	1 ,,	1/10
S1 † ,, ,, ...	2 ,,	1/11
S1 † Opii Pulvis	2 ,,	1/11
Plumbi Acetas c Opii Pulv.	5&2 ,,	1/11
,, Iodid. B.P.C. ...	5 ,,	1/11
Quininæ Hydrochlor, B.P.C.	3 ,,	1/6
,, ,, ,,	5 ,,	1/8
,, Bisulph ...	5 ,,	1/8
,, ,, ...	10 ,,	2/6
Zinc Oxid	15 ,,	1/8
P1 ,, ,, c Atropine	10 & $\frac{1}{20}$,,	1/11
,, Sulph. Exsic. ...	5 ,,	1/6
,, ,, ,, ...	10 ,,	1/6
,, Sulphocarbolas ...	10 ,,	1/6

† Comes under regulations of D.D. Act.

BOUGIES (Cocoa Butter).

Length 2½ inches. Longer Bougies up to 5 inches (size to be specified when ordering) at slightly higher prices.

	Strength.	Per Doz.
Acid Tannic	1 grain	1/4
S1 †,, ,, et Opii, B.P.C. aa.	1 ,,	1/9
Argenti Nitras	¼ ,,	1/4
,, ,, ...	½ ,,	1/4
P1 Atropinæ, B.P.C. ...	1/60 ,,	1/4
P1 Belladonnæ, B.P.C. ...	2 ,,	1/4
Bismuthi et Plumbi, B.P.C.	10&½ ,,	1/4
S1 †Cocainæ, B.P.C.	½ ,,	2/-
Ferri Perchlorid	grain	1/4

	Strength.	Per Doz.
Iodoform, B.P.C. ...	5 grains	1/6
P1 ,, et Belladonnæ, B.P.C. ...	5&½ ,,	1/6
,, ,, Eucalypti aa.	5 ,,	1/9
S1 † ,, ,, Morphinæ, B.P.C. ...	5&¼ ,,	1/6
S1 †Morphinæ Hydrochlor ...	½ ,,	1/9
Plumbi Acetas	1 ,,	1/4
Protargol (2%)		1/4
Zinci Sulphas, B.P.C. ...	1 ,,	1/4

† Comes under regulations of D.D. Act.

S1 "LUMINAL (*BRAND*) PHENO-BARBITAL

Compressed Tablets

S1 LUMINAL (*Brand*)

	Per dozen Bottles			Per
	25	50	100	1,000
gr. ¼	6/3	10/3	17/6	12/-
gr. ½	9/3	16/3	29/9	22/-
gr. ¾	11/9	21/6	40/6	31/-
gr. 1	14/9	27/6	52/6	41/-
gr. 1¼	18/-	34/-	65/9	52/-
gr. 1½	21/6	39/6	76/6	61/-
gr. 2	26/6	51/-	99/3	80/-
gr. 2½	33/3	64/-	125/9	102/-
gr. 5	62/6	123/-	243/3	200/-

Put up in Bottles of 500 at 8d. per thousand tablets extra.

S1 LUMINAL-SODIUM (*Brand*)

	Per dozen Bottles			Per
	25	50	100	1,000
gr. ¼	6/6	11/-	18/6	12/6
gr. ½	9/6	17/-	30/9	23/-
gr. ¾	12/6	23/-	42/9	33/-
gr. 1	15/6	28/9	54/9	43/-
gr. 1½	21/9	41/6	80/-	64/-
gr. 2	27/6	53/-	102/9	83/-
gr. 2½	34/3	66/9	130/6	106/-
gr. 3	40/-	78/-	153/3	125/-
gr. 4	52/-	102/-	201/3	165/-
gr. 5	65/-	128/-	252/6	208/-

Put up in Bottles of 250 at 1/4 per thousand tablets extra.

Pharmacists discount 15%

"LUMINAL" BRAND ELIXIR per 1 lb. bottle 5/4, per ½ lb. bottle 2/11.

S1 **"LUMINAL," oz. 9/5. ½ oz. cartons, 4/10 each.**

S1 ,, **Sodium, oz. 10/3, ½ oz. cartons, 5/4 each.**

Strictly net.

Burgoyne's Special Medical Preparations.

Fully descriptive literature and samples will be sent on application.

Barium Sulphate Cream, an emulsion, containing 25% Barium Sulphate Pure for X-ray diagnosis, suitably flavoured and ready for administration. It has the advantage over other forms in the fine state of sub-division of the Barium Sulphate and its being ready for use without any further preparation.

IN BOTTLES OF 1 lb 2/- each.

Pharmacists 25%. Medical Profession 10%.

Bensuccin (Benzyl Succinate) Antispasmodic

1 oz bots	doz	**28/-**
2 oz bots	doz	**54/-**
4 oz bots	doz	**102/-**
8 oz bots	each	**16/3**
Tabs 5 gr (0.33 gm) tubes of 10	doz	**5/-**
Tabs 5 gr (0.33 gm) bots of 25	doz	**11/-**
Tabs 2 gr (0.13 gm) tubes of 10	doz	**3/6**
Tabs 2 gr (0.13 gm) bots of 25	doz	**7/6**
Capsules Gelatine 2 gr (0.13 grm) boxes of 24	doz	**8/6**

Pharmacists 25%. Medical Profession 10%.

Chaulgrol (Ethyl Chaulmoograte) Leprosy

1 oz bots	doz	**30/-**
2 oz bots	doz	**55/-**
4 oz bots	doz	**94/6**
8 oz bots	each	**15/-**

Ampoules (see page 125).

Acid Trichloracetic Sol'n. 1-3 (for use with Chaulgrol)

2 oz bots	each	**2/6**
4 oz bots	each	**4/6**

Pharmacists 25%. Medical Profession 10%.

Chloramine (Burgoyne), Antiseptic

1 oz bots.	doz	**10/-**
2 oz bots	doz	**16/-**
4 oz bots	doz	**30/-**
8 oz bots	each	**3/9**

Tablets 4.375 gr (2 in 2 oz=1% soln) (vide page 108).

Tablets 8.75 gr (2 in 2 oz=2% soln) (vide page 108).

Pharmacists 25%. Medical Profession 10%.

P1 **Chlorobrom,** Burgoyne's Successful Hypnotic and Remedy for Sea Sickness

In 4 and 8 oz. bottles (*stamped*) .. .. .. doz **50/9** and **93/6**

(Retail prices **4/6** and **7/-** each)

Also in 8 and 16 oz. bottles for dispensing (*unstamped*), doz. **46/-** and **86/-**

Pharmacists 25%. Medical Profession 10%.

P1 **Cocillana, Compound Syrup**

A scientifically prepared Expectorant

4 oz bots	doz	**18/-**
8 oz bots	doz	**30/-**
16 oz bots	doz	**56/-**
W.Qts.	each	**22/6**

Pharmacists 15%. Medical Profession Net.

SPECIAL PREPARATIONS, &c.—continued.

Colloidal Preparations, Burgoyne.

Iodine—Oral (bottles) 4 oz. **1/3** 10 oz. **2/6** 20 oz. **4/6** 80 oz. **16/6**
Oil (bottles) 1 oz. **9d.** 4 oz. **2/6** 8 oz. **4/-** 16 oz. **7/6**
Ampoules (for injection) 0.2%
6 ampoules 5 c.c. **3/-** 10 c.c. **3/9** 20 c.c. **6/4**
Ointment (pots) .. .. 1 oz. **9d.** 4 oz. **2/6**
Paste (pots) .. .. 1 oz. **1/-** 4 oz. **3/-**
Pessaries .. .. .. (boxes of 6) **1/3** dozen boxes **12/6**
Suppositories .. .. (boxes of 12) **1/6** dozen boxes **15/-**
Manganese—Oral (bottles) .. .. 4 oz. **3/-** 8 oz. **5/9** 16 oz. **10/6**
Silver—(general) 1 oz. **1/-** 4 oz. **3/-** 8 oz. **5/-** 16 oz. **9/-** 80 oz. **40/-**
Iron—(Oral) .. .. .. 4 oz. **3/-** 8 oz. **5/-** 16 oz. **9/-** 80 oz. **40/-**

Pharmacists 25%. Medical Profession 10%.

P1 **Elixir Damianæ Comp., Burgoyne's** ("Ixidama," Regd.)
A valuable Stimulant and Tonic containing the active principles of Damiana, Coca, Nux Vomica and Phosphorus in its natural state. In 4 oz bottles, retailing at **4/9** .. .. .. doz **45/-**
For Dispensing purposes only we supply this in 1lb bottles at **7/6** lb. *Net.*

S1 **Emetine Bismuth Iodide** (Amæbic Dysentery)

Capsules 3 gr (0.20 grm) boxes of 24	.. .. ..	each	**8/-**
,, 1 gr (0.065 grm) boxes of 24	.. .. ..	each	**5/-**

Pharmacists 25%. Medical Profession 10%.

HALIVAMIN
BRAND
HALIBUT LIVER OIL PREPARATIONS

Halibut Liver Oil.

5 cc (drop bottles)	each	**1/3**	doz	**15/-**
10 ,, ,, ,, ...	,,	**1/9**	,,	**21/-**
50 ,, ,, ,, ...	,,	**7/6**		

Halibut Liver Oil Capsules (min. 3.)

Boxes of 25	box	**1/3**	doz	**15/-**
,, 50	,,	**2/-**	,,	**24/-**
,, 100	,,	**3/9**	,,	**45/-**

Emulsion of Halibut Oil with Calcium Gluconate

6 oz. (amber bottles)	each	**1/6**	doz	**18/-**
12 ,, ,, ,, ...	,,	**2/9**	,,	**33/-**

Extract of Malt and Halibut Oil

1 lb. jars	each	**1/3**	doz	**15/-**
2 ,, ,, ...	,,	**2/3**	,,	**27/-**
4 ,, ,, ...	,,	**4/3**	,,	**51/-**

Pharmacists 33⅓%. Medical Profession 15%.

Hepatol (vide *Liver Extract*).

Jecoform (Sodium salt of purified unsaturated fatty acid of Cod Liver Oil. Sodium Morrhuate) Leprosy

1 oz bots	doz	**20/6**
2 oz bots	doz	**35/-**
4 oz bots	doz	**63/-**
8 oz bots	each	**10/-**

Solution in ampoules (see page 127).

Pharmacists 25%. Medical Profession 10%.

Kaocol (Colloidal Kaolin). Pure, neutral, sterile, prepared for internal administration in Alimentary Toxæmias, Cholera, Diphtheria, Diarrhœa, Ptomaine Poisoning, Rheumatism and Gout.
Externally, applied direct to clean wounds, it prevents inflammation, absorbs moisture and aids healing.
1 lb (free packages) .. .. each **1/9**

Pharmacists 33⅓%. Medical Profession 15%.

Kaoplasma (Kaolin poultice). Antiphlogistic and Analgesic.

5 oz Hermetically sealed, aluminium containers	doz	**11/6**
10 oz ,, ,, ,, ,, ...	doz	**17/6**
16 oz ,, ,, ,, ,, ...	doz	**24/9**

Pharmacists 25 %. Medical Profession 10 %.

SPECIAL PREPARATIONS, &c.—continued.

Kaskalax (Burgoyne).

4 oz	doz	21/–
8 oz	doz	39/–
16 oz	doz	72/–

Pharmacists 15%

Laxagar (Brand) Paraffin Emulsion. Plain.
" " " " " with Phenolphthalein.
" " " " " Alkaline.

4 oz bots	1/– size	doz	7/9
8 oz bots	1/9 size	doz	13/6
16 oz bots	3/– size	doz	25/6

Net.

Lithasal (Lithium Acetylsalicylate). Antipyretic and analgesic

1 oz bots	doz	20/–
2 oz bots	doz	36/–
4 oz bots	doz	63/–
8 oz bots	each	9/6
Tablets 5 gr (0.33 grm)		
tubes of 10	doz	4/6
bots of 25	doz	9/–

Pharmacists 25%. Medical Profession 10%.

Liver Extract—"Hepatol."

Powder in tubes equivalent to 8 oz fresh raw liver	per tube	2/–
Liquid, in 4 oz bottles (fluid), each 1 oz fluid equalling 8 oz fresh raw liver	per bot	5/–

Pharmacists 25%. Medical Profession 10%.

Meat Juice (Burgoyne) is a concentration of the stimulating and body building proteins of fresh uncooked meat. It is prepared under stringent control by the "cold" process ensuring their presentation in a state of unimpaired activity	doz	20/-

Net.

S1 **Mercurochrome** (Burgoyne).

Scales. Tubes of 1 gramme	each	–/9
Bottles of 10 grammes	each	3/6
Bottles of 25 grammes	each	8/–
Bottles of 50 grammes	each	15/–
Bottles of 100 grammes	each	27/6
Bottles of 250 grammes	each	67/6
Bottles of 500 grammes	each	130/–
Tubes of 5.7 grammes for making 1 pint of 1% solution	each	2/6
Tablets. Each gr. 4.5 (1 tablet makes 1 oz. of 1% solution).		
Tubes of 10 tablets	each	1/6
Bottles of 25	each	3/6
Bottles of 50	each	6/6
Bottles of 100	each	11/6
Solution. 4 oz bottles of 1% solution	each	2/–
8 oz " " " "	each	3/3
16 oz " " " "	each	4/6
Ampoules (see page 127).		
Ointment. 5%.		
4 oz pots	each	2/6
8 oz pots	each	4/3
Suppositories. 2%. Boxes of 12	each	2/6
Bougies. 1%. Boxes of 12	each	2/–
Surgical Solution.		
Alcoholic acetone aqueous.		
8 oz bottles	each	2/6
16 oz bottles	each	4/–

Pharmacists 25%. Medical Profession 10%

SPECIAL PREPARATIONS, &c.—continued.

P1 **Metaphosphates**

4 oz.	each	1/3	doz	15/-
8 ,,	,,	2/-	,,	24/-
16 ,,	,,	3/6	,,	42/-
Wr. Qts. (80 fl. ozs.)	,,	15/-	,,	—

Pharmacists 15%. Medical Profession Net.

Neutramyne Tablets, containing the vital growth factor (Vitamin A) and antirachitic properties (Vitamin D) of Cod Liver Oil

bots of 25 (1/3 size)	doz	10/6
bots of 50 (2/6 size)	doz	19/6
bots of 100 (u/s for dispensing)	doz	24/-

Pharmacists 25%. Medical Profession 10%.

Neutramyne Calcium Tablets containing Neutramine, Calcium Lactate, and other Calcium Salts

botts. of 25 (1/3 size)	doz	10/6
,, ,, 50 (2/6 size)	doz	19/6
,, ,, 100 (u/s for dispensing)	doz	24/-

Pharmacists 25%. Medical Profession 10%.

Normo-Gastrine Tablets

2/- Size (Box of 5×10 tubes)	P.A.T.A.	doz.	24/-

Pharmacists 25%. Medical Profession Net.

Para-Gastrine Emulsion of Liquid Paraffin and Normo-Gastrine. Antacid and intestinal lubricant.

1/- size 4 oz	doz	7/3
1/9 ,, 8 oz	doz	12/6
3/- ,, 16 oz	doz	23/-

Net.

Resorcinate (Resorcinol Monoacetate). Antiseptic for skin diseases.

1 oz bots	doz	21/6
2 oz bots	doz	40/-
4 oz bots	doz	77/6
8 oz bots	each	12/6
Solution 10%.		
4 oz bots	doz	15/6
8 oz bots	doz	29/-
16 oz bots	doz	56/-

Pharmacists 25%. Medical Profession 10%.

S1 **Stiboform** (Sodium Antimony Tartrate) for Kala-Azar, Leishmaniosis, Bilharziosis.
Ampoules (see page 119)

1 oz Bottles	doz	8/6
2 oz ,,	,,	16/-
4 oz ,,	,,	30/-
8 oz ,,	,,	57/6

Net.

Tetracol (Carbon Tetrachloride Medicinal) Anthelmintic
4 oz bots doz **13/-**; 8 oz bots doz **25/-**; 16 oz bots doz **47/6**

Pharmacists 25%. Medical Profession 10%.

Vio-Ray Concentrate
1 c.c. = 10,000 Anti-rachitic Units.

Bottles of 25 c.c. (2/3 size)	each	2/3
,, 50 ,, (4/- ,,)	each	4/-
Hospital package 4 oz	each	9/-
,, ,, 8 oz	each	17/6

Pharmacists 33⅓%. Medical Profession 10%.

Vio-Ray Perles (Vitamin D) 2/- size (50's)	doz	24/-

Pharmacists 33⅓%. Medical Profession 10%.

SPECIAL PREPARATIONS, &c.—continued.

Vio-Ray Malt.	1/6 size P.A.T.A.	doz	11/6
,, ,,	2/9 ,, P.A.T.A.	doz	20/-

Net.

Viostol (a concentrate of Vitamins A and D) (2/3 size)..	Bottles of 25cc doz	27/-

Pharmacists 33⅓%. Medical Profession 10%.

Zinc Oxide, Colloidal—

1 lb. sealed Cartons	each	2/-

Pharmacists 25%. Medical Profession 10%.

Zotalene Antiseptic

Germicide—Disinfectant—Deodorant for Sick Room, Toilet and Domestic use

4 oz (small)	(Retail 1/6)	doz	10/6
8 oz (large)	(,, 2/6)	doz	19/6

Net.

P2 **Zotal (Reg.) Disinfectant and Deodoriser.**

1 gallon tins	each	4/-	
5 ,, drums..	gal.	3/3	*(drum free)*
10 ,, ,,	gal.	3/-	,, ,,
In tins, pint	doz	9/-	
,, ,, quart	doz	15/-	

Net.

This preparation of Carbolic Acid is absolutely non-corrosive. It forms an opalescent emulsion on mixture with water, and when so diluted shows no trace of oily drops whatever.

P2	**Zotal, Disinfecting Powder,** 1/6 tins	doz	13/6	
P2	,, ,, ,,	cwt.	14/-	*(1 cwt. kegs)*

,, **Liniment** (PATA) 1/3 size. 8/- 6 doz. 7/9 12 doz. 7/6 36 doz. 7/3 per doz.

,, **Inhalent**	doz	9/6
,, **Ointment**	doz	26/-

Net.

Zotalene Healing Cream in collapsible tubes	doz	7/6

Net.

VIO-RAY MALT

REGD

The Complete Vitamin Food. Contains the Essentials for Perfect Nutrition



VIO-RAY M
THE PE
VITAMIN
CONTAINS ALL THE VITAMINS
FOR NUTRITION
BURGOYNE BURBIDGES
VIO-RAY MALT
THE PERFECT VITAMIN FOOD
CONTAINS ALL THE VITAMINS ESSENTIAL FOR NUTRITION
BURGOYNE BURBIDGES & CO LTD

Produced from a specially prepared Malt Extract with its Vitamin content augmented by the addition of a preparation of wheat germ rich in Vitamins B1 and B2, Vitamin A prepared from a natural source and Vitamin D, dissolved in a palatable oil, together with a concentrated Orange Juice selected for its high Vitamin C content.

Palatable and digestible—readily acceptable to children and convalescents. In use at many important institutions.

1/6 P.A.T.A. **11/6** per dozen
2/9 ,, **20/-** ,,

"Really beautiful" was a recent comment on labels and showcard.

COUNTER REQUISITES

ILLUSTRATED CATALOGUE SENT ON REQUEST.

The Weights or Capacities of packages mentioned in this catalogue are not guaranteed accurate. The packages are designed by the makers to hold the desired weight or measure and while every care is taken to secure this end no guarantee can be given, so that the weights or measures must be regarded as approximate only.

QUANTITY REDUCTIONS.

Unless otherwise stated articles listed at 15/- and under, per doz., will be reduced 3d. per doz. for 6 doz., and 6d. per doz. for 12 doz. quantities.

Articles listed over 15/- per doz., will be reduced 9d. per doz. for 6 doz., and 1/- per doz. for 12 doz. quantities.

N. Labels, wrappers or cartons for items marked *N* are adapted for buyers' name and address.

The differing styles of packaging or labels are, where possible, indicated by letters immediately following the name of the article.

R.D. = Red Diamond *B.W.* = Black and White labels. *S.* = Spartan *P.* = Script labels.

		Size.	Price Per doz.
	Adrenalin Inhalant, *R.D.*	1 oz	8/6
N	Ammoniated Quinine & Cinnamon, *R.D., S., B.W.*	1 oz	5/-
	,, ,, ,, ,,	2 oz	8/-
N	Analgesic Balm, *R.D.* tubes	1½ oz	6/9
	Antiseptic Throat Pastilles (*see Throat Pastilles*).		
	Anti-Sting Lotion. See "Sectifuge," also Lavender Oil.		
	Arrowroot. St. Vincent, *R.D.*	¼ lb	5/-
	,, ,, ,,	½ lb	8/6
	,, ,, ,,	1 lb	13/-
	Asthma Cigarettes, *R.D.* Boxes of 12	—	4/6
	,, ,, ,, ,, ,, 30	—	9/9
	,, Capsules (*see Capsules*)		
	Backache and Kidney Mixture. *R.D., S., P.*	8 oz.	8/-
	Bicarbonate of Soda (*see Pharmacy Chemicals*).		
	Bismuth Indigestion Tablets, Heart shape (see page 100).		
	Bismuth Soda & Pepsin Mixture., *R.D., S., P.*	8 oz	8/-
N	Blood Purifier, Iodised, *R.D., S.*	8 oz	8/-
	,, Wine, *R.D.* reputed	quart	23/-
	,, ,, ,,	pint	13/6
	Boracic Acid Powder (*see Pharmacy Chemicals*).		
	Borax Powder (*see Pharmacy Chemicals*).		
	Borax & Honey "*R.D*" *S.* s/c glass jars	½ oz.	2/-
	,, ,, ,, ,, ,, ,, ,, ,,	6 doz. ,, ,,	1/11
	,, ,, ,, ,, ,, ,, ,, ,,	12 doz. ,, ,,	1/10
	,, ,, ,, ,, ,, ,, ,, ,,	1½ oz	4/6
N	Bronchial Lozenges, *R.D.*	tins of 32	6/6
	Bronchial Mixture, *R.D., S.*	8 oz	8/-
	Burn Jelly, *R.D.*	1/-	6/6
	Cachous, Floral (Burgoyne's) 6d. tins.	—	3/-
	Calamine Lotion, *R.D., S*	2 oz	3/6
	,, ,, ,, ,,	4 oz	4/6
	,, ,, ,, ,,	6 oz	5/6
	,, and Witch Hazel Lotion, *R.D., S.*	2 oz	4/6
	,, ,, ,, ,, ,,	4 oz	7/-
	,, ,, ,, ,, ,,	6 oz	9/6

		Size	Price. Per doz.
N	Camphorated Oil B.P., *R.D.*, *S.*, *P.*	1 oz	3/3
	,, ,, ,, ,,	2 oz	4/6
N	,, ,, ,, ,,	4 oz	7/-
	,, ,, ,, ,,	8 oz	13/-
	Capsules (see also page 132)		—
N	,, Asthma	36s	15/6
N	,, Chilblain	24s	8/9
N	,, Cinnamon and Quinine (see page 135).		
N	,, Female "L.R."	24s	12/6
N	,, ,, ,, Style 2 "Special Capsules for Ladies"	24s	9/-
N	,, Influenza and Cold P.J.F. 8530.	24s	9/9
N	,, Sea-sickness. Atlantic. "Norval" Brand	24s	12/6
N	Carbolic Acid D.B. 16%	8 oz	6/-
	,, ,, ,,	16 oz	10/-
	,, ,, L.Y. 95%	8 oz	8/-
	,, ,, ,,	16 oz	12/6
	Cascara Elixir (B.P. 32), *R.D.*, *S.*	1 oz	4/3
	,, ,, ,, ,,	2 oz	6/3
N	,, Sagrada (Liquid Extract), *R.D.*, *S.*, *P.*	1 oz	3/9
	,, ,, ,, ,,	2 oz	5/6
	,, ,, ,, ,,	4 oz	8/9
N	Castor Oil, Water White, *R.D.*, *S.*, *P.*	1 oz	2/9
	,, ,, ,, ,, ,,	2 oz	3/6
	,, ,, ,, ,, ,,	3 oz	4/3
	,, ,, ,, ,, ,,	4 oz	4/9
	,, ,, ,, ,, ,,	6 oz	6/-
	,, ,, ,, ,, ,,	8 oz	6/9
	Catarrh Balm, *R.D.*	tubes	3/6
	,, Mixture, *R.D.*, *S.*	8 oz	8/-
	,, Pastilles, *R.D.*	2 oz	5/6
N	Chemical Food B.P., *R.D*,, *S.*, *P.* (¼lb.)	3 oz	4/-
	,, ,, ,, ,,	4 oz	4/6
	,, ,, ,, ,, (½lb.)	6 oz	6/-
	,, ,, ,, ,,	8 oz	6/6
	,, ,, ,, ,, (1lb.)	12 oz	9/6
	,, ,, ,, ,,	16 oz	11/6
	,, ,, ,, ,,	20 oz	14/-
	also supplied Cherry or Pineapple flavoured at same prices.		
	Chest and Lung Balsam	2½ oz	6/6
	,, ,, ,, ,,	5 oz	9/-
	Chilblain Cream, *R.D.*, s/c glass jars	¾ oz	4/6
	Children's Cough Mixture, *R.D.*, *S.*, *P.*	4 oz	6/-
	,, ,, ,, ,, ,,	6 oz	7/6
	,, Tonic (Red Bone Marrow), *S.*, *R.D.*	4 oz	5/6
	,, ,, ,, ,, ,, ,, ,,	6 oz	6/6
	,, ,, ,, ,, ,, ,, ,,	8 oz	7/6
	Cinnamon and Quinine Capsules (see page 135)		
N	Citrate of Magnesia, Best, *R.D.*, *B.W.*	¼ lb	5/3
	,, ,, ,, ,, ,,	½ lb	9/-
	,, ,, ,, ,, ,,	1 lb	15/-
	,, ,, Good, *B.W.*	¼ lb	4/9
	,, ,, ,, ,,	½ lb	7/6
	,, ,, ,, ,,	1 lb	12/6
N	Cod Liver Oil, Finest non-freezing *R.D.*, *S.*, *P.*	4 oz	5/3
	,, ,, ,, ,, ,, ,,	6 oz	6/6
	,, ,, ,, ,, ,, ,,	8 oz	7/9
	,, ,, ,, ,, ,, ,,	12 oz	10/6
	,, ,, ,, ,, ,, ,,	16 oz	13/-
	,, ,, ,, ,, ,, ,,	20 oz	16/6

		Size.	Price. Per doz.
N	Cod Liver Oil Emulsion *R.D., S., P.* 33⅓% Oil	4 oz	5/–
	,, ,, ,, ,,	6 oz	6/3
	,, ,, ,, ,,	8 oz	7/3
	,, ,, ,, ,,	12 oz	10/–
	,, ,, ,, ,,	16 oz	12/–
	,, ,, ,, ,,	24 oz	17/6
	Cod Liver Oil Extract Tablets (see page 97)		
	Cold & Influenza Mixture. *R.D., S.*	8 oz	8/–
N	Confection of Senna B.P. *R.D., S.*	3 oz amber glass jars	4/6
	,, ,, ,, ,,	6 ,, ,, ,, ,,	7/6
N	Corn Paint (Solvent), wrapped		4/6
N	,, Cure, *R.D.*		4/6
N	Cough Mixture, Balsam of Aniseed *B.W.*	2½ oz	4/6
	,, ,, ,, ,, in carton ,,	3 oz	5/6
N	,, ,, Wild Cherry Pectoral, *R.D., S.*	4 oz	5/–
	,, ,, ,, ,, ,, ,, ,,	6 oz	6/6
N	,, ,, Balsam of Honey	1½ oz	4/9
N	,, ,, White Pine Syrup, *B.W.*	3 oz	6/9
	,, ,, ,, ,, ,, ,,	6 oz	11/–
	,, ,, ,, ,, (Mentholated) with Tar	2½ oz	6/–
	,, ,, ,, ,, ,, ,, ,,	5 oz	10 –
	,, Syrup (Black Currant and Ipecac.), *R.D., S., P.*	4 oz	6/–
	,, ,, ,, ,, ,, ,, ,,	6 oz	7/–
	,, ,, ,, ,, ,, ,, ,,	8 oz	8/–
N	Cream of Magnesia, *R.D., S., B.W.*	4 oz	4/6
	,, ,, ,, ,, ,,	6 oz	5/6
	,, ,, ,, ,, ,,	12 oz	8/9
N	Diarrhoea Mixture, *R.D., S.*	8 oz	8/–
N	Eczema Ointment	1 oz	5/3
	Elixir, Peppermint, "Alpha," *P.*	vials 1 oz	5/6
N	Embrocation, Universal (cartoned), *R.D., B.W.*	4 oz	7/–
	Ephedrine Inhalant, *R.D.*		12/–
	Epsom Salts—*see Pharmacy Chemicals.*		
N	Essence of Cinnamon, Compound Medicinal, P.J.F. No. 37 (20)	small	5/3
	,, ,, ,, ,, ,,	large	8/3
N	,, ,, with Quinine	small	7/–
	,, ,, ,, ,,	large	10/6
	,, Culinary (see under Flavouring)		
N	,, Ginger Wine "Stirrup Cup"	3 oz	5/6
N	,, Rennet	2 oz	4/-
	,, ,,	4 oz	4/6
	,, ,,	8 oz	6/9
N	Eucalyptus Oil, *R.D., S., P.*	1 oz	3/9
	,, ,, ,,	2 oz	5/6
	,, ,, ,,	4 oz	9/3
N	Extract of Malt, *R.D. and various*	½ lb	6/10
	,, ,, ,, ,,	1 lb	9/–
	,, ,, ,, ,,	2 lb	16/–
	,, ,, ,, ,,	4 lb	30/–
	,, ,, ,, ,,	7 lb	52/–
N	,, ,, and Cod Liver Oil *R.D. and various*	½ lb	7/-
	,, ,, ,, ,, ,, ,,	1 lb	9/6
	,, ,, ,, ,, ,, ,,	2 lb	17/-
	,, ,, ,, ,, ,, ,,	4 lb	32/–
	,, ,, ,, ,, ,, ,,	7 lb	55/–
	,, ,, ,, ,, and Chemical Food	½ lb	7/3
	,, ,, ,, ,, ,, ,, ,,	1 lb	10/–
	,, ,, ,, ,, ,, ,, ,,	2 lb	18/–
	,, ,, ,, ,, ,, ,, ,,	4 lb	34/–
	,, ,, ,, ,, ,, ,, ,,	7 lb	59/–

Also in drums and tins.

Special rates for quantities or booked contracts.

(see also Vio Ray Malt and Halivamin).

		Size	Price. per doz.
	Eye Lotion, No. 1. *R.D., S.*	6 oz	7/6
	,, ,, No. 2. (with Novocain), *R.D., S.*	6 oz	8/6
	Eye Ointment—*See Golden Eye Ointment.*		
	Flavouring Essences, Almond, Cochineal, Lemon, Orange, Raspberry, Ratafia, Vanilla	½ oz	4/-
		1 oz	5/3
		2 oz	9/-
	Friar's Balsam, *R.D., S., P.*	1 oz	5/6
	,, ,, ,,	2 oz	9/-
	Gargle, "Red Rose" *R.D., S.*	6 oz	7/-
	Ginger Wine Essence (*see Essence Ginger Wine*).		
	Glauber Salts—*see Pharmacy Chemicals.*		
	Glucose Liquid, *R.D.* jars	1 lb	7/- doz
	,, Medicinal Pure Powder, *R.D.* cartons	1 lb	10/-
	,, ,, ,, ,, ,, ,,	½ lb	6/-
	,, with Vitamin D. tins	1 lb	11/6

N **GLYCERIN,** *R.D., S., P.*

		6 doz	12 doz and over	
1 oz	3/2	3/1	3/-	dozen
2 oz	4/6	4/4½	4/3	,,
3 oz	5/9	5/7½	5/6	,,
4 oz	7/-	6/10½	6/9	,,
6 oz	9/8	9/5	9/3	,,
8 oz	12/-	11/9	11/6	,,

		Size	Price. per doz.
	Glycerin of Borax, *R.D., S.*	½ oz	2/-
	,, ,, ,, ,, 6 doz.	,,	1/11
	,, ,, ,, ,, 12 ,,	,,	1/10
	,, ,, ,, ,, ,,	1½ oz	4/6
	,, Honey and Blackcurrant	(tubs) 7½d.	4/6
N	,, Lemon and Honey	2½ oz	5/3
	,, ,, ,,	5 oz	7/9
	,, ,, ,, Jelly	(tubs) 7½d.	4/6
	,, and Lime Juice (*See Lime Cream*)		
N	,, Suppositories (see page 136)		
N	,, Thymol Compound (*B.P.C.—Rect.*), *R.D., S., B.W.*	4 oz	4/-
	,, ,, ,, ,, ,, ,, ,,	6 oz	4.9
	,, ,, ,, ,, ,, ,, ,,	8 oz	5/3
	,, ,, ,, ,, ,,	12 oz	7/3
	,, ,, ,, ,, ,,	16 oz	8/9
	,, ,, Pastilles, *R.D.*	2 oz tins	5/6
	Golden Eye Ointment P.J.F. 5906, *R.D.*	12 doz. 3/3 per doz.	3/6
	In display outers of 1 dozen.		
N	Gout and Rheumatic Mixture, *R.D., S. P.*	8 oz	8/-
	Grape Fruit Crush	—	12/6
N	Gripe Mixture, *R.D., S., P., B.W.*	6 oz	6/-
	,, ,, ,, ,,	8 oz	8/-
	Halibut Liver Oil	5 c.c. drop bottles	10/-
	,, ,,	10 c.c. ,, ,,	14/-
	,, ,, Capsules 3 min.	boxes of 25	10/-
	,, ,, Emulsion	6 oz	12/-
	,, ,, ,,	12 oz	22/-
	,, ,, Extract and Malt	1 lb	10/-
	,, ,, ,, ,,	2 lb	18/-
	,, ,, ,, ,,	4 lb	34/-
	Health Salt (see Saline)		
	Honey Jamaica, *R.D.* glass jars	½ lb	6/6
	,, ,, ,,	1 lb	11/-
	,, in tubs,	¼lb 3/6 doz.; ½lb 5/6 doz.; 1lb 10/- doz.	

		Size.	Price. Per doz.
N	**Hydrogen Peroxide 10 vols., *R.D.*, *S.* unbranded**	4 oz	3/6
	,, ,, ,, ,, ,, ,,	8 oz	5/–
	,, ,, ,, ,, ,, ,,	16 oz	8/6
	,, ,, 20 ,, ,, ,,	4 oz	4/–
	,, ,, ,, ,, ,, ,,	8 oz	5/6
	,, ,, ,, ,, ,, ,,	16 oz	9/6
	Indigestion Tablets, Heart shape (see page 100)		
	Influenza and Cold Capsules (*see Capsules* page 144).		
	,, Mixture (*see Cold and Influenza Mixture*).		
N	**Inhalene, P.F. 650, *R.D.***	10½d.	5/6
	,, ,, ,,	6d.	3/6
N	Iodine Ointment, stainless (*see Ointments*).		
	,, Paint (with brush)	1 oz	4/–
	,, ,, ,, ,,	2 oz	5/9
	,, Pencils (display cards of 18), *R.D.*	per gross 24/–	
	Iodized Sarsaparilla Mixture, *P.*	8 oz	8/–

KAOLIN POULTICE, *R.D.* (enamelled tins with wire handles).

		6 doz.	12 doz.	60 doz.	
¼ lb.	3/10	3/7	3/5½	3/4	dozen
½ lb.	6/-	5/9	5/7½	5/6	,,
1 lb.	9/6	9/3	9/-	8/9	,,
2 lbs.	17/3	17/-	16/9	16/6	,,
5 lbs.	41/-	40/6	40/-	39/6	,,

		Size.	Price. Per doz.
	Lavender Oil, Anti-Sting	6d.	3/–
	Lemon Crush	—	12/6
	Lime, Fruit Crush	—	12/6
N	**Liquor Quinine Ammon., (s/c bot. with i.r. wads) *R.D.*, *S.*, *P.*, *B.W.***	1 oz	5/–
	,, ,, ,, ,, ,, ,, ,,	2 oz	7/6
	,, ,, ,, ,, ,, ,, ,,	4 oz	13/–
N	**with Cinnamon 6d., 1/– & 2/– per doz. extra. (stoppered bottles 1/6 per doz. extra.**		
	Lung Tonic—Chest and Lung Balsam	2½ oz	6/6
	,, ,,	5 oz	9/–

LYSOL, *R.D.* (Cartons)

			6 doz.	12 doz.
,, ,, ,,	4 oz	3/9	3/7	3/6 dozen
,, ,, ,,	8 oz	5/10	5/7½	5/6 ,,
,, ,, ,,	16 oz	9/-	8/9	8/6 ,,
,, (wrapped)	4 oz	3/6	3/4	3/3 ,,
,, ,,	8 oz	5/7	5/4½	5/3 ,,
,, ,,	16 oz	8/9	8/6	8/3 ,,

MacLean formula Stomach Powder.	*R.D.*	6 doz.	12 doz.	
Small	4/6	4/3	4/-	dozen
Medium	7/-	6/9	6/6	,,
Large	10/6	10/3	10/-	,,
,, ,, *S.* (Bottles in cartons)	7/9	7/6	7/3	,,
,, ,, *S.* style 2 (cartons)	4/6	4/3	4/-	,,
,, ,, Tablets (see page 101).				

		Size.	Price. Per doz.
	Menthol & Wintergreen Cream, *R.D.*	6d. tubes	3/6
	,, ,, ,, ,,	1/– ,,	6/6
N	**Morning Salts, (see Nymfa Slimming Aids, page 152).**		
	Moth Tablets, *R.D.*	Tins of 16	3/9
	,, ,, ,,	12 doz.	3/6

In display outers of 1 doz. tins.

		Size.	Price. Per doz.
	Mustard Ointment (*see Ointments*)		
	Nasal Balm (see *Catarrh Balm*).		
N	Nerve Tonic, *R.D.*, *S.*	8 oz	8/-
	Neuralgia & Headache Mixture, *R.D.*, *S.*, *P.*	8 oz	8/-
	No-Stayn (Grease Remover), *R.D.*		3/6
	OINTMENTS, *R.D.*		
	Eye Ointment (see *Golden Eye Ointment*)		
	Boric, Carbolic, Zinc, Sulphur, in 1 oz clear glass s/c pots		2/9
	,, ,, ,, ,, 2 oz ,, ,, ,, ,,		3/6
	,, ,, ,, ,, 4 oz ,, ,, ,, ,,		5/6
	Iodine (stainless) *R.D.*	s/c jars in ctn.	5/6
	Mustard, *R.D.*,	s/c jars	3/9
	Vapour Rub	jars	4/-
	Zinc and Castor Oil Cream, *R.D.*, *S.*	1 oz	2/9
	,, ,, ,, ,, ,,	2 oz	4/-
	,, ,, ,, ,, ,,	4 oz	5/6

In decorated tins—*R.D.*		Small. ¼ oz.	Medium. 1 oz.	Large. 2 oz. approx.
Basilicon	per gross	12/-	17/-	26/6
Boracic	,, ,,	8/6	12/6	19/6
Camphor Ice	,, ,,	—	22/6	—
Carbolic	,, ,,	8/6	12/6	19/6
Cocoa Nut Oil	,, ,,	8/6	12/6	19/6
Cold Cream	,, ,,	8/6	12/6	19/6
Chilblain	,, ,,	14/-	—	—
Fullers Earth Cream	,, ,,	—	22/6	—
Healing	,, ,,	8/6	12/6	—
Lanoline	,, ,,	8/6	12/6	—
Mustard	,, ,,	—	22/6	—
Sulphur	,, ,,	8/6	12/6	19/6
Vapour Rub	,, ,,	—	22/6	—
White Precipitate	,, ,,	8/6	12/6	—
Zinc	,, ,,	8/6	12/6	19/6

(3 doz of any one size minimum quantity supplied).

Olive Oil Cream Sublime, *R.D.*, *S.*, *P.*, s/c Bottles—

		3 doz.	6 doz.	12 doz. and over.
⅛ pt. imp.	4/3	4/2	4/-	3/11 doz.
¼ ,, ,,	6/5	6/4	6/3	6/2 ,,
½ ,, ,,	11/-	10/11	10/10	10/9 ,,
1 ,, ,,	20/3	20/-	19/9	19/6 ,,
¼ ,, rep.	5/6	5/5	5/4	5/3 ,,
½ ,, ,,	8/10	8/9	8/7	8/6 ,,
1 ,, ,,	15/6	15/4	15/3	15/- ,,
1 qt. ,,	27/6	27/3	27/-	— ,,

N	Orange Crush	—	12/6
	,, Quinine Wine	Botts	20/-
	,, ,, ,,	½ Botts	12/3
N	Paraffin, Liquid, Medicinal, *R.D.*, *S.*, *P.*	4 oz	4/3
	,, ,, ,, ,,	6 oz	5/3
	,, ,, ,, ,,	8 oz	6/6
	,, ,, ,, ,,	12 oz	8/6
	,, ,, ,, ,,	16 oz	10/9
	,, ,, ,, ,,	32 oz	21/-
	,, ,, ,, ,,	40 oz	25/6
	,, ,, ,, ,, Raspberry Flavoured	4 oz	4/6
	,, ,, ,, ,, ,, ,,	6 oz	5/9
	,, ,, ,, ,, ,, ,,	8 oz	7/-
	,, ,, ,, ,, ,, ,,	12 oz	9/3
	,, ,, ,, ,, ,, ,,	16 oz	11/9
	,, ,, ,, ,, ,, ,,	32 oz	23/-
	,, ,, ,, ,, ,, ,,	40 oz	27/9
N	Pectoral, Elixir, *R.D.*, *S.*	6 oz	7/-
	,, ,, ,,	8 oz	8/-

		Size.	Price Per doz.
	Pectorine Cough Tablets (see page 102).		
	Peppermint Tablets, C.S. in cellophane bags.	2 oz	3/-
	,, ,, ,, ,, ,, ,, ...	4 oz	4/6
N	Petroleum Emulsion	4 oz	7/3
	,, ,, ...	6 oz	9/6
	,, ,, ...	8 oz	11/-
	,, ,, ...	12 oz	16/-
	,, ,, ...	16 oz	19/6
	,, ,, ...	24 oz	25/-

ø Pharmacy Chemicals.

			Packed in Outers of	PER GROSS With Name & Address Imprint	PER GROSS Without Name & Address Imprint
Bicarbonate of Soda, B.P.	Ctns. *R.D.*	1 oz	3 doz.	9/6	7/-
,, ,, ,, ,, ...	,, ,,	2 oz	3 doz.	12/6	10/-
,, ,, ,, ,, ...	,, ,,	4 oz	3 doz.	17/6	15/3
,, ,, ,, ,,	Drums *R.D.,/B. & W.*	4 oz	3 doz.	—	15/3
Boracic Acid, B.P. (Crystals or Powder)	Ctns. *R.D.*	1 oz	3 doz.	12/-	9/6
,, ,, ,, ,, ,, ,,	,, ,,	2 oz	3 doz.	17/6	15/-
,, ,, ,, ,, ,, ,,	,, ,,	4 oz	3 doz.	28/6	26/-
,, ,, ,, ,, ,, ,,	Drums *R.D.,/B. & W.*	2 oz	3 doz.	—	17/6
,, ,, ,, ,, ,, ,, ,,	,,	4 oz		—	27/-
Borax Powder, B.P.	Ctns. *R.D.*	2 oz	3 doz.	15/6	13/-
,, ,, ,, ...	,, ,,	4 oz	3 doz.	21/6	19/-
Epsom Salts, B.P.	,, ,,	1 oz	3 doz.	8/6	6/-
,, ,, ,, ...	,, ,,	2 oz	3 doz.	10/6	8/-
,, ,, ,, ...	,, ,,	4 oz	3 doz.	15/-	12/6
,, ,, ,, ..	Drums *R.D.,/B. & W.*	4 oz	3 doz.	—	14/-
,, ,, ,, ..	,, ,, ,,	8 oz		—	22/6
Glauber's Salts, B.P.	Ctns. *R.D.*	1 oz	3 doz.	8/6	6/-
,, ,, ,, ...	,, ,,	2 oz	3 doz.	10/6	8/-
,, ,, ,, ...	,, ,,	4 oz	3 doz.	15/-	12/6
,, ,, ,, ..	Drums *R.D.,/B. & W.*	4 oz	3 doz.	—	14/-
,, ,, ,, ..	,, ,, ,,	8 oz		—	22/6

(Quantities of less than 3 dozen are charged 1/- per gross extra).

ø The weights given are approximate.

			Price Per doz.
N	Phospho-Tonic Wine	Rep. qts.	22/6
	,, ,, ...	,, pints	15/-
	Pile Ointment in tubes with nozzle *R.D.*	—	7/-
	,, Tablets (see page 103).		
N	Pills, 3d. size, in turned wood boxes outers of 3 doz.		1/9
	1 gross 18/- gross; 5 gross 16/6 gross; 10 gross 15/- gross		
	,, 6d. size, packed as above, outers of 1 doz. 1 gross 36/-		3/3

In the following varieties :—

Antibilious, Apiol and Steel, Back and Kidney, Castor Oil, Celery, Cochia, Female, Gout and Rheumatic, Head and Stomach, Hiera Picra, Indigestion and Wind, Little Liver, Liver and Stomach, Rhubarb, Steel and Pennyroyal, Army No. 9.

Powders, folded in envelopes, R.D. .. .. per box of 1 gross 4/6

Cooling Children under 1 year
,, 1 to 3 years
,, 3 to 5 years
Grey .. ,, under 1 year
,, 1 to 2 years

Quinine and Phosphorus Tonic. *R.D., S., P.*	8 oz	8/-
,, ,, Iron Tonic *R.D.*	8 oz	7/6
,, ,, ,, ,, ,, ...	12 oz	11/-
Red Bone Marrow Tonic	4 oz	5/6
,, ,, ,, ,, ...	6 oz	6/6
,, ,, ,, ,, ...	8 oz	7/6

Salad Oil (*see Olive Oil*)

		Size.	Price. Per doz.
	Regulators *R.D.*	15's	3/6
	,,	3 doz. and over	3/3
	,,	45's	6/9
	,,	3 doz. and over	6/6
	Saline, Burgoyne's Fruit (P.A.T.A.)	1/9	14/-
N	,, ,, ,, ,,	1/-	8/-
	,, ,, ,, Miniatures	—	3/-
	,, **Effervescing, Best**	4 oz	5/6
	,, ,, ,,	8 oz	8/6
	,, ,, Fair	4 oz	4/6
	,, ,, ,,	8 oz	6/6
	,, **Health Salt** "Dr. Mills" 1 gross 43/- gross, 5 gross 41/- gross		3/9
N	,, ,, ,, ,, ,, 1 ,, 72/-	Large size	6/6
	,, ,, ,, *R.D.*, 1 gross 43/- gross, 41/- gross		3/9
	Sal Volatile (s/c Bottles with i.r. wads) *R.D., S., P.*	1 oz	4/3
	,, ,, ,, ,, ,, ,, ,,	2 oz	7/-
	,, ,, ,, ,, ,, ,, ,,	4 oz	12/-
	,, (stoppered bottles 1/6 per doz. extra)		
	"Sectifuge" Anti-sting Lotion. Watch-shape flasks, nickel caps. -/10½		5/9
	,, ,, ,, Flat bottles with bakelite caps -/6		3/6
		12 doz.	3/-
	,, ,, ,, Small (12 on card)		2/2
	,, ,, ,,	6 doz.	2/1
	,, ,, ,,	12 ,,	2/-
	Seidlitz Powders B.P.	per gross	7/-
	,, ,, ,, boxes of 12	,, doz.	8/-
	,, ,, ,, ,, 6	,, ,,	5/3
	,, ,, E.S.	,, gross	8/-
	,, ,, ,, boxes of 12	,, doz.	9/-
	,, ,, D.S.	,, gross	9/-
	,, ,, ,, boxes of 12	,, doz.	11/-
	Reduced rates :—10 gross 3d., 20 gross 6d., per gross powders,		
	Special Packing :—Envelopes 2/-, Tinfoiled 2/-, Tinfoiled and wrapped 3/6, Banded 1/6 gross extra		
	Senna Pods, Alex. Finest, selected green, hand picked—		
	1 oz. Cellophane Window Carton		6/-

	½ oz.		1 oz.		2 oz	
	doz.	gross	doz.	gross	doz.	gross.
,, ,, Fine, *R.D.*, Alex. Cartons	—		3/-	30/-	4/9	51/-
,, ,, ,, ,, Cellophane	1/9	18/6	2/6	27/-	—	—
,, ,, H.P. ,, Cartons	—	—	4/3	47/-	7/-	78/-
,, ,, ,, ,, Cellophane	2/9	30/-	4/-	45/-	—	—
,, ,, Fine Tinnev. Cartons	—	—	1/8	17/-	2/-	21/-
,, ,, ,, Tinnev. Cellophane	1/3	12/6	1/6	15/-	—	—
,, ,, H.P. ,, Cartons	—	—	2/3	21/-	3/-	30/-
,, ,, ,, ,, Cellophane	1/6	15/-	1/11	20/-	—	—

		Size.	Price. Per doz.
	Slimming Salts and Tablets (see pages 105 and 152)		
	,, ,, *R.D.*... 3½lb. packets 4/- (Rail delivery 5/-)		
	,, ,, ,, 7lb. ,, 7/- (,, ,, 9/-)		
	Spirit of Nitre stoppered	1 oz	9/6
	,, ,, ,,	2 oz	15/-
	,, ,, ,,	4 oz	22/6
	Stomach and Liver Mixture *R.D., S.*	8 oz	8/-
N	**Sugar of Milk.** *R.D.*	¼ lb	5/6
	,, ,, ,,	½ lb	10/-
	,, ,, ,,	1 lb	17/6
	Sulphur Tablets, (see page 106)		
	Sun-bathing Oil		3/6
	Suppositories, Glycerine (see *Suppositories* page 136)		
N	**Surgical Spirit.** *R.D. & B. & W. Label*	8 oz	5/6
N	**Syrup, Easton's,** *R.D., S.*	4 oz (fluid)	7/6
	,, of Figs *S., R.D., P.*	2½ oz	5/-
	,, ,, *S., R.D., P.*	5 oz	7/6
N	,, Hypophosph. Co. *R.D.*, and yellow wrappers	4 oz	6/6
	,, ,, ,, ,, ,, ,,	8 oz	10/6

		Size	Price. Per doz.
	Tablets, Ailment Series, in ivory colour tins packed in card show boxes of 3 dozens, assorted if required.		
	Aperient No. 9 Boxes of 20 4/9, 30 5/6, 40 6/3 per doz.		—
	Cold Cure Boxes of 16 3/6, 20 4/-, 24 5/3, 32 6/3 per doz.		—
	Digestive Boxes of 25 5/-, 40 6/3, 60 7/6 per doz.		—
	Complexion Boxes of 20 4/6, 40 4/9, 60 5/- per doz.		—
	Bismuth Mint Compound Boxes of 40 4/6, 50 4/9, 60 5/- per doz.		—
	Headache and Neuralgia Boxes of 20 5/-, 30 6/-, 40 7/- per doz.		—
	Tonic-Anaemia Boxes of 50 5/- per doz.		—
N	Throat Pastilles (Antiseptic) *R.D.*, style 2		5/6
N	Tincture Iodine Style 1	½ oz	3/3
	,, ,, ,,	1 oz	5/-
	,, ,, ,,	2 oz	8/6
	,, ,, Style 2 *R.D.*, (with brush)	½ oz	3/9
	,, ,, ,, (,, ,,)	1 oz	5/6
	,, ,, ,, (,, ,,)	2 oz	9/3
	(Decolorised 6d, 1/- and 2/- doz. extra)		
	,, ,, Style 3	¼ oz	2/9
	,, ,, ,,	½ oz	3/9
	,, ,, ,,	¾ oz	5/6
	,, ,, "Spartan"	½ oz	4/3
	,, ,, ,,	1 oz	6/-
	(*see also Iodine Pencils*)		
	,, **Myrrh and Borax with Cologne.** *S.*, *R.D.*	1 oz	7/-
	,, ,, ,, ,, ,, ,,	2 oz	11/6
	Toothache Essence (display cards of 18) *R.D.*		3/6
	Vapour Rub (see *Ointments* page 148)		
	Vigour Tonic. *R.D.*, *S.*, *P.*	8 oz	8/-
	Vinegar Essence		13/6
	"Vio Ray" Malt (see page 142).		
	Weight Reducing Capsules (see *Capsules*).		
	Wintergreen Cream *R.D.*	s/c jars	3/6
N	Witch Hazel Extract, Distilled *R.D.*, *S.*	2 oz	4/6
	,, ,, ,, ,, ,, ,,	4 oz	7/-
	,, ,, ,, ,, ,, ,,	8 oz	11/6
N	Worm Syrup (P.J.F. 10035)	2 oz	10/6
	Zinc and Castor Oil Cream (see *Ointments* page 148).		
	Zotal Inhalant, (see page 142)		—
	Zotal Liniment (see page 142)		—
	Zotalene Healing Cream (see page 142)		—

TOILET PREPARATIONS.

			Size	Price. Per doz.
N	**"FLORA" Series.**			
	Brilliantine, Inseparable, Ring neck bottles		4 oz	6/-
	Fuller's Earth, Buff or White	Composite drums	4 oz	3/3
	Glycerin and Lime Cream	"Ideal" bottles	3 oz	5/-
	,, ,,	,,	4 oz	6/3
	,, ,,	,,	8 oz	9/6
	Hazel Cream	Opal oct. jars	small	4/6
	,,	,,	large	6/-
	Toilet Paraffin	White panels	2 oz	4/-
	,,	,,	2½ oz	5/-
	,,	,,	4 oz	5/9
	,,	,,	5 oz	6/3
	Tooth Paste. Formalin and Mint	Tubes, ctnd.	—	6/-
	,, **Powder. Carbolic**	Round tins	-/6	3/-
	,, ,,	,,	1/-	5/6
	Violet Powder	Composite drums	1/-	3/6

TOILET PREPARATIONS—*continued.*

CHARMIAN

SUN BATHING PREPARATIONS

Huile de Soleil. Brun.
Lait de Soleil. "Au Calamine."

	1/3 size	2/- size
	10/- per doz.	16/- per doz.
3 doz.	9/6 ,, ,,	15/- ,, ,,
6 ,,	9/- ,, ,,	14/6 ,, ,,
12 ,,	8/6 ,, ,,	14/- ,, ,,

"NYMFA" Slimming Aids.

	Size	Price per doz.
Bath Salts (Perfumed) .. 1 lb. cartons		3/6
,, ,, (Not Perfumed) 3½ lb. packets		4/-
,, ,, ,, ,, ,, ,, (rail delivery)		5/-
,, ,, ,, ,, 7 lb. packets		7/-
,, ,, ,, ,, ,, ,, (rail delivery)		9/-
Morning Salts	s/c jars in carton	7/6
,, ,, (Outers of 3 doz.) 4½d. size	36/- gross	3/6
Slimming Tablets	50's	7/6

"ORIFLAMME" Series.

	Size	Price per doz.
Bay Rum	1/6	6/6
Brilliantine, Inseparable	1/6	6/6
Calamine Lotion	2 oz.	3/6
,, ,,	4 oz.	4/6
Honey and Flowers (*Separable*)	1/9	6/6
Shampoo Powders. (Camomile, Cocoanut Oil and Henna.)	Per doz. 1/9; per gross	18/-
Sunbronze Oil .. 2 oz. winged panel with bakelite cap		3/6
Toilet Paraffin	1/6	6/6
Violet Oil	1/6	6/6

"DIANA," or "APOLLO" Series.

	Size	Price per doz.
Bay Rum, Brilliantine, Glycerin and Rose Water, Hair Cream, Hair Cream with Oil, Honey and Flowers, Jasmin Oil, Toilet Paraffin, Violet Oil	Small Large	3/3 4/-
Not less than 1 gross, Small, 35/-; 2 gross, 33/6; 5 gross, 32/-.		
,, ,, ,, Large, 45/-; ,, 43/6; ,, 42/-.		
Calamine Lotion—Apollo	Large	4/6

GENERAL TOILET PREPARATIONS.

	Size	Price per doz.
N Bath Cologne	10 oz. Flagons	8/6
,, Crystals, Cologne, Lavender, Verbena	Tins (approx. 4 lb.)	12/-
,, ,, ,, ,, ,,	6 doz.	11/6
,, ,, ,, ,, ,,	12 doz.	11/-
rail delivery 1/- per doz. extra		
,, ,, ,, ,, ,, .. 1 cwt. Kegs 20/- each		
,, ,, ,, ,, ,, .. 28 lb. tins 5/9 ,,		
,, ,, ,, ,, ,, ... 14 ,, ,, 3/- ,,		
,, Salts, "Pyzonic" .. Cartons of 6 envs.	-/6	4/-
,, ,,	12 oz.	7/6
Calamine Lotion *S. R.D.*	2 oz.	3/6
,, ,, ,,	4 oz.	4/6
,, ,, ,,	6 oz.	5/6
,, ,, "Duchesne"	2 oz.	3/6
,, ,, ,, ,,	4 oz.	5/6
Depilatory, Safe .. s/c pots	2 oz.	7/-

	TOILET PREPARATIONS—*continued.*		Size.	Price Per doz.
	Eau de Cologne. "Standard" bottle. Corked and capped	per gross 33/–	1 oz. ...	3/–
		,, ,, 42/–	2 oz. ...	3/9
		,, ,, 60/–	4 oz. ...	5/3
	"Fumatol" Toilet Antiseptic and Deodorant. Cartoned		4 oz.	8/9
N	Hair Dyes, one solution	"Premier"	small	10/–
	,, ,, ,,	,,	large	15/6
	,, ,, ,,	"Nature's"	—	9/–
	,, Restorer	"Rossetter's" Wrapped	3/–	24/–
N	,, Tint	Seven shades, ctnd.	small	10/–
	,, ,,	,, ,,	large	15/6
	Iced Cologne		1 oz.	7/6
	,, ,,		2 oz.	11/6
	,, ,,		4 oz.	18/6
	Lanoline, Toilet *R.D.*	tubes	1 oz	3/6
	"Pyzonic" Bath Salts. See Bath Salts.			
N	Rosemary Hair Wash	Ring neck bottles	6 oz.	9/6
	,, ,,	,, ,,	8 oz.	11/6
	Setting Lotion "Wafix"		2 oz.	3/3
	,, ,, ,,		4 oz.	4/–
	,, ,, 10 oz Decanters		..	7/6
N	Skin Lotion, "Winter" (Lotus)		4 oz.	7/–
	Sun-bathing Oil (Style 1)		—	3/6
	,, ,, (,, 2)		—	3/6
	Sunbronze Cream,	enamelled Tubes	27/– gross	2/6
	Suntan Oil "Duchesne"		2 oz.	3/6
	,, ,, ,,		4 oz.	5/6
	Sunburn Lotion "Duchesne"		2 oz.	3/6
	,, ,, ,,		4 oz.	5/6
N	Tooth Paste, Peroxide	Tubes, ctnd. Outers of 12	–/6	4/–
	,, ,, ,,	,, ,, ,,	1/–	6/–
N	,, Powder, Carbolic	Round tins	–/6	3/3
	,, ,, ,,	,,	1/–	6/–
	Wa-fix Setting Lotion (see *Setting Lotion*).			

LAVENDER WATER

"1931"

¼ lb. Globe Stop'd bottles	1/– each
½ lb. ,, ,, ,,	1/6 ,,
1 lb. ,, ,, ,,	2/6 ,,
2 oz. bots., style 32	6/6 doz.
12 doz.	6/– ,,

Bulk

1/6 lb.	10/6 gall.

EAU DE COLOGNE

"1931"

¼ lb. Globe Stop'd bottles	1/– each
½ lb. ,, ,, ,,	1/6 ,,
1 lb. ,, ,, ,,	2/6 ,,
2 oz. bots., style 32	6/6 doz.
12 doz.	6/– ,,

Bulk

1/6 lb.	10/6 gall.

FLORAL OTTOS (Burgoyne's)

Immediately produce the finest fragrant Triple Perfumes, one ounce of the Otto added to one pint of 70% or 90% alcohol producing an exquisite lasting perfume. A cheaper perfume may be made by adding one ounce of the Otto to two pints of 70% alcohol.

Price 6/– ounce. 1-oz. Bottles (free).

Otto Bouquet
,, Carnation
,, Eau de Cologne
,, Heliotrope
,, Honeysuckle
,, Hyacinth
,, Jasmin

Otto Jockey Club
,, Lavender Water
,, Lilac
,, Lily of the Valley
,, Mignonette
,, Narcissus
,, New Mown Hay

Otto Opopanax
,, Parma Violet
,, Sweet Pea
,, Violet
,, Wallflower
,, White Rose
,, Wood Violet

VETERINARY PREPARATIONS.

Anti-Louse Paste (Burgoyne)		
1 lb. tins	each	2/9
Blister (vide Carter's Blister)		
Red	lb.	6/3
Blistering Fluid (Burgoyne)	lb.	12/-
Burnett's Fluid (vide Liq. Zinci Chlor. Com'l)		
Calves Cordial (Burgoyne) a remedy for Diarrhœa	lb.	2/6
Carbolised Oil 5%	lb.	1/3

Carbon Tetrachloride Capsules (for Fluke)

	1,000	5,000	10,000	25,000
1 c.c.	13/6	12/6	12/-	11/6 per 1,000
2.5 c.c.	27/6	26/6	26/-	25/6 „
5.0 c.c.	50/-	48/6	47/6	46/6 „

Capsule Carriers 3/- doz.

	Boxes of 25	50	100
1 c.c.	6/-	10/-	18/3 per doz.
2.5 c.c.	10/9	19/-	35/9 „
5.0 c.c.	18/-	33/-	64/- „

(See also Tetracol Capsules)

Castor Oil Vety. Reputed pints 11/- doz. Reputed quarts 15/- doz.
Imperial quarts 19/- doz. 1 gallon tins 5/9 each.

Carter's Blister 1 lb. jars 4/6 each

Cattle Drenches, Burgoyne

Alterative	1 oz.	per doz. pkts.	2/-
Astringent	2 oz.	per doz. pkts.	3/6
Cordial	16 oz.	per doz. pkts.	8/-
Cleansing	8 oz.	per doz. pkts.	3/3
Drying	6 oz.	per doz. pkts.	4/-

Chlorodyne, Veterinary	lb.	3/9

Perfectly miscible and guaranteed of uniform strength.
Exempt from D.D.A. regulations.

Colic Drinks (Burgoyne)	doz.	15/6

DYSENTERY SPECIFIC for LAMBS

2/9 size (1 lb.)	...	**15/- doz.**
3 doz.	...	**14/6 „**
6 „	...	**14/- „**
12/6 size (7 lb.)	...	**75/- „**


BURGOYNE
BURGOYNE'S
2/9
2/9
DIAMOND
DYSENTERY
SPECIFIC
FOR LAMBS
DEFINITELY
DEFEATS
DYSENTERY
BURGOYNE
BURBIDGES & CO. LTD.
LONDON, E.
DYSENTERY SPECIFIC

Cod Liver Oil Veterinary for Animal feeding. Guaranteed pure, from Cod Livers only, and star bright			
Bottles	reputed qrts.	per doz.	13/6
,,	pint (imperial)	,,	12/6
,,	quart (imperial)	,,	21/6
Tins	1 gallon		4/9 each
Dog Pills (vide page 158)			
Derris Root Powder .. 1lb.—2/6 7lb.—2/4 14lb.—2/2 28lb.—2/– 112lb.—1/10½ per lb.			
Dog Soap, Fluid (Burgoyne) for Eczema and other skin affections		gallon	7/6
Dusting Powder (Zotal Antiseptic)		1 lb. tins	2/6 each
Electuary Belladonna		lb.	4/–
Embrocation (vide "White Oils")			
Fever Drinks (Burgoyne)		doz.	10/6
Fly Lotion (Burgoyne). Is non-poisonous and inodorous		gallon	5/–
Fly and Maggot Oil (Burgoyne)		gallon	4/6
Foot Rot Liquor (Burgoyne)		lb.	4/3
,, Paste (Burgoyne)		lb.	3/–
,, Powder (Burgoyne)		lb.	1/–
Grease Lotion (Burgoyne)		gallon	3/6
,, Ointment (Burgoyne)		1 lb. tins	3/3 each
Gripe Drink (Burgoyne)		doz.	13/6
Heel Ointment (Burgoyne). An efficient remedy for cracked heels, sores, saddle galls, &c.	1 lb. tins	doz.	15/–
Hoof Ointment (Burgoyne)	1 lb. tins	doz.	23/–
,, Dressing (Burgoyne)	1 pint bots.	doz.	18/6

BURGOYNE'S "TORPEDO" SHAPED HORSE BALLS.

These Horse Balls are made with the purest ingredients accurately compounded, and their stability may be confidently relied upon. They are "Torpedo" shaped, coated with soluble gelatine and are guaranteed to retain their consistency and activity.

Alterative	Pulv. Aloes Barb., Pulv. Capsici, Pot. Nitrat., Resin., of each 40 grains, Antim. Sulphurata, Pulv. Gentian, of each 80 grains. Dose :—1 ball.	doz.	2/–	gross	22/–
Astringent	Pulv. Catechu, 1 drachm ; Pulv. Cinnam, 1 drachm. Dose :—1 ball.	doz.	2/6	gross	27/–
Chloral Hydrate	Chloral Hydrate 240 grains. Dose :—1 ball.	doz.	4/–	gross	45/–
Colic	Chloral Hydrate, 2 drachms ; Pulv. Aloes 40 grains ; Rad. Zingib. 40 grains. Dose :—1 ball.	doz.	3/6	gross	39/–
Condition	Sulphur Sublim, 1 drachm ; Resin, 1 drachm ; Antim. Sulphurata, ½ drachm ; Ferri Sulph. ½ drachm ; Aloes 1 drachm ; Potassii Nitratis, 1 drachm. Dose :—1 ball.	doz.	2/–	gross	22/–
Cordial	Rad. Gentian, 2 drachms ; Rad. Zingib, 2 drachms ; Pulv. Anisi, 2 drachms. Dose :—1 ball.	doz.	2/6	gross	27/–
Cough, No. 1. (Belladonna Comp., V.P.)	Pulv. Aloes Barb., 1 drachm ; Ext. Belladonnæ, ½ drachm ; Potassii Nitratis, 2 drachms. Dose :—1 ball.	doz.	2/6	gross	27/–
Cud	Ferri Sulph., 1 drachm ; Pulv. Rad. Gentian, 1 drachm ; Pulv. Pot. Nitrat., ½ drachm. Dose :—1 ball.	doz.	2/3	gross	24/–

Diabetic, No. 1 Ferri Sulphatis, 2 drachms; Pulv. Nucis Vomicæ, 20 grains; Sodii Arseniatis, 1 grain; Potassii Acetatis, 1 drachm; Pulv. Rad. Gentian, 2 drachms; Excipient, 3 drachms. Dose :—1 ball.	doz.	2/3	gross	24/–
Digestive Aloes, 90 grains; Pulv. Rad. Gentian, 1 drachm; Pulv. Rad. Zingib., 1 drachm; Pulv. Nux Vomica, 30 grains. Dose :—1 Ball.	doz.	2/6	gross	27/–
Diuretic (Resinae Comp. V.P.) Pulv. Resinae, 1 drachm; Potassii Nitratis, 1 drachm; Sapo Dur., 1 drachm; Excipient, 5 drachms. Dose :—1 ball.	doz.	2/3	gross	24/–
Farcy. 6 drachms	doz.	2/9	gross	30/–
Fever Quinin. Sulph., 1 drachm; Ammon. Carb. 2 drachms; Mass Commun., 5 drachms. Dose :—1 ball.	doz.	7/-		
Grease Cupri Sulph., 1 drachm; Potass. Chlor., 1 drachm; Resin., 1½ drachms; Potass. Nitrat., 1 drachm; Nucis Vomica 15 grains. Dose :—1 ball.	doz.	2/6	gross	27/–
Physic. Aloes B.P. 3 drachms in each ball	doz.	2/6	gross	27/–
„ „ „ 4 „ „ „	doz.	3/–	gross	33/–
„ „ „ 5 „ „ „	doz.	3/3	gross	36/–
„ „ „ 6 „ „ „	doz.	3/6	gross	39/–
„ „ „ 8 „ „ „	doz.	4/–	gross	45/–
Stimulant Ammon. Carb., 2 drachms; Pulv. Nux Vomica, 1 drachm; Dose :—1 Ball.	doz.	2/6	gross	27/–
Tonic Ferri Sulph., 2 drachms; Pulv. Nucis Vomicæ ½ drachm; Pulv. Zingib, 1 drachm. Dose :—1 ball.	doz.	2/6	gross	27/–
Worm (Santonin) Santonin, ½ drachm; Antim. Tart. Pulv., ½ drachm; Mass. Aloes, 4 drachms. Dose :—1 ball.	doz.	12/6		
Worm, No. 2 Antim. Tart., 1 drachm; Ferri Sulph., 1 drachm; Aloes 2 drachms. Dose :—1 ball.	doz.	2/-	gross	22/6
Worm, No. 3 (Non Poisonous) Ferri Sulph., 1 drachm; Nux Areca, 4 drachms; Aloes 2 drachms. Dose :—1 ball.	doz.	2/3	gross	25/–

Horse Powders (vide Powders).

INJECTIONS. VETERINARY HYPODERMIC.

S1	Apomorphia Hydrochlor. Apomorphia Hydrochlor. 2 grains; Camphor Water 100 minims. (Dose for dog :—5 min. Injection).	oz.	1/9
S1	Atropine Sulph. 4 grains in 1 fluid oz.	oz.	1/–
P1	Chloral Hydrate 1 grain Chloral Hydrate in 2 minims.	oz.	1/3
S1	†Cocain and Adrenalin	oz.	2/9
S1	†Morphine 1 grain Morphia Acetate in 10 minims.	oz.	3/–
S1	†Morphine and Atropine 3 grains Morphine, ¼ grain Atropine in 1 fluid drachm.	oz.	3/–
S1	Pilocarpine Nitrate 3 grains Pilocarpine Nitrate in 1 fluid drachm.	oz.	2/–
S1	Physostigmine Sulphate 1 grain in 1 fluid drachm.	oz.	3/9
	Quinine Sulphate 6 grains in 1 fluid drachm.	oz.	1/3

These injections can be supplied in ampulae, containing sufficient for one dose, according to requirements.

Lambing Oil (Burgoyne)	lb.	1/3
Lice Powder (Burgoyne)	lb.	1/6
„ **Paint (Burgoyne)**	lb.	1/3
Locust Bean Meal	lb.	–/5

Male Fern Mixture (Burgoyne)		lb.	2/-
Magnes. Sulphas. Coloured Red, Yellow, etc.		cwt.	29/6
,, ,, 8 oz. Cartons		gross	37/6
Mange Dressing (Burgoyne) 1 lb. bottles, labelled with full directions for use.		doz.	22/6
Mercurial Soap		lb.	1/10
Mist. Tonic, Conc. (Burgoyne) Tonic and Antipyretic		lb.	3/-
Newmarket Oils (Burgoyne)	pint bots.	each	1/9
	qt. bots.	each	3/3
	gall. bots.	each	11/-

PESSARIES. **Packed in Boxes of 6.**

Acid Boric	per doz. Pessaries	4/-	gross 42/-
,, and Iodoform	,, ,, ,,	6/9	
Alkaline	,, ,, ,,	4/-	
Formaldehyde	,, ,, ,,	3/9	
Hydrarg. Perchlor.	,, ,, ,,	4/-	
Iodoform, 30 grains	,, ,, ,,	5/-	,, 54/-
,, 60 grains	,, ,, ,,	6/3	
Salol	,, ,, ,,	4/9	,, 51/-
,, and Iodoform	,, ,, ,,	5/6	
Sterility		doz. 5/-	,, 54/-

Pig Powder (Burgoyne's)	1 lb. pkts.	doz.	10/6
Poultry Powder (Burgoyne's)	1 lb. pkts.	doz.	10/6

DOG REMEDIES IN PILL FORM.

In BULK, 10 gross Tins (usual extra charges for smaller quantities).

LARGE SERIES.

Alterative	Hyd. Sulph. c. Sulph. gr. 5 ; Pot. Bitart. gr. 5 ; Ferri Tart. gr. 2.	gross	2/-
Aperient No. 1	Aloes Barb. gr. 10 ; Ol. Croton gr. ½.	gross	1/6
Aperient No. 2	Aloes Barb. gr. 15 ; Calomel gr. 2.	gross	2/-
Aperient	Podoph. gr. 1 ; Hyd. c. Creta gr. 5 ; Ext. Tarax. gr. 8.	gross	3/-
Astringent	Opii gr. ½ ; Catechu gr. 10 ; Zingib. gr. 5.	gross	2/6
Cough	Digitalis gr. 2 ; Antim. Co. gr. 4 ; Pot. Nit. gr. 4 ; Ipecac, gr. 2.	gross	1/9
Distemper	Hyd. c. Creta gr. 4 ; Pot. Nit. gr. 5 ; Digitalis gr. 1 ; Carbo. Lig. gr. 4.	gross	1/9
Impotence	Ext. Damianæ gr. 4.	gross	2/3
Tonic	Ferri Tart. gr. 5 ; Quinine gr. ¾ ; Ext. Gentian gr. 5.	gross	3/-
Worm No. 1	Santonin gr. 2 ; Nux. Arec. gr. 10 ; Jalap. gr. 2 ; Ext. Gentian, q.s.	gross	7/6
Worm No. 2	Hyd. Subch. gr. 2 ; P. Jalape, gr. 10 ; P. Zingib, gr. 2.	gross	5/6

SMALL SERIES.

Alterative	Hyd. c. Creta gr. 2 ; Digitalis gr. ¾ ; Scilla gr. 1 ; Ext. Hyos. gr. ½.	gross	1/6
Aperient	Aloes Barb. gr. 5 ; Ol. Croton q.s.	gross	1/6
†Astringent	Opii gr. ½ ; Catechu gr. 3 ; Zingib. gr. 2.	gross	1/6
†Cough	Scilla gr. 1 ; Ammon. gr. 2 ; Ac. Benzoic. gr. 1 ; Opii gr. ¼ ; Bals. Peru. q.s.	gross	1/9
Cough Pills (sine Opium)	Digitalis gr. 1 ; Pulv. Antim. Co. gr. 2 ; Pulv. Pot. Nit. gr. 2 ; Pulv. Ipecac. gr. 1.	gross	1/9
Diarrhoea	Pulv. Catechu gr. 3 ; Pulv. Zingib. gr. 2 ; Syrup q.s.	gross	1/6

Dog Remedies in Pill Form. Small Series—*contd.*

Distemper Antim. Co. gr. 1½ ; Pot. Nit. gr. 2 ; Camph. gr. 1 ; Carbo. Lig. gr. 1	gross	1/6	
Gastric Distemper For Sickness and Purging. Also in Tablet Form.	gross	2/-	
Tonic Ferri Sulph. gr. 1 ; Quinine gr. ½ ; Gentian gr. 2 ; Cascara gr. 2.	gross	2/3	
Worm Santonin gr. ¾ ; Filicis Mar. gr. 1 ; Coloc. gr. ¾ ; Jalap. gr. 2¼ ; Ol. Caryoph, Min. ½.	gross	3/9	

HORSE POWDERS.

The following formulæ are supplied in bulk, also neatly put up in ½ oz. packets, exact weight, enclosed in boxes of 1, 2, or 3 dozen.

Aconite Pulv. Rad. Aconit., 1 part ; Pulv. Ipecac., 1 part ; Pulv. Scillæ, 2 parts ; Pot. Nit., 6 parts ; Pulv. Anisi, 8 parts ; Pulv. Glycyrrh. 6 parts.	doz.	1/4	lb. 1/9
Alterative Pulv. Rad. Calumbæ, 1 part ; Antim. Sulphid. Nig., 1 part ; Pulv. Sem. Fænugræc., 1 part ; Sulphur Sublim. 2 parts ; Pulv. Rad. Gentian., 2 parts ; Magnesii Sulph. 2 parts.	gross	11/-	in bulk, lb. 1/-
Astringent Pulv. Catechu, 1 part ; Cretæ Præp, 2 parts ; Pulv. Cinnam., 1 part ; Pulv. Zingiberis, 1 part.	gross	12/6	in bulk, lb. 1/3
Condition Pulv. Sem. Fænugræci, 3 parts ; Antim. Sulph. Nig., 2 parts ; Sulphur Sublim., 4 parts ; Pulv. Resinæ, 2 parts ; Potassii Nitratis, 3 parts ; Magnesii Sulph. 6 parts.	gross	9/6	in bulk, lb. -/8
Cordial Pulv. Sem. Anisi, 1 part ; Pulv. Zingiberis 1 part ; Pulv. Gentian 1 part.	gross	12/6	in bulk, lb. 1/3
Cough Pulv. Rad. Scillæ, 1 part ; Camphor, ½ part ; Pulv. Gum Ammon., 1 part ; Pulv. Sem. Anisi, 3 parts.	gross	17/3	in bulk, lb. 2/3
Diuretic Pulv. Resinæ, 3 parts ; Potassii Nitratis, 2 parts.	gross	11/-	in bulk, lb. 1/-
Fever Magnes. Sulph., 3 parts ; Potassii Nitratis, 1 part.	gross	9/-	in bulk, lb. -/7
Tonic Ferri Sulph., 1 part ; Pulv. Rad. Gentian, 3 parts ; Pulv. Sem. Carui, 2 parts.	gross	12/-	in bulk, lb. 1/2
Worm No. 1 Santonin, 15 grains ; Ferri Sulph., 1½ drachms ; Pulv. Rad. Glyc., 2½ drachms.	doz.	5/-	
Worm No. 2 Antim. Pot. Tart., 1 part ; Ferri Sulph. 1 part ; Pulv. Nuc. Areca 2 parts.	gross	13/6	in bulk, lb. 1/6

Rat Poison (Burgoyne)	lb.	1/3
„ Poison Phosphorus (Burgoyne)	lb.	1/6
Ringworm Ointment (Burgoyne)	lb.	1/9
"Sanetol" Antiseptic Ointment (Burgoyne) A valuable dressing for mange and parasitic diseases.	lb.	2/6
Shoulder Lotion in half-pint bottles	doz.	7/6
Teat Lotion (Burgoyne)	lb.	1/-
Tincture Myrrh Co. (Veterinary)	lb.	3/6
Tonic Liquor (Burgoyne) A reliable combination of Iron Quinine and other Tonics in a soluble form.	lb.	3/-

Tetracol Capsules (Pure Medicinal Carbon Tetrachloride.)

	Boxes of 25	50	100
1 c.c. (16.8 minims)	6/-	10/-	18/3 doz.
2.5 c.c.	10/9	19/-	35/9 doz.
5.0 c.c.	18/-	33/-	64/- doz.

Fully descriptive literature on application. Capsule carriers 3/- doz.

S **Tylene** Worm Capsules.

	Boxes of 12	50
Size No. 1 (0.2 c.c.) for puppies and small toy dogs	10/-	30/- doz.
,, 2 (0.5 c.c.) for toy dogs and large puppies	11/-	33/- ,,
,, 3 (1.0 c.c.) for small terriers and pugs	14/-	42/- ,,
,, 4 (2.0 c.c.) for large terriers and medium gun dogs	20/-	60/- ,,
,, 5 (5.0 c.c.) for large dogs	30/-	90/- ,,

Fully descriptive literature on application. *subject to distributors' discount*

WARBLE FLY POWDER
4 x 4oz. packets.
Each packet contains sufficient to produce 1 quart of Wash.
STORE IN A DRY PLACE
Prepared by
BURGOYNE BURBIDGES & CO. LTD.
LONDON

WARBLE FLY POWDER

1lb carbons (4 × 4 oz. packets) with full directions for use	27/- doz.
3 doz.	26/- doz.
6 doz.	25/6 doz.
12 doz.	25/- doz.

White Oils (Burgoyne)	pint bots.	doz.	19/-
,, ,, ,, ...	½ pint bots.	doz.	12/6
,, ,, ,, ...	qt. bots.	doz.	33/6
,, ,, ,, ...	per gallon tin	each	8/9

Zotal (vide page 142)

COMPRESSED TABLETS. (Veterinary).

		Strength in grains.	Tubes of 12 per doz.
S1	Acid. Arseniosum	2	3/6
	Arecoline Hydrobrom.	2	4/- each
S1	Atropine Sulphas	⅕	5/-
S1	,, ,, ...	¼	5/6
S1	,, ,, ...	½	6/-
	Calomel (see *Hydrarg. Subchlor.*)		
S1	Chloral Hydras.	60	8/6
S1 †	Cocain. Hydrochlor.	1	16/-
S1 †	,, ,, ...	2	31/-
S1 †	,, ,, ...	3	45/-
S1	Eserine Sulphas (*see Physostigmin. Sulphas*).		
	Hydrarg. Subchlor.	60	10/-
P1	Lead Acetate (see *Plumbi Acetas*)		
S1 †	Morphia Sulphas	1	10/-
S1 †	,, ,, ...	2	18/-
S1 †	,, ,, ...	3	26/-
S1 †	,, ,, ...	4	34/-
	,, Tartras	2	24/-
S1 †	,, ,, ...	4	43/6
S1	Physostigmin. Sulphas	1	3/6 per tube of 6 tablets
P1	Plumbi Acetas	18	3/3
S1	Strychnine Hydrochlor.	1	4/6
S1	,, Sulphas	1	4/6
	Zinc Sulphas	18	3/6

BOTTLES

White Glass Dispensing Flats Corked Mouth.

	1 gross.	5 gross.
1 oz.	10/–	9/3
2 „	10/6	9/9
3 „	11/3	10/6
4 „	11/9	10/9
6 „	13/–	12/–
8 „	13/6	12/6
10 „	17/6	15/9
12 „	19/–	17/6
16 „	24/–	22/3
20 „	32/6	30/–

White Glass Dispensing Flats Washed, Papered and Boxed.

		1 gross.	5 gross.
1 oz.,	6 doz.	12/6	11/6
2 „	6 „	12/9	11/9
3 „	4 „	13/9	12/9
4 „	4 „	14/–	13/–
6 „	3 „	15/6	14/6
8 „	3 „	16/6	15/3
10 „	2 „	20/9	19/6
12 „	2 „	23/–	21/3
16 „	1 „	29/6	27/–
20 „	1 „	39/–	36/–

White Glass Flats Bakelite Screw Caps.

	1-4 gross.	5 gross.
1 oz.	14/–	13/–
2 „	14/6	13/3
3 „	15/6	14/3
4 „	16/3	15/3
6 „	17/6	16/3
8 „	18/6	17/3
12 „	25/6	23/6
16 „	31/–	29/–
20 „	40/–	37/6

White Glass Panels Oval Front Bakelite Caps.

	1-4 gross.	5 gross.
1 oz.	14/3	13/3
2 „	15/6	14/6
3 „	16/6	15/6
4 „	19/–	17/9
6 „	22/–	21/–
8 „	23/6	22/–
10 „	32/6	31/–
16 „	35/–	32/6

PRICE LIST OF DRUGGISTS' SUNDRIES, SURGICAL DRESSINGS AND APPLIANCES on application.

BOTTLES

Ribbed Ovals—White Glass.

	Cork Mouth. Per gross.		Bakelite Screw Caps. Per gross.	
	1 gross.	5 gross.	1 gross.	5 gross.
½ oz.	8/9	8/3	12/3	11/9
1 „	10/3	9/6	13/9	13/-
2 „	10/9	10/-	14/3	13/6
3 „	12/6	11/9	16/-	15/3
4 „	12/9	12/-	16/9	16/-
6 „	14/-	13/3	18/-	17/3
8 „	14/9	13/9	18/9	17/9
10 „	18/6	17/6	22/6	21/6
12 „	20/6	19/6	25/6	24/6
16 „	26/-	25/-	31/-	30/-
20 „	34/6	33/6	39/6	38/6

Poisons—Flat or Hexagon, Blue or Actinic Green.

	Per gross.	
	1 gross.	5 gross.
½ oz.	8/-	7/6
1 „	8/9	8/3
2 „	10/-	9/6
3 „	12/9	12/3
4 „	14/6	13/9
6 „	17/6	16/9
8 „	20/-	18/9
10 „	23/6	22/6
12 „	25/6	24/-
16 „	29/6	28/-
20 „	35/-	33/6

White Glass Vials.

	Per gross.	
	1 gross.	5 gross.
2 dr.	5/-	4/9
½ oz.	6/-	5/9
1 „	6/6	6/-
1½ „	7/9	7/-
2 „	9/3	8/3
3 „	11/9	11/-

White Glass Pomades.

Aluminium Caps—Card Wads.

	Per gross.	
	1 gross.	5 gross.
½ oz.	8/9	8/-
1 „	10/6	10/-
2 „	12/6	12/-
4 „	16/9	16/-

PRICE LIST OF DRUGGISTS' SUNDRIES, SURGICAL DRESSINGS AND APPLIANCES on application.

Halivamin
BRAND
VITAMIN TESTED

HALIBUT LIVER OIL PRODUCTS

Prepared from standardised oil guaranteed to contain 30.000 International Units Vitamin A and 1.500 International Units Vitamin D per gramme.

There is a quiet force about the get-up which is extremely attractive and we shall be pleased to send a specimen package to any pharmacist unacquainted with the series.

Cards are available for each product.

● CAPSULES ●

Reduced Prices and Additional Packings

Flat Boxes of 25	**1/3** each
,, ,, ,, 50	**2/-** ,,
Tins of 100	**3/9** ,,

● EMULSION ●

6 oz.	**1/6** each	12 oz.	**2/9** each

Calcium Gluconate which is now incorporated in this emulsion may be described as re-inforcing and supporting the activities of Vitamins A & D; it also relaxes Bronchial Spasm and decreases the secretion of Mucous.

Both Halibut Liver Oil and Calcium Gluconate are, individually, valuable curative agents; in combination their therapeutic properties are enhanced and exerted to a marked degree.

● EXTRACT OF MALT & OIL ●

1 lb. Amber screw cap jars ...	**1/3** each
2 lb. ,, ,, ,, ,, ...	**2/3** ,,
4 lb. ,, ,, ,, ,, ...	**4/3** ,,

● OIL ●

Supplied in Drop Bottles

5 c.c. ...	**1/3** each	10 c.c. ...	**1/9** each	50 c.c. ...	**7/6** each

LESS 33⅓%

BONUS: We are repeating last season's bonus of 7½% discount on all parcels of £2 and over

TRADE
B & B & Co
MARK
RED BRAND
DIAMOND

Under this trademark, we pack a comprehensive range of Pharmaceuticals, in which pharmacists can have entire reliance. The various stages of their manufacture, assembling and packing are supervised by highly qualified chemists who have at their disposal, the knowledge we have accumulated during close on two centuries, of the best manufacturing processes and methods of presentation.

RED DIAMOND BRAND
PACKED PHARMACEUTICALS

are not manufactured down to a price but up to a standard—the highest obtainable—and in supplying them you can be assured of giving your customers entire satisfaction and enhancing the reputation of your pharmacy.

ILLUSTRATED CATALOGUE ON APPLICATION

BURGOYNE
URBIDGES & CO. LTD.
LONDON E
Manufacturers of Pharmaceuticals since 1741

KNAPP, DREWETT & SONS LTD.

General Printers, Stationers, Engravers,
Account Book Makers, Lithographers.

12, LAMBETH HILL,
QUEEN VICTORIA STREET, LONDON, E.C. 4

'Phone : CENTRAL 3686-7.

AND AT . . .
30, VICTORIA STREET,
WESTMINSTER, S.W. 1.
VICTORIA 0945.

AND . . .
KINGSTON-ON-THAMES.
'Phone : KINGSTON 1890 (4 lines

The "D.C.L." Brand of Malt Extract

"D.C.L." MALT EXTRACT

long famous in wet form, can now also be supplied in **DRY** form

DRIED YEAST IN TWO GRADES

(1) Silent—or non-fermentable in ground or powdered form.
(2) Live—or fermentable.

YEAST TABLETS

All of above SOLD IN BULK.

Samples and Prices on application to:

The DISTILLERS COMPANY, LIMITED,
EDINBURGH.

You cannot get the best out of your business unless you subscribe to . . The

CHEMIST AND DRUGGIST

ANNUAL SUBSCRIPTION 20/- INCLUDES 52 NUMBERS AND A COPY OF THE 'C & D' DIARY FOR THE ENSUING YEAR

These Business Books published by The CHEMIST and DRUGGIST will help you in your daily work.

	Net.		Net.
The Art of Dispensing ... ... (11/- Post free)	10/6	Practical Methods of Urine Analysis ... (4/3 Post free)	4/-
Diseases and Remedies ... ... (7/10 Post free)	7/6	Provincial Hospital Pharmacopœias ... (3/2 Post free)	3/-
A Handbook to Pharmacy ... ... (5/4 Post free)	5/-	Veterinary Counter Practice ... ... (10/6 post free)	10/-
Pharmaceutical Botany ... ... (5/4 Post free)	5/-	Wootton's Chronicle of Pharmacy ... (11/3 Post free)	10/6
Pharmaceutical Fromulas (Vol. I) 10th Edn. ... (15/6 Post free)	15/-	The C. & D. Poisons Guide ... ... (3/9 Post free)	3/6
Pharmaceutical Formulas (Vol. II) 10th Edn. ... (15/6 Post free)	15/-	The C. & D. Price List Formulary ...	2/6
The Photographic Chemist ... ... (3/8 Post free)	3/6	The C. & D. Stocktaking Pad (Post free)	2/6

These books are supplied by BURGOYNE, BURBIDGES & Co., Ltd., at the published prices.

or from the Publisher, The Chemist and Druggist, Phone; CENTRAL 6565.

28, ESSEX STREET, STRAND, W.C.2.

Branches: Manchester, Sheffield, Glasgow, Paris, Auckland (New Zealand), Sydney and Melbourne (Australia)

Knapp, Drewett & Sons Ltd., 12, Lambeth Hill, Queen Victoria Street, E.C.4.—4066CK.